

SUBJECT INDEX

VOLUMES 17–40

1981–2004

For references to articles and editorials, this index gives the first author (in parentheses), the issue designation ("Sp" for Spring, "Su" for Summer, "F" for Fall, and "W" for Winter, followed by two digits for the year), and the inclusive page numbers. The reader is referred to the Author Index for the full title and coauthors, where appropriate. In addition, this index contains subject entries from the Gem News (GN), Gem Trade Lab Notes (LN), and Editorial Forum or Letters (Let) sections, as well as Book Reviews (under that heading). The Gem News section was renamed Gem News International (GNI), beginning with the Spring 2001 issue. Also included are abstracts of Feature Presentations, Panel Discussions, War Rooms, and posters that were published in the Fall 1999 (F99) issue, the *Proceedings of the Third International Gemological Symposium*, held in San Diego, California, June 21–24, 1999.

- A**
- Abalone**
cultured pearls—from California (GNI)Sp01:67; mabe (LN) W94:268; from New Zealand (GN)Sp96:55-56, (Wentzell)F98:184-200, (McKenzie)F99:172-173
pearls—(LN)F84:169, Sp96:47-49, (Koethe)F99:171-172; blister (LN)W96:280; from Mexico (GNI)F04:259-260; from North America (LN)Sp93:51
- Actinolite**
green chromium-bearing, "Smaragdite," from East Africa (GN)W93:292
- Adularescence**
in amethyst (GN)W87:240
as cause of color (Fritsch)Su88:81-102
in chalcedony—(GN)W89:245; violet, from Iran (GNI)W04:337
in orthoclase (GN)Sp89:47
in quartz from India (GN)W88:250
in sanidine moonstone from New Mexico (GN)F88:177-178
- Afghanistan**
afghanite from Badakhshan (GNI)W03:326-327
amethyst from (GN)Su91:119-120, (GNI)Sp02:92-93
brownish red to orange gems from (GNI)Su01:144
cat's-eye beryllonite from (GN)Sp91:47-48
color-change synthetic sapphire represented as natural from (GN)F97:227-228
8th Symposium on Gems and Minerals of (GNI)Sp02:91-92
emerald from—(Bowersox)Sp91:26-39; Bactria (GN)W97:302-303; Laghman (GNI)Sp01:68
fluorite from (GNI)Sp02:95
gem resources of (GNI)W01:334
gemstones of (GN)Sp81:56, (Bowersox)W85:192-204
hessonite from Nuristan Province (GNI)F04:258-259
lapis lazuli from—"denim" type (GN)F93:210; deposits in Sar-e-Sang (Wyart)W81:184-190
richterite, pale yellow, from Badakhshan Province (GNI)F04:254-257
ruby from—(GN)Sp93:60-61; new locality (GN)F87:176
ruby and sapphire from Jegdalek (Bowersox)Su00:110-126
sapphire—from Maydan Shahr (GNI)W04:343-344; from Medan Khar (GNI)Su02:181
serpentine from (GN)W98:297
spessartine and almandine-spessartine from Kunar Province (GNI)F04:261-263
spodumene from—(GN)W98:294; large pink/yellow, from Laghman Province (GNI)F02:270
tourmaline from—(GN)Sp94:55; uvite from Konar Province (GNI)W02:357-358
- Afghanite**
from Afghanistan (GNI)W03:326-327
- Africa**
colored stone sources in (Suleman)F99:66-67
diamond sources and production in—history of (Janse)W95:228-255, Sp96:2-30; new developments in (Gurney)F99:34-36
see also specific countries
- Agate**
"Aggos," from Montana (GN)W99:210
"alphabet," from Indonesia (GNI)Su03:153
assembled nodule (GNI)W02:358
with chrysocolla, owl-like (LN)W03:314
dyed "landscape," from Brazil (GNI)Sp03:49
"flame" (GN)Su98:136-137
glass imitation of (GN)Sp98:55
"Piranha," with double-eye pattern (LN)W02:340
see also Chalcedony, Chalcedony simulants
- Ajoite**
inclusions of, in quartz (LN)W04:332-333
- Alaska**, see United States
- Albite**
from Mont St. Hilaire, Canada (GN)Su92:134
- Alexandrite**
cat's-eye—(LN)Sp83:43, F83:171, F87:164; from Brazil and India (GN)Sp93:54; fine 16.02 ct (LN)Su04:162
cavity filling in (LN)F92:192, F95:196
from Elahera, Sri Lanka (Gunawardene)Su86:80-95
with emerald intergrowth, from Russia (GNI)F03:226-227
with a "fish-eye" effect (LN)Sp99:42
glass imitation of (GNI)Sp04:73-74
inclusions in, from Brazil (LN)F87:164, (GN)Sp88:59 [erratum Su88:122-123]
inscribed (LN)Su82:102, Sp91:40
localities—of the 1980s (Shigley)

- Sp90:4-31; of the 1990s (Shigley) W00:292-335
 from Madagascar (GNI)Sp01:66, W02:349
 from Minas Gerais, Brazil (GN)Su87:123, W87:238-240, (LN)F87:164, (Proctor)Sp88:16-32
 separation from synthetic using infrared spectroscopy (Stockton)Sp88:44-46
 silk in (LN)Sp86:46
 from Tanzania (Dirlam)Su92:80-102
- Alexandrite effect**, see Color change
- Alexandrite, synthetic**
 cryogenic cooling of, to enhance spectra (Hofer)F81:143-149
 Czochralski-grown—(LN)Sp88:47; called "Allexite" (GN)F92:207; from J.O. Crystal (GN)Sp91:53; "Nicholas created," from J.O. Crystal (GN)Sp92:63
 developments—in the 1980s (Nassau)Sp90:50-63; in the 1990s (Koivula)W00:360-379
 flux, from Russia (GN)Sp91:55, (Schmetzer)F96:186-202
 Inamori cat's-eye (Kane)F87:158-162
 inclusions in—flux-grown (LN)F88:169; needle-like (LN)Sp93:46
 "pulled" (GN)Sp93:63
 separation from natural (Stockton)Sp88:44-46
- Algeria**
 mansfieldite from (GN)F92:201-202
- Allexite**, see Alexandrite, synthetic
- Almandine [almandite]**
 cat's-eye (LN)Sp85:44, Su88:112
 classification of (Stockton)W85:205-218
 from Orissa, India (GN)Sp89:45
 star—(LN)Sp85:44, Su88:112; from Idaho (GN)Sp89:48
 from Vietnam (GN)W93:285
 see also Garnet
- Almandine-spessartine**, see Garnet
- Amazonite**
 from Brazil (GN)Sp92:58
 from Colorado (GN)W86:246-247
 from Russia (GN)Sp95:63-64
- Amber**
 assemblage with plastic (LN)Su00:155-156
 Baltic—(GN)W92:269, Sp93:53; with lizard inclusion (GN)Su00:162-163
 from China (P. Keller)Sp86:3-13
 clarified (LN)F93:198
 damaged during cleaning (LN)Su91:108, (Let)Su92:140
 from the Dominican Republic (GN)W92:269
 fading of, surface-colored (LN)Su93:122-123
 fluorescence zoning in (GN)W97:301
 fused (LN)F86:170
 heat-treated—(LN)W02:341-342, (GNI)W02:362-363; and dyed (LN)F88:169
 heat treatment of, in the 1990s (McClure)W00:336-359
 inclusions in—(Koivula)Sp81:34-36, (LN)Su85:108, (GN)F90:229-230, W95:275; insect (GN)W91:256, F92:199-200
 from Myanmar [Burmite] (GNI)Su01:142-143
 photomicrography of (GN)Su94:124
 Raman spectroscopy of (GN)W97:300-301
 reconstructed (GN)Sp93:62-63
 from Russia (GN)F92:200
 at Tucson gem shows (GN)Sp94:50
 unusual faceted (LN)W87:232
- Amber simulants**
 cubic zirconia (GNI)Su04:177
 dyed horn (GNI)F04:265-266
 plastic—(LN)W89:236; containing amber fragments (LN)F83:171-172, W87:232s
 resin—from Colombia (GN)Su93:135-136; from India (GN)W93:288-289; in plastic (GN)Su95:134-136
- Amblygonite**
 treated (GN)W86:246
- American Gem Society**
 and G. Robert Crowningshield (Moses)F03:184-199
 Richard T. Liddicoat journalism award (GNI)F03:248-249
- American Geophysical Union (AGU)**
 diamond provenance reports at Spring 2002 meeting (GNI)Su02:170-171
- American Golden topaz**
 22,982 ct (GN)W88:251-252
- Amethyst**
 from Afghanistan (Bowersox)W85:192-204, (GN)Su91:119-120, (GNI)Sp02:92-93
 from the Anahí mine, Bolivia (Vasconcelos)Sp94:4-23
 from Arizona—(GN)F98:219-220; (Lowell)F04:230-238
 from Brazil—(GN)Sp83:60, F83:186 [erratum Sp84:59], F85:185, (Epstein)W88:214-228, (Let)Su89:109
 from California—(GN)Su90:162-163; (GNI)Su04:170-171
 from Canada, color-zoned (GN)Su97:144
 cat's-eye, from Brazil (GNI)Su01:143-144
 from Colorado (GN)W87:240
 from Connecticut (GN)Sp90:106
 with eye-visible Brazil twinning (LN)W86:235
 fading of (Let)Su85:115-116
 fracture-filled with Opticon (Kammerling)Su91:70-85
 glass imitation of (GNI)F02:270-271
 heat treatment of (LN)Sp85:43, (GN)Su89:110-111
 inclusions in (Let)F83:170, (LN)Su84:106, Su85:108, W86:235, (Crowningshield)F86:130-139
 IR spectroscopy of natural and synthetic (Balitsky)Su04:146-161
 irradiation of (Rossman)Su81:60-71
 from Korea (GN)Sp84:59
 from Laos (GN)Su92:132-133
 "Lowell" effect in (GN)W87:240
 from Maine (GN)F89:178, F93:208
 from Malawi (GN)F89:178
 from Namibia (GN)W94:272
 from Nevada-California border (Paradise)Sp82:39-42
 from Nigeria (GNI)F03:227-228
 plastic, sold as "Jurassic bugs" (GNI)Su01:153-154
 Raman spectrum of (Hänni)Su98:102-113
 from Rhode Island (GN)Su84:121
 separation from synthetic (Crowningshield)F86:130-139, (Fritsch)Sp87:18-26
 from Sri Lanka (P. Zwaan)Su82:62-71
 from Tajikistan (GN)Su92:134-135
 from Tanzania (Dirlam)Su92:80-102
 from Uruguay (GN)W87:240, W92:269, Sp93:53
 see also Ametrine; Quartz; Quartz, synthetic
- Amethyst-citrine**, see Ametrine
- Amethyst simulants**
 fluorite (GN)Sp87:53
 glass mixed in parcel with natural amethyst (LN)Su92:125-126
 quartz, quench-crackled and dyed (LN)F97:216-217
 synthetic sapphire (LN)Sp90:94
- Amethyst, synthetic**
 with Brazil-law twinning (Koivula)F89:159-164
 crystals (GN)Sp98:54-55
 developments—in the 1980s (Nassau)Sp90:50-63; in the 1990s (Koivula)W00:360-379
 hydrothermally grown (GN)Sp89:47, Sp94:57
 inclusions in (LN)Su85:108, W86:235, (Crowningshield)

- F86:130-139
 from Russia, with unusual color zoning (GN)F95:213-214
 separation from natural (Crowningshield)F86:130-139, (Fritsch)Sp87:18-26
- Ametrine** [amethyst-citrine]
 artificially induced color in (Nassau)Sp81:37-39
 from Bolivia (GN)F89:178-179, Sp93:53, (Vasconcelos)Sp94:4-23, (GNI)W01:334-335
 synthetic, from Russia (Balitsky)Su99:122-134
 see also Quartz; Quartz, synthetic
- Ammolite**
 iridescent fossilized ammonite from Canada (Mychaluk)Sp01:4-25
- Ammonite**
 mosaic triplets with glass caps (GN)F00:261-262
 plastic-treated (GN)Sp91:52
 pyritized, from Russia (GN)Sp00:70-71
- Amphibole**
 black opaque gem materials (Johnson)W96:252-261
 blue and green, marketed as jade (GN)Sp00:66-67
 magnesian hastingsite(?) (LN)Sp86:49
 richterite, transparent pargasite, and edenite (GNI)F04:254-257
 in rock with feldspar, resembling "Eilat stone" (GN)W92:271-272
 see also Cummingtonite-grunerite, Hexagonite, Hornblende, Orthoamphibole
- Analcime**
 separation from petalite (LN)W86:239-240
- Analytical electron microscopy**, see Scanning electron microscopy, Transmission electron microscopy
- Andalusite**
 cat's-eye (LN)Sp90:94
 chiastolite sphere (GN)Sp98:51
 growth bands in (LN)W86:235-236
 pleochroism of, compared to tourmaline (GN)F91:185
 simulant, bicolored synthetic quartz (GN)W94:280
 from Sri Lanka (P. Zwaan) Su82:62-71
- Anderson, Arthur Lee**
 gem carving by (Thompson)W01:310-317
- Anderson, Basil W.**
 obituary (Liddicoat)Sp84:1
- Andesine**, see Feldspar
- Andradite**
 from Arizona (GN)Sp97:61
 from California (Payne)F81:157-160
- from Canada (GN)Su99:146
 cat's-eye—(LN)Su04:164-165; from San Benito County, California (GN)Sp99:48-49
 classification and properties of (Stockton)W83:202-208, W85:205-218
 demantoid—cat's-eye (LN)F85:174, (GN)W94:272-273; from China (P. Keller)Sp86:3-13; from Iran (GNI)Sp02:96, Sp04:67-68; from Mexico (GN)F94:194; from Namibia (GN)F97:222-223, (GNI)Su02:178; from Russia (GN)Sp94:54, W91:257-258, F97:222, (GNI)Sp03:54-55, (Phillips)Su96:100-111, (Mattice)F99:151-152, (Krzemnicki)W99:192-195; spectroscopy of (Let)F84:179; yellowish green, from Sri Lanka (GN)W91:260-261
 inclusions in (Stockton)W83:202-208, (LN)F85:174
 iridescent (GN)F87:173-174, Su88:120-121
 red, from Namibia (LN)Sp01:56-57
 from Yemen (GN)F98:220
 see also Garnet
- Andranondambo**, see Madagascar
- "Angelite,"** see Anhydrite
- Anglesite**
 treated (GN)W84:244
- Angola**
 diamonds from—(GN)F81:180, F88:176, Su89:110, Su90:159, Su00:161-162, (Levinson)W92:234-254, (Chambel)F99:155-156; determination of locality (GN)W99:208-209
 history of diamond sources in (Janse)W95:228-255
- Anhydrite**
 blue-gray, sold as "Angelite" (GN)Sp89:45
 from Iran (GN)F00:262-263
 from Sri Lanka (GN)F88:179
- Anjanabonoina**, see Madagascar
- Anorthosite**, see Rocks
- Antarctica**
 as a potential diamond source (Levinson)W92:234-254
- Antigua**
 pre-Columbian gems and ornamental materials from (Murphy)F00:234-245
- Antlerite**, see Rocks
- Antwerp**
 Diamond Conference (GNI)W02:367-368
 Gem Conference (GNI)W02:368-369
- Anyolite**, see Rocks
- Apatite**
 from Andhra Pradesh, India (GN)Sp99:51-52
 blue and green, from Brazil and Madagascar (GN)Sp93:53-54
 cat's-eye—greenish blue (GN)F90:230, F95:205-206; resembling Paraíba cat's-eye tourmaline (GN)W91:265
 color-change, from Kazakhstan (GNI)W02:350-351
 greenish blue, from Madagascar—(GN)Su90:161, Sp92:59; cat's-eye (GN)F95:205-206; large (GN)Sp95:60; resembling Paraíba tourmaline (GN)Sp91:46-47, Su93:139-140
 from Sri Lanka (P. Zwaan)Su82:62
 synthetic, developed for laser applications (GN)W92:277
- APEC 2000 International Jewellery Conference [Melbourne]**
 highlights of (GN)F00:260
- Apophyllite**
 faceted, with unusual cleavage features (LN)W04:323-324
- Appraisals**, see Marketing and distribution
- "Aqua Aura"**
 quartz and topaz with a metallic coating (McClure)W00:336-359
 see also Quartz, Treatment, Topaz
- Aquamarine**
 from Afghanistan (GN)Sp82:59, (Bowersox)W85:192-204
 from African nations (GN)F85:185-186, Sp92:59
 bead cut from trapiche-like crystal (LN)Sp81:40
 from Brazil (Proctor)Su84:78-100, Sp85:3-19, (GN)F89:179
 carved, retaining crystal faces (GN)Sp97:61
 from China (P. Keller)Sp86:3-13
 with goshenite (LN)W85:232
 from Idaho (GN)Sp81:57
 from India (GN)F89:179, F00:263-264
 from Kashmir (Atkinson)Su83:64-76
 from Klein Spitzkoppe, Namibia (Cairncross)Su98:114-125
 from Madagascar (GN)Su98:137
 Mogul bead (LN)Sp97:58-59
 from Mozambique (GN)Sp92:59
 from Namibia (GNI)F02:266-268
 from Nigeria (GN)Sp85:60, F85:185-186, Sp92:59, Su95:129
 occurrence in pegmatites (Shigley)Su84:64-77
 with "preferential" etching (GN)W85:248

- from Songea, Tanzania (GNI)F02:259
 synthetic—color-change (LN)Sp01:57; developments in the 1990s (Koivula)360-379; identification of (McClure) F99:86-87; from Russia (Smirnov)F99:175-176; from the USSR (Schmetzer)F90:206-211 with unheated color, as a carving (LN)W97:292
 from Wyoming (GN)Su89:110-111
 from Zambia (GN)Sp87:53, Sp92:59; (GNI)W04:347-350
 from Zimbabwe (GN)Su91:119 see also Beryl; Beryl, synthetic
- Aragonite**
 from Peru, marketed as “Victorite” (GN)W92:269-270 resembling nephrite (LN)F96:204 see Shell, Calcareous concretions
- Archeology**, see Gemology
- Arcots**
 26.25 and 31.01 ct diamonds (Krashes)Sp83:21-29
- Argillite**, see Rocks
- Argyle diamond mine**
 discovery and mining of, in Australia (Shigley)Sp01:26-41 see also Australia
- Arizona**, see United States
- Art Deco**, see Jewelry
- Art Nouveau**, see Jewelry
- ASAE Gold Circle Awards**
 presented to *Gems & Gemology* (GN)Sp93:64, W95:287, Sp97:70, W97:310
- Ashbaugh III, Charles E.**
 obituary (GN)Sp98:63
- Asia, Central**
 colored stone sources in (Bowersox)F99:140
- Asia, Southeast**
 colored stone sources in (Larson)F99:64-65
- Assembled gem materials**
 agate and glass doublet (GN)Su90:160-161
 agate nodule (GNI)W02:358
 beryl and dyed epoxy (GN)Su89:117
 beryl-and-glass triplet imitating emerald (LN)Sp01:57-59
 beryl and green plastic (LN)Su97:136-137
 beryl imitating trapiche emerald (LN)F98:212
 beryl triplet—(GN)Sp90:100, Sp94:56; simulating Paraiba tourmaline (GN)W91:265, Sp96:59
 bicolored glass (LN)F98:215
 cat’s-eye opal triplet (GN)Su90:162
 “constructs” of natural and synthetic quartz (GN)F95:216
 cultured blister pearl (LN)Su91:111, F96:210
 diamond, piggyback (LN)W85:233, (GN)Su97:143
 foil-backed synthetic star ruby simulant (LN)W96:280-281
 garnet and glass doublet (LN)Sp83:45, W85:234
 glass doublet to simulate watermelon tourmaline (GN)F92:207
 gold-in-quartz with ceramic back (GN)Sp91:54-55
 in historical religious objects (Hänni)Su98:102-113
 jadeite doublet (LN)F86:172
 jadeite and plastic (LN)F95:199-201
 Mexican opal in acrylic resin (GN)Su91:124
 mother-of-pearl and plastic doublet (LN)Sp98:45-46
 opal and glass assemblage (LN)F96:209-210
 opal chips and foil-backed glass (LN)Su87:104
 opal doublet—cabochon (LN)Su82:105; beads (LN)Su86:109-110; from Brazil (GN)Su96:136-137; 798.39 ct, from Andamooka (LN)Sp04:62-63
 opal inset into culet of various gems (GN)Sp97:67-68
 opal triplet (LN)F88:171
 pearl (LN)W89:240
 plastic imitation opal triplets (GN)Su93:138-139
 plastic “foil backed” to simulate crystal opal (GN)F92:207-208
 quartz crystals [“Witches’ Brew”] (GN)Sp87:54
 quartz and mother-of-pearl with “wild life” patterns (GN)F98:229-230
 quartz triplet [“soudé emerald”] (Misorowski)W86:212-213, (LN)W86:236-238, (GN)Sp89:50
 quartz with computer-chip backing (GN)W90:301
 quartz with green backing (LN)W84:228
 rhodolite garnet, iolite, and colorless topaz construct sold as “Rhodiopaz” (GN)W92:277-278
 ruby-ruby doublet (LN)Sp87:47-48, Sp96:49-50
 ruby-synthetic ruby doublet (LN)Sp83:48
 sapphire-synthetic corundum doublet (GN)Sp88:58-59
 sapphire-synthetic sapphire doublet (LN)W87:233; color-change (LN)Su03:149-150
 star doublet with synthetic ruby top (LN)F93:205
 star sapphire-sapphire doublet (LN)F85:171
 synthetic green spinel-synthetic blue sapphire doublet (LN)Sp85:46-47
 synthetic opal-and-glass triplets and opal triplet beads (GNI)Sp01:75-76
 synthetic ruby triplet displaying asterism (LN)F04:249-250
 synthetic sapphire-and-gold assemblage (GN)W96:291-292
 synthetic spinel and glass triplets—(“Tanzation”) to imitate tanzanite (GN)W96:289-290; called *soudé sur spinelles* (LN)W86:236-238
 synthetic spinel-synthetic corundum doublet (LN)W96:281, synthetic spinel-synthetic ruby doublet (LN)W84:231, Su97:139-140
 synthetic spinel triplet—(GN)Su94:13; radioactive (Nassau)W89:232-235
 topaz triplet resembling Paraiba tourmaline (LN)W95:272-273
 tourmaline and glass, resembling Paraiba tourmaline (GN)W91:265
 tourmaline doublet (GN)Su90:165-166
 tourmaline-cat’s-eye tourmaline doublet (GN)Su90:165-166
 “treated” mabe cultured blister pearl (LN)F91:177
 triplet imitating emerald (LN)Sp96:44-45
 see also Amber, Ammonite, Composite materials, Feldspar, Jadeite, Opal
- Asterism**
 in corundum—(P. Zwaan)Su82:62-71, (Coldham)F85:130-146, (Gunawardene)Su86:80-95, (LN)Sp89:39, Sp94:45-46; and color change (GN)W87:241; heat-induced (Nassau)F81:121-131, (LN)Su82:106-107
 diffusion-induced—in corundum (LN)Su85:112-113, F85:171-172; in ruby (LN)Su95:126; in sapphire (LN)Sp91:44-45, Sp95:56-57, W01:324-325 [erratum (GNI)F02: 275], (GN)W97:308-309
 double star in ruby (LN)F98:217
 double star in sapphire (GN)F93:212-213
 in doublet with synthetic ruby top (LN)F93:205

in ekanite—(GN)Sp90:101; from Sri Lanka (GN)W99:211-212
 in emerald from Madagascar (GNI)Sp02:104
 in feldspar (LN)Su97:137
 in garnet (LN)Sp85:44, (GN)Sp89:48-49
 imitation (McClure)Su01:124-128, (GNI)Su02:185
 induced in sapphires (GN)Su96:136-138
 in opal triplet (GNI)Sp02:102
 in quartz—(LN)W81:230, W82:231, Su84:110-111, W84:230-231, Sp85:45-46, Sp87:47-48, Sp90:107, (GN)F87:175-176; from Sri Lanka (GN)Sp99:54-55; 380 ct greenish yellow “lemon” (GNI)F03:234-235
 in ruby (trapiche) from Myanmar (GNI)Su03:157-158
 in sapphire—banded (GNI)W04:345-346; black, showing two different colors (LN)F01:218-219; from Madagascar (GN)Su98:140-141, Su99:148-149
 in scapolite (GN)F90:233, (LN)Sp98:48
 simulated by engraved foil (LN)W96:280-281
 six-ray star in emerald (GN)F95:206
 in spinel—(LN)Sp81:46, W82:233; from Elahera (Gunawardene) Su86:80-95; from Sri Lanka (GN)W91:261; twinned (GN)Su86:115
 in sunstone from Tanzania (GNI)F03:235-236
 in synthetic corundum—(LN)Su82:105-106, F85:171-172, F88:173, F89:175, (Koivula) W88:237-240; pinkish orange (LN)Su94:119-120
 in synthetic ruby triplet (LN)F04:249-250
 in synthetic sapphire—(LN)W92:266-267; unusual (GN)W91:263-264
 see also “star” under specific gem materials
Atocha, Nuestra Señora de
 emerald and gold treasures from shipwreck (Kane)W89:196-206
Auctions
 and contemporary jewelry (Misiorowski)W00:398-417
 of jadeite (Hughes)Sp00:2-26
Augite
 green [“Chinese onyx”] (LN)F88:170, Sp89:35
Aurichalcite
 in jewelry (LN)Su02:161

Australia
 Argyle diamond deposit (Shigley)Sp01:26-41
 AusIMM and Australian Diamond Conference (GNI)W01:333-334
 Australian Diamond Conference (GNI)W02:366-367
 Biron pink and bicolored synthetic beryl from (GN)Sp92:63-64
 black opal from—(GN)Sp85:57-58; 270 ct (GNI)Sp01:66-67
 chrysoprase chalcedony from (GN)Su94:125-126, F94:193-194
 corundum from (GN)W97:302-303
 cultured pearl from—blister (GN)Sp93:58; “Broome” (LN)Sp82:46-47; Cygnet Bay (GNI)F01:234-235; mabe, from northern Queensland (GNI)W01:330
 diamond mining and production in—(GN)Sp84:58, F84:174, Su89:110, Sp90:106, F94:192, (Janse)F99:37-39; at Argyle (GN)F91:180, Su91:117, F93:206; at the Merlin project (GN)Su99:143-144; in the 1980s (Shigley) Sp90:4-31; in the 1990s (Shigley) W00:292-335; western region of (GN)W92:268
 diamonds from—Copeton (GNI)F01:225; Ellendale mine (GNI)F02:258-259; with etched dislocation channels (LN)W92:262-263; nonconductive gray-to-blue, from Argyle (Fritsch)Sp92:35-42; 104.73 ct rough from Merlin (GNI)F03:222; pink (Hofer)F85:147-155
 editorial on (Liddicoat)F85:129
 emerald from (GN)Su81:117
 gaspeite [“Allura”] from (GN)Su94:125-126
 ironstone from (GN)F92:201
 “keshi” cultured pearls from (GN)Sp00:70-71
 marketing of Argyle diamonds from (GN)Su00:161-162
 opal—from Andamooka, 798.39 ct doublet (LN)Sp04:62-63; from Lambina, South Australia (GN)W93:293-294; from New South Wales, 600 ct (GN)Sp93:56; from Queensland, boulder (Wise)Sp93:4-15; orthoclase from (GN)Sp89:47
 prehnite from (GNI)Sp01:71-72
 quartz and magnesite rock from (GN)F96:217
 rhodonite from (GN)F97:225-227
 ruby—from central Australia (GN)Sp92:61; from the Barrington volcanic shield (GN)W95:281-282,

(GNI)F01:236-237; from the Harts Range (GNI)Su03:159-162
 sapphire from—(Let)W81:231, (Coldham)F85:130-146, (GN)Su89:114; Barrington Tops (GNI)F01:236-237; heat treatment of (Let)Sp82:43; with color change, from Queensland (GN)W93:292
 spotted opal from Coober Pedy (LN)F01:218-219
 “sugar-treated” matrix opal from Andamooka (Brown)Su91:100-106
 “zebra” stones [dolomite and argillite] from (GN)Su94:128-129
 zircon from (Coldham)F85:130-146, (GN)F88:180-181, (Faulkner)W89:207-215

Austria

“Swarogreen” glass from (GN)Su94:130

Aventurescence

as cause of color (Fritsch)Su88:81-102
 in cat’s-eye beryl (GNI)Su03:154
 in obsidian from New Mexico (GNI)F03:233-234
 in orthoclase (GN)Sp89:47
 in quartz due to pyrite inclusions (GN)Sp97:65-66
 in sunstone labradorite from Oregon (Johnston)W91:220-233
 in synthetic quartz (GN)Sp97:69

Axinite

from Russia (GN)Sp92:59

Azurite

from France and Arizona (LN)W90:294
 see also Rocks

Azurite-malachite

barium sulfate as simulant (GN)Sp92:66
 “reconstructed”—compressed and plastic impregnated (GN)Sp89:51

B

Baddeleyite

first faceted (LN)F01:212

Bahamas

source of glass imitation conch “pearls” (GN)W96:287-288

Baja California, see Mexico

Baltic region

amber from (GN)W92:269, Sp93:53

Band theory

and cause of color (Fritsch)Su88:81-102

Bangladesh

freshwater pearls from (GN)Su94:127

Barite

inclusions in fluorite—(Koivula) W98:281-283; (GNI)W04:350-351

Barium sulfate

to simulate azurite-malachite, coral, malachite, black "onyx," sugilite, and turquoise (GN)Sp92:66

Basalt

alkali, gem corundum deposits in (Levinson)W94:253-262
carved (GN)W89:246-247
sapphire- and zircon-bearing, in central Nigeria (Let)Sp95:1

Bastnäsite

faceted (LN)Su99:136-137
separation from sphene, grossular, and zircon (GNI)Su01:144

Bead

dolomite as nuclei for South Sea cultured pearls (GNI)W01:332
shell and wax as nuclei for Chinese freshwater cultured pearls (Akamatsu)Su01:96-113

"Becke lines"

to determine relative R.I.'s in spinel (GN)Sp99:58

Belgium

Antwerp diamond sector (Pruwer)F99:46

Bellataire [GE POL] diamonds, see

Diamond treatment—HPHT

Benitoite

from San Benito County, California—(Laurs)F97:166-187 [errata (GN)W97:310, F98:230]; update on (GN)Su98:137, (Shigley)F99:152-153, (GNI)Sp01:68, Su02:174-175
7.6 ct in the Smithsonian, provenance of (Let)Sp89:42-43

Berlinite

synthetic (GN)Su89:116

Beryl

assemblage imitating trapiche emerald (LN)F98:212
from the Bananal mine, Brazil (Kampf)Sp89:25-29
bicolored—(LN)W85:232, (GN)W86:246, (Kampf)Sp89:25-29; carved, from Brazil (GNI)Sp03:49-50; cat's-eye (GN)Su00:163-164
blue, from Canada (GNI)W03:327-329
brown, from Mozambique (GNI)F02:260-261
from California (GNI)Su04:173-175
cat's-eye (LN)W99:202; with aventurescence (GNI)Su03:154
causes of color in (Rossman)Su81:60-71, (LN)Sp82:44-45, (Fritsch)F87:126-139

from China (P. Keller)Sp86:3-13
coated (LN)Sp93:46-47
dyeing of, in the 1990s (McClure)W00:336-359
dyeing of, in the 1990s (McClure)W00:336-359
etch features in—(GNI)Sp02:103 [erratum (GNI)F02:275]
fakes (LN)Sp82:43-44, Su82:102-103
"golden" cat's-eye (GN)Su92:131-132
goshenite—with aquamarine (LN)W85:232; from China (P. Keller)Sp86:3-13
green—from Egypt (Jennings) Su93:100-115; from Nigeria (GN)Sp88:56, W91:257, W95:275-276
heat treatment of (Rossman)Su81:60-71
heliodor from Tajikistan (GN)Sp96:53-54
with iridescent coating (LN)Sp84:45
irradiated yellow-green (LN)Sp93:47
irradiation of, in the 1990s (McClure)W00:336-359
from Klein Spitzkoppe, Namibia (Cairncross)Su98:114-125
from Laos (GN)Su92:132-133
with Lechleitner synthetic emerald overgrowth (LN)W92:263-264
localities—of the 1980s (Shigley) Sp90:4-31; of the 1990s (Shigley)W00:292-335
from Luumäki, Finland (Lahti)Sp93:30-37
from Madagascar (GN)Su91:119
Maxixe—(Nassau)W81:217-219, (Proctor)Sp85:3-19; faded and fading (LN)W98:284; green-blue (GNI)F01:225-227; as a tanzanite simulant (LN)W97:293
mining update (GN)W93:292
morganite—from China (P. Keller)Sp86:3-13; color produced by sunlight in (GNI)F01:226, 228; with "iris" effect (GN)Su96:132-133; from Madagascar (GNI)F02:265-266; from Mozambique (GN)Sp91:49; pegmatitic (Shigley)Su84:64-77
from Nigeria (GN)Sp88:56, W91:257, W95:275-276
from North Carolina (GN)W94:274
occurrence in pegmatites (Shigley)Su84:64-77, (Proctor)Su84:78-100
red—natural and synthetic

(Shigley)Sp01:42-55; from Utah (Shigley)W84:208-221, W03:302-313, (GN)W93:292, W95:276, (Christenson)F99:140
from Russia (GN)Sp92:59
from Saudi Arabia (GN)F97:221
trapiche, from Madagascar (GN)Su98:137-138
treatments—to imitate charoite or sugilite (GN)Su92:135; of the 1980s (Kammerling)Sp90:32-49; of the 1990s (McClure)W00:336-359
triplet—(GN)Sp90:100; used to simulate Paraíba tourmaline (GN)W91:265, Su93:139-140, Sp96:59
from the Ukraine (GN)Sp93:54-55, Sp95:68
vanadium-colored, from China (GNI)F01:226-228
from Vietnam (Kane)F91:136-155
yellow cat's-eye, from Brazil (GNI)Sp04:66-67
yellow and green, from Finland (GNI)F04:256-258
see also Aquamarine, Assembled gem materials, Emerald, Morganite, Pezzottaite

Beryl simulants

synthetic ruby cut to simulate red beryl crystal (LN)Sp84:49-50, Sp91:43-44
see also Emerald simulants

Beryl, synthetic

Adachi "watermelon" (GN)Sp86:55
Biron pink and bicolored (GN)Sp92:63-64
causes of color in (LN)Sp82:44-45
developments—in the 1980s (Nassau)Sp90:50-63; in the 1990s (Koivula)W00:360-379
hydrothermal—red and purple (GN)Sp97:68-69; from Russia (GN)Sp91:55, Sp92:63-64, Su99:152-153; from USSR (GN)W88:252
pink (GN)Sp81:57
pink overgrowth on synthetic emerald seed (GN)Sp00:77
see also Aquamarine, Emerald, synthetic

Beryllium (Be) diffusion of corundum, see Diffusion treatment

Beryllonite

cat's-eye, from Afghanistan (GN)Sp91:47-48

Beunaiche, Elizabeth W.

gem carving by (Thompson)W01:310-317

Bezoar, see Concretions

Biron synthetic emerald, see Emerald, synthetic

Birthstones

exhibit at Carnegie Museum of Natural History (GN)Su98:145

Bismuth

laboratory-grown crystals (GN)Sp00:77-78

“Bixbite”

early name for red beryl (Shigley)W84:208-221

“Black amber,” see Jet**Black opaque gem materials**

identification of (Johnson)W96:252-261

“Black Ruby,” see Spinel**Bleaching**

description and detection of (Smith)W02:294-300

Bohemia, see Czech Republic**Boiling** see Care of gem materials**Bolivia**

amethyst-citrine [ametrine] from— (Nassau)Sp81:37-39, (GN)F89:178-179, Sp93:53, Su00:163; the Anahí mine (Vasconcelos)Sp94:4-23, (GNI)W01:334-335

cassiterite from Viloco (GNI)Su02:175-176

gems and ornamental stones from (GN)W97:304-305

“Bone turquoise,” see Odontolite**Book reviews**

An A-Z of Gems and Jewelry (Robins)W83:250

Alexander Reza: Dreams of Yesterday, Realities of Today (Seta)F87:177

Amber (Fraquet)Su88:132

Amber (Ross)W99:225

Amber: The Golden Gem of the Ages (Rice)Sp81:59

American Jewelry (Proddow and Healy)Su88:131

Ammolite 2: A Guide for Gemmologists, Jewellers and Lapidaries (Barnson)Su01:160

Ancestral Jewels (Scarbrick)Sp92:71

Antique and Twentieth Century Jewellery (Becker)Su83:128

Antique and Twentieth Century Jewellery, A Guide for Collectors, 2nd ed. (Becker)Sp89:55-56

Arab Roots of Gemology—Ahmad ibn Yusuf al Tifaschi's Best Thoughts on the Best of Stones (Huda, Transl.)Sp99:63

The Art of Jewelry Design, Vol. I (Galli and Giambelli)Su96:142

Art Nouveau Jewelry (Becker)Su86:127

Artists' Jewellery: Pre-Raphaelite

to Arts and Crafts (Gere and Munn)W89:253

Auction Market Resource (Levine)F03:254

The Barakat Gallery: A Catalogue of the Collection (Barakat)W85:251-252

Barren Lands: An Epic Search for Diamonds in the North American Arctic (Krajick)W01:345-346

Basic Wax Modeling: An Adventure in Creativity (Tsuyuki)Sp92:70-71

Beads of the World (Francis)F93:206

Beginner's Guide to Minerals (O'Donoghue)W83:250

At the Bench: An Illustrated Guide to Working with Gold & Silver (Todd and Gilman)F03:254

Benitoite: California State Gemstone (Loudback)W85:252

Bernd Munsteiner: Reflexionen in Stein [Reflections in Stone] (Lindemann)W04:359

Beryllium-Treated Rubies and Sapphires (Themelis)Sp03:69-70

Beyond the Glitter (Wykoff)W82:244

Beyond Price—Pearls and Pearl-Fishing: Origins to the Age of Discoveries (Donkin)W99:224-225

Birthday Book of Diamonds (Van Pelt and Van Pelt)F97:233

Birthday Book of Gems (Van Pelt and Van Pelt)Su86:126

Black Opal (Pardey)F00:279

Black Pearls of Tahiti (Lintilhac)Su90:170

Blood from Stones: The Secret Financial Network of Terror (Farah)F04:270

Brazil: Paradise of Gemstones (Sauer)W82:243

Bulgari (Mascetti and Triossi)W98:303

Burma Ruby: A History of Mogok's Rubies from Antiquity to the Present (Samuels)W03:349-350

The Cambridge Encyclopedia of Earth Sciences (Smith, Ed.)F82:182

Cameos: Classical to Costume (Clements and Clements)F98:232-233

Cameos in Context: The Benjamin Zucker Lectures, 1990 (Henig and Vickers)Su97:154

Cameos Old and New (Miller)Sp92:70

Cameos: Old and New, 3rd ed. (Miller)Sp03:69

Cartier: Jeweler Extraordinary (Nadelhoffer)Sp86:64

Castellani and Giuliano: Revivalist Jewellers of the 19th Century (Munn)Su84:123-124

Channel Setting Diamonds (Wooding)Su89:119

Christie's Guide to Jewellery (Hue-Williams)Sp02:111

Christmas Jewelry (Morrison)Su99:158

Classic Mineral Localities of the World: Asia and Australia (Scalisi and Cook)Sp83:58

Classical Loop-in-Loop Chains and Their Derivatives (Stark and Smith)F97:234

Collectible Beads: A Universal Aesthetic (Liu)Su96:142

Collecting and Classifying Colored Diamonds (Hofer)W98:303-304

The Collector/Investor Handbook of Gems (Ramsey and Ramsey)W87:244

Color Encyclopedia of Gemstones, 2nd ed. (Arem)Sp89:55

Colorado Rockhounding, A Guide to Minerals, Gemstones, and Fossils (Voynick)Sp96:69

Colored Gemstones: The Antoinette Matlins Buying Guide (Matlins)Sp02:112

Colored Stones of Yakutia and Places of Their Origin (Gadiatov and Marshinsev)Sp01:82

The Complete Handbook for Gemstone Weight Estimation (Carmona)Su99:157

Copper Art Jewelry—A Different Lustre (Burrkholz and Kaplan)W94:281

Corundum (Hughes)F92:210

Costume Jewellers: The Golden Age of Design, 3rd ed. (Ball)Su01:162

Creative Variations in Jewelry Design (Galli, Rivière, and Li)W97:311

The Crown Jewels: The History of the Coronation Regalia in the Jewel House of the Tower of London (Blair et al.)Sp01:82

Crown Jewels of Europe (Prince Michael of Greece)Sp84:61

Crystal Enchantments: A Complete Guide to Stones and Their Magical Properties (Conway)Sp00:84

Crystal Growth Processes (Brice)F87:178

Crystals (Mercer)F91:194

- Crystals: Their Growth, Morphology, and Imperfections* (Sunagawa)Sp03:71
- Cultured Pearl: Charm of the Pearl* (Akamatsu)W03:350
- Cultured Pearls: The First Hundred Years* (Müller)Sp98:66
- Current Topics in Material Science, Vol. 10, Gem Materials, Natural and Artificial* (Sunagawa)W83:249-250
- Dana's New Mineralogy*, 8th ed. (Gaines, Skinner, Foord, Mason, and Rosenzweig)Sp98:66-67
- The Dealer's Book of Gems & Diamonds* (Sevdermish and Mashiah)F96:223
- Depositional Systems* (Davis)W83:250
- Descriptions of Gem Materials* (Vargas and Vargas)W86:244
- Descriptions of Gem Materials*, 3rd ed. (Vargas and Vargas)Sp89:56-57
- Diagrams for Faceting, Vol. II* (Vargas and Vargas)W83:250-251
- Diamond* (Davies)Sp85:56
- Diamond: A Journey to the Heart of an Obsession* (Hart)W01:345
- Diamond Cutting*, 2nd ed. (Watermeyer)Sp83:57
- Diamond Cutting: A Complete Guide to Diamond Processing*, 3rd ed. (Watermeyer)F90:240
- Diamond Exploration Techniques Emphasising Indicator Mineral Geochemistry and Canadian Examples* (Fipke, Gurney, and Moore)Su97:155
- Diamond Exploration into the 21st Century* (Griffin, Ed.)F95:217
- The Diamond Formula—Diamond Synthesis: A Gemmological Perspective* (Barnard)F00:278
- Diamond Mine* (Read)W93:298
- Diamond Ring Buying Guide*, 6th ed. (Newman)Su02:188
- The Diamond Ring Buying Guide, How to Spot Value and Avoid Ripoffs* (Newman)W90:319
- Diamond, Ruby, Emerald, and Sapphire Facets* (Grelick)Su86:126-127
- Diamond Stories: Enduring Change on 47th Street* (Shield)Su02:189
- The Diamond Yearbook 1986-1987* (Moyersoen)Su87:113
- Diamonds: The Antoinette Matlins Buying Guide* (Matlins)Sp02:112-113
- Diamonds and Diamond Grading* (Lenzen)F83:190
- Diamonds* (Ward)F94:205
- Diamonds: Famous & Fatal* (Kendall)W01:347
- Diamonds: In the Heart of the Earth, in the Heart of Stars, at the Heart of Power* (Bari and Sautter, Eds.)Su02:190
- Diamonds from India* (Chhotalal)W85:252
- Diamonds and Mantle Source Rocks in the Wyoming Craton with a Discussion of Other U.S. Occurrences* (Hausel)F00:279
- Diamonds and Precious Stones* (Voillot)Sp00:84
- Dictionary of Gemmology*, 2nd ed. (Read)F88:191
- The Dorling Kindersley Handbook of Gemstones* (Hall)Su01:160-161
- The Dow Jones-Irwin Guide to Fine Gems and Jewelry* (Marcum)W87:244
- Edelsteine: Symbole der Schönheit und der Macht [Gemstones: Symbols of Beauty and Power]* (Gübelin and Erni)Su99:159
- Elizabeth Taylor: My Love Affair with Jewelry* (Taylor)Sp03:69
- The Emerald* (Mumme)Su84:123
- Emerald and Other Beryls* (Sinkankas)W81:242
- Emeralds of Pakistan: Geology, Gemology, and Genesis* (Kazmi and Snee, Eds.)F90:239
- L'Emeraude: Connaissances Actuelles et Prospectives [Emerald: Current and Prospective Knowledge]* (Giard, Ed.)Sp99:63-64
- The Encyclopedia of Gemstones and Minerals* (Holden)Sp92:71
- Encyclopedia of Mineral Names* (Blackburn and Dennen)Su98:149
- Encyclopedia of Minerals*, 2nd ed. (Roberts, Campbell, and Rapp)Su90:169-170
- Engagement and Wedding Rings: The Definitive Buying Guide for People in Love* (Matlins, Bonanno, and Crystal)W90:318
- The Eras of the Diamond* (Sauer)F03:252
- Ethnic Jewelry: From Africa, Europe and Asia* (Jargstorff)Su01:162
- Exploring the Earth and the Cosmos* (Asimov)W82:244
- Fabergé Eggs: A Retrospective Encyclopedia* (Lowes and McCanless)Sp02:112
- The Fabergé Menagerie* (Walters Art Museum)Su03:169-170
- Famous Diamonds* (Balfour)Sp88:60
- Fancy-Color Diamonds* (Harris)Su95:141; comments on review of (Let)F95:150-151
- Faszination Turmalin* (Rustemeyer)Sp04:91-92
- A Field Guide to Antiques and Collectibles* (Paris)W84:247
- A Field Manual for the Amateur Geologist* (Cvancara)F85:188
- Fire into Ice: Charles Fipke and the Great Diamond Hunt* (Frolick)Su00:175
- Flux-Enhanced Rubies and Sapphires* (Themelis)Sp04:92
- The 4 C's Value of Diamonds* (Cheng)F90:240
- Garnet* (Rouse)Su87:113-114
- Gem & Crystal Treasures* (Bancroft)F84:178
- Gem Cutting: A Lapidary's Manual* (Sinkankas)W85:250
- The Gem Hunter in Afghanistan* (Epo-film)Sp02:113
- The Gem Hunter: True Adventures of an American in Afghanistan* (Bowersox)Su04:184
- Gem Identification Made Easy: A Hands-On Guide to More Confident Buying and Selling* (Matlins and Bonanno)Su90:170
- Gem and Jewellery Year Book 1982* (Kala, Ed.)W82:244
- Gem and Jewellery Year Book 1983* (Kala, Ed.)W83:251
- Gem and Jewellery Year Book 1984* (Kala, Ed.)W84:248
- Gem and Jewellery Year Book 1997-98* (Kala and Kala)W98:305
- Gem and Jewelry Fact Sheets* (Ross, Ed.)F82:182
- Gem & Jewelry Pocket Guide* (Newman)Su01:161
- Gem Minerals of Victoria* (Birch and Henry)W99:225
- Gem and Ornamental Materials of Organic Origin* (Pedersen)Su04:184
- Gem Testing*, 10th ed. (Anderson, revised by Jobbins)W90:318
- Gemme del Vicento [Gems of Vicenza]* (Boscardin and Tescari)Sp98:67
- Gemmologia Europa V—European Gemmologists on Rubies and Sapphires* (Superchi)Su97:155
- Gemmologia Europa VII—European Gemmologists on the Emerald* (Superchi, Ed.)Sp01:82
- Gemmological Instruments* (Read)W83:251
- Gemmologists' Compendium*, 7th ed. (Webster and Jobbins)Su99:157-158

- Gemmology* [Read]W91:266
Gemmology: Questions and Answers (Stevens)W84:248
Gemology, 2nd ed. (Hurlbut and Kammerling)F91:193
Gemology, An Annotated Bibliography (Sinkankas)W93:297
Gems from the East and West: The Doris Duke Jewelry Collection (Zapata et al.)W03:348-349
Gems and Gem Industry in India (Karanth)F00:278-279
Gems, Granites, and Gravels (Dietrich and Skinner)F91:194
Gems and Jewelry Appraising (Miller)F88:191
Gems & Jewelry Appraising, 2nd ed. (Miller)Su00:174-175
Gems and Jewels: A Connoisseur's Guide (Zucker)—W85:251; 2nd ed. F04:272
Gems: Their Sources, Description, and Identification, 4th ed. (Webster, revised by B. W. Anderson)F83:189
Gems: Their Sources, Descriptions and Identification, 5th ed. (Webster, revised by P. Read)Sp95:76
Gemstone Buying Guide, 2nd ed. (Newman)Sp03:70-71
Gemstone and Chemicals: How to Create Color and Inclusions (Fischer)Sp94:60
Gemstone Enhancement (Nassau)Sp85:56, 61
The Gemstone Identifier (Greenbaum)F83:189
Gemstone and Mineral Data Book (Sinkankas)F81:179
Gemstones (O'Donoghue)Su89:119
Gemstones (O'Neil)W84:247
Gemstones of Afghanistan (Bowersox and Chamberlin)W96:294
Gemstones of Brazil: Geology and Occurrences (Delaney)Su98:148
Gemstones of East Africa (P. Keller)F93:217
Gemstones of North America, Vol. III (Sinkankas)Su97:154-155
Gemstones and Other Unique Minerals and Rocks of Wyoming: A Field Guide for Collectors (Hausel and Sutherland)F02:279
Gemstones of Pakistan—Geology and Gemmology (Kazmi and O'Donoghue)F91:193-194
Gemstones: Quality and Value, Vol. 1 (Suwa)F00:277-278
Gemstones: Quality and Value, Vol. 2 (Suwa)F02:278
Gemstones: Quality and Value, Vol. 3: Jewelry (Suwa)F01:246
Gemstones: Symbols of Beauty and Power (Gübelin and Ermi)W01:344
Gemstones and Their Origins (P. Keller)W91:266-267
GIA Gem Identification Laboratory Manual (GIA)F98:232
Glass Engraving (Norman)Sp83:58
Glitter & Greed: The Secret World of the Diamond Cartel (Roberts)Sp04:93
Glossary of Geology (Jackson, Ed.)W98:305
Glossary of Mineral Synonyms (de Fournier)Su99:158-159
Glossary of Obsolete Mineral Names (Bayliss)Su02:191
The Great American Sapphire (Voynick)Sp86:64-65
The Great Book of Amber (Mierzwinska)Su03:170
The Great Encyclopedia of Precious and Decorative Stones (Sobczak and Sobczak)Sp99:64
A Guide to Fossicking in the Northern Territory, 2nd ed. (Thompson)W87:243-244
A Guide to Man-Made Gemstones (O'Donoghue)F84:178
Guide des Pierres de Rêve [Guide to Dream Stones] (de Tugny)W87:244
Harry Winston, The Ultimate Jeweler, 2nd ed. (Krashes)F87:177
Health Risk Assessment of Irradiated Topaz (Nelson and Baum)F93:218
The Heat Treatment of Ruby and Sapphire (Themelis)Sp93:67-68
Hey's Mineral Index, 3rd ed. (Clark)Sp95:76
The History of Beads (Dubin)F88:192
The History of the Earth's Crust (Eicher, McAlester, and Rottman)W84:248
The History of Mount Mica (Hamlin)F04:272
How to Carve Jade and Gems (Zeitner)Sp88:60-61
Humboldt's Travels in Siberia (1837-1842), The Gemstones (Sinkankas, Ed.)W94:281
Igneous Rocks (Baker)Sp84:61-62
An Illustrated Dictionary of Jewelry (Newman)Su82:119
Illustrated Guide to Jewelry Appraising: Antique, Period, and Modern (Miller)—F90:240; 3rd ed. W04:359-360
Introduction to Lapidary (Kraus)Su88:131-132
Islamic Rings and Gems—The Zucker Collection (Content, Ed.)W90:319
Jade (Keverne, Ed.)Sp93:68
The Jade Kingdom (Desautels)Sp89:56
Jade for You: Value Guide to Fine Quality Jade (Ng and Root)W85:250-251
Jadeite Jade, A Stone & A Culture (Ou Yang)F03:252-253
Jet (Muller)Su88:132
Jeweled Bugs and Butterflies (Nissenson and Jonas)Sp01:81
The Jeweled Menagerie: The World of Animals in Gems (Tennenbaum and Zapata)W01:344-345
Jewellery of the Ancient World (Ogden)W83:249
The Jewellery Book (St. Maur and Streep)W82:243-244
Jewellery Today (Canadian Jewelers Association and Canadian Jewellers Institute)W82:244
Jewelry Concepts & Technology (Untracht)Su83:127-128
The Jewelry Design Source Book (Bayer, Becker, Craven, Hinks, Lightbrown, Ogden, and Scarisbrick)F90:239-240
Jewelry on Display, 2nd ed. (Coutchie)Sp83:57-58
Jewelry on Display, 3rd ed. (Coutchie)F89:185
Jewelry & Gems at Auction (Matlins)Sp03:70
Jewelry & Gems: The Buying Guide (Matlins and Bonanno)Sp89:56
Jewelry & Gems: The Buying Guide, 3rd ed. (Matlins and Bonanno)W94:281
Jewelry: How to Create Your Image (Miguel)W86:244
Jewelry and Metalwork in the Arts and Crafts Tradition (Karlin)Su94:133
Jewelry of the 1940s and 1950s (Raulet)Sp89:55
Jewelry Wax Modeling—A Practical Guide for the Jewelry Model Maker (Mattiello)F01:247-248
The Jewels of Jean Schlumberger (Bizot et al.)Su02:190-191
Krystallos—Brazil: Gem-Crystals in Design (Fonseca and Rodi, Eds.)Su03:169
Lapidary Carving (Long)W83:251

- Lapidary Carving for Creative Jewelry* (Hunt)W81:242-243
- Le Lapis Lazuli, son Histoire, ses Gisements, ses Imitations [Lapis Lazuli, Its History, Deposits, and Imitations]* (da Cunha)W90:319
- Larousse des Pierres Précieuses [Larousse of Precious Stones]* (Bariand and Poirot)Sp86:65-66
- Larousse des Pierres Précieuses*, 2nd ed. (Bariand and Poirot)Sp99:64
- The Last Empire: De Beers, Diamonds, and the World* (Kanfer)Su94:134
- Legendary Gems or Gems that Made History* (Bruton)Sp88:61
- Light & Stone: Highlights from the Scott Gem Collection* (Van Pelt et al.)F02:278
- The Lizzadro Collection* (Lytle)Su83:127
- Louis Comfort Tiffany at Tiffany & Co.* (Loring)W02:371
- The Love of Stones* (Hill)W02:371
- The Magic of Indian Diamonds* (Dewani)W85:252
- The Magic of Minerals* (Medenbach and Wilk)W86:243
- Magic World: Inclusions in Quartz* (Hyrs and Niedermayr)W04:360
- Mani-Mala, or A Treatise on Gems* (Tagore and Barot) Su99:159
- Manual of Mineralogy, After James D. Dana* (Klein and Hurlbut)W85:251
- The Master Jewelers* (Snowman, Ed.)W02:370
- The Microworld of Diamonds* (Koivula)F00:277
- Minding the Store* (Marcus)W01:347
- From Mine to Mistress: Corporate Strategies and Government Policies in the International Diamond Industry* (Even-Zohar)F02:277
- Mineral Books (Mineralogical Record, special issue)* Sp96:69
- Mineral Collector's Handbook* (Krause)Sp98:67
- Mineral Museums of Europe* (Burchard and Bode)Sp89:56
- Mineral Reference Manual* (Nickel and Nichols)Sp94:61
- Minerals of Broken Hill* (Worner and Mitchell, Eds.)F83:190
- Minerals of Mexico* (Panczner)W87:243
- Minerals of Nevada* (Castor and Ferdock)Sp04:93
- Minerals and Rocks*, 3rd ed. (Kirkaldy)W84:248
- Minerals and Rocks of Jamaica* (Porter, Jackson, and Robinson)W83:251
- Minerals: Their Constitution and Origin* (Wenk and Bulakh)W04:360-361
- Minerals of the World* (Johnsen) W03:350
- Mineraux Passion [Mineral Passion]* (Bariand and Bariand)W93:298
- Modern Gemmology, SSEF Tutorials 1 & 2* (SSEF)Su02:191
- Modern Jeweler's Gem Profile, The First 60* (Federman and Hammid)F88:191-192
- Mogok, Myanmar* (Schlüssel)Sp03:71
- Mogók: Valley of Rubies & Sapphires* (Themelis)F01:246-247
- Le Monde Mineral Vu Par les Timbres [The World of Minerals Seen Through Postage Stamps]* (Autissier)W87:243
- Mountain of Light* (Perelman)W85:252
- Mughals, Maharajas and the Mahatma* (Swamy)Sp01:82
- Murzinka: Alabashka Pegmatite Field* (Popova et al.)F02:279
- The National Gem Collection* (Post)F97:234
- Natürliche und Synthetische Rubine [Natural and Synthetic Ruby]* (Schmetzer)W86:243
- The Nature of Diamonds* (Harlow, Ed.)W98:304-305
- Nature of Earth Minerals* (Tennissen)Sp84:62
- Nature Guide to Gemstones & Minerals of Australia* (Sutherland and Webb)Su01:161-162
- The New Alchemists: Breaking Through the Barriers of High Pressure* (Hazen)F95:217
- New Frontiers in Diamonds—The Mining Revolution* (Duval, Green, and Louthean)F96:223-224
- The New Jewelry: Trends & Traditions* (Dormer and Turner)W86:244
- The New World of Gold* (Green)Su86:126
- 1000 Photos of Minerals and Fossils* (Eid and Viard)Su00:175
- Opal Adventures* (Downing)W93:297-298
- Opal Identification and Value* (Downing)F93:218
- Opals: Rivers of Illusions* (Loneck)W86:244
- Optical Mineralogy: The Nonopaque Minerals* (Phillips and Griffen)Sp81:59
- Origin of Birthstones and Stone Legends* (Ghosn)W84:248
- An Overview of Production of Specific U.S. Gemstones* (Austin)Su97:155
- Paulding Farnham: Tiffany's Lost Genius* (Loring)Sp01:81-82
- The Pearl Book: The Definitive Buying Guide* (Matlins)Su98:148
- Pearl Buying Guide: How to Evaluate, Identify and Select Pearls & Pearl Jewelry* (Newman)Sp04:91
- Pearls: Natural, Cultured and Imitation* (Fam)F86:178-179
- Pearls: A Natural History* (Landman et al.)W01:346
- Pearls—Their Origin, Treatment and Identification* (Taburiaux)Sp86:65
- Pegmatology: Pegmatite Mineralogy, Petrology and Petrogenesis* (Simmons et al.)F03:253-254
- The Peking Diamonds* (Read)Sp96:68-69
- Perlen* (Strack)Su02:189-190
- Photo Murzinka for Diamond Grading* (Roskin)W95:288
- The Photo-Atlas of Minerals* (Kampf and Gerhold)Su99:159
- Photoatlas of Inclusions in Gemstones* (Gübelin and Koivula)F86:178
- Photographical Atlas of Detrital Minerals* (Devismes)Su82:119
- Photographing Minerals, Fossils and Lapidary Materials* (Scovil)F96:224
- Physical Geology: Principles and Perspectives*, 2nd ed. (Hay and McAlester)W84:248
- The Physics and Chemistry of Color* (Nassau)Su84:123
- A Pictorial Guide to Fossils* (Case)W82:244-245
- Des Pierres Précieuses aux Pierres Fines [From Precious Stones to Semi-Precious Stones]* (da Cunha)F85:189
- Practical Gemcutting* (Perry and Perry)Su83:127
- The Practical Guide to Jewelry Appraising* (Altobelli)Su01:162
- Practical Uses of Diamond* (Bakon' and Szyman'ski)W93:298
- Proceedings of the International Workshop on Material Characterization by Solid State Spectroscopy: Gems and*

- Minerals of Vietnam* (Hofmeister et al., Eds.)W01:347
- Proceedings of the Sixth International Kimberlite Conference* (Sobolev and Mitchell, Eds.) Su98:149
- Proceedings of the Seventh International Kimberlite Conference* (Gurney et al., Eds.)Su00:174
- Professional Goldsmithing* (Revere)W91:267
- The Professional's Guide to Jewelry Insurance Appraising* (Geolat, Van Northrup, and Federman)Su94:133
- Properties and Applications of Diamond* (Wilks and Wilks) F92:210
- The Properties of Natural and Synthetic Diamond* (Field)Sp94:60
- Quartz* (O'Donoghue)W87:243
- Recovery and Refining of Precious Metals* (Ammen)W84:247
- The Regent* (Perelman)Sp93:68
- The Retail Jeweller's Guide*, 5th ed. (Blakemore)W89:253
- Reviews in Mineralogy, Volume 12: Fluid Inclusions* (Roedder)Su86:127
- The Rings Book* (McGrath)Su03:170
- Rock Crystal Treasures from Antiquity to Today* (Raulet) W99:224
- Rocks, Minerals and Gemstones of Southern Africa* (Macintosh) W83:251
- Rocks Pebbles and Stones: Confessions of a Private Jeweler* (Feldmesser)W04:361
- Romance of the Golconda Diamonds* (Khalidi)Sp00:83
- Rough Diamonds: A Practical Guide* (Peters)Sp00:83-84
- Rubies & Sapphires* (Ward)Sp93:68
- Ruby and Sapphire* (Belyaev, Ed.)F81:179
- Ruby and Sapphire* (Hughes)F97:233-234
- Ruby, Sapphire and Emerald Buying Guide* (Newman)Sp00:83
- Science of the Pearl* (Wada)W01:347
- The Second Ring: A Jeweler's Guide to Computers* (Hickel)F85:188
- Secrets of the Gem Trade: The Connoisseur's Guide to Precious Gemstones* (Wise)Su04:183
- Short Course in Granitic Pegmatites in Science and Industry* (Cerný, Ed.)W83:250
- Southwest Silver Jewelry* (Baxter)F01:247
- A Sparkling Age, 17th-century Diamond Jewellery* (Diamantmuseum Antwerp)W95:288
- A Special Report from JPR on the Bold Retro 1940s Jewelry* (Woolford, Ed.)Sp94:60
- Standard Catalog of Gem Values*, 2nd ed. (Miller and Sinkankas)F95:217
- Standards & Applications for Diamond Report/Gemstone Report/Test Report* (SSEF Swiss Gemmological Institute)Sp99:64
- Starting to Collect Antique Jewellery* (Benjamin)F04:271
- Starting to Collect Antique Silver* (Pickford)F04:271
- Streeter of Bond Street. A Victorian Jeweller* (Streeter) F94:206
- Struck by Lightning* (Taylor) W86:245
- Synthetic Diamond: Emerging CVD Science and Technology* (Spear and Dismukes, Eds.)Sp96:68
- Tesouros de Arte e Devoção [Treasures of Art and Devotion]* (de Melo Borges)Sp04:92-93
- The Theory & Practice of Goldsmithing* (Brepohl)Sp02:111-112
- Tiaras: Past and Present* (Munn)Su02:188-189
- Tiffany Flora & Fauna* (Loring)W03:348
- A Time to Watch* (Zagoory and Chan)W86:245
- The Tourmaline* (Hamlin)F04:272
- The Tourmaline Group* (Dietrich)Sp86:66
- Treasures of the British Museum* (Caygill)W86:244-245
- 20th Century Jewelry: The Complete Source Book* (Peacock)W02:371
- The Ultimate Orient: Philippine South Sea Pearls* (Jewelmer International Corp.)Su03:170
- Visual Optics: Diamond and Gem Identification Without Instruments—The Hodgkinson Method* (Hodgkinson)W97:311
- VNR Color Dictionary of Minerals and Gemstones* (O'Donoghue) Su83:128
- The Volcanic Earth* (Sutherland)W96:294
- Warman's Jewelry*, 2nd ed. (Romero)F98:233
- Western Queensland Opals—Exploration and Geoscience Data Sets* (Queensland Govt. DME)F01:248
- Within the Stone* (Atkinson)F04:271-272
- The World of Diamonds* (Green)F81:179
- World Map of Gemstone Deposits* (Gübelin)F89:185
- Borneo**
diamonds from (L. Spencer) Su88:67-80
diamond production at Kalimantan (GN)W91:255
- Botswana**
cutting of diamonds in (GN)W91:254
diamond mining in (GN)F81:180, Sp83:59, F85:185, F87:172-173, W89:244, F94:191
diamond production at the Orapa mine (GN)Su00:160-161
history of diamond sources in (Janse)W95:228-255
- Boulder opal**, see Opal
- Branding**
of diamond cuts, legal protection for (Overton)W02:310-325
of diamonds—(Shor)F99:53-54; from Canada (Kjarsgaard)F02:208-238
of gems and jewelry in the 1990s (Misiorowski)W00:398-417
- Brazil**
agate, dyed "landscape," from (GNI)Sp03:49
alexandrite and chrysoberyl from—(GN)Su87:123, W87:238-240, Sp89:47, (LN)F87:164, (Proctor)Sp88:16-32; cat's-eye (GN)Sp93:54
almandine-spessartine garnet from (Let)W93:227
amazonite from (GN)Sp92:58
amethyst from—(GN)Sp83:60, F83:186 [erratum Sp84:59], F85:185, (Epstein)W88:214-228, (Let)Su89:109; cat's-eye (GNI)Su01:143-144
apatite from (GN)Sp93:53-54
aquamarine from (Proctor) Su84:78-100, (GN)F89:179
beryl from—adventurescent cat's-eye (GNI)Su03:154; carved bicolored (GNI)Sp03:49-50; yellow cat's-eye from Minas Gerais (GNI)Sp04:66-67
bicolored amethyst-rock crystal quartz from (GN)Sp91:50
bicolored beryl from (Kampf)Sp89:25-29
cat's-eye tourmaline from—(GNI)Sp04:66-67; bicolored (LN)Sp04:65
diamonds from—historic yellow (LN)Sp97:54-55; mining of (GN)W87:238, Su88:120, Su91:117; 128 ct Star of the

South (Smith)Sp02: 54-64
 emerald-and-quartz intergrowth
 from (GN)Su00:164-165
 emeralds from—(Cassedanne)
 Sp84:4-13, (Epstein)F89:150-158,
 (GN)Sp94:49; cabochons with
 matrix, from Nova Era (GNI)
 Su02:176-177; cat's-eye, from
 Santa Terezinha de Goiás
 (GN)Sp92:60; from Piteiras
 (GNI)Sp01:68-69, W01:328-329;
 from Tocantins (GN)Sp98:52;
 trapiche, from Goiás
 (LN)Su94:116
 euclase specimen from
 (LN)Sp03:42, erratum
 (LN)Sp04:65
 fluorite, irradiated color-change,
 from Minas Gerais
 (GNI)Su02:186
 gemstones of (GN)F00:266-267
 herderite from (LN)Sp04:61-62; erra-
 tum (GNI)Su04:181
 historic yellow diamond from
 (LN)Sp97:54-55
 Imperial topaz from the Capão
 mine, Minas Gerais (P. Keller)
 Sp83:12-20, (GN)F96:219-220,
 (Sauer)W96:232-241
 kyanite—green, from Bahia
 (GNI)W01:337-338, Su02:178-
 179
 opal from—(GN)Sp91:49; cat's-eye
 (LN)F92:194-195, Sp94:52,
 (GNI)F02:268-269; doublets
 (GN)Su96:136-137; green
 (LN)Su86:110; hydrophane
 (GN)Sp92:63; in matrix, from
 Piauí (GN)Sp99:53,
 (GNI)F02:268-269
 overview of mining, marketing,
 and manufacturing
 (Sauer)F99:71-72
 paragonite mica from (GN)F93:212
 parti-colored fluorite from
 (GN)Su95:131
 pegmatites of Minas Gerais
 (Proctor)Su84:78-100, Sp85:3-19,
 Su85:86-104
 "platinum quartz" from Curvelo,
 Minas Gerais (GNI)W03:334-335
 quartz from—chatoyant, with dou-
 ble eye (GNI)W04:352; with fake
 inclusions (GNI)F04:266-267;
 with graphite inclusions, from
 Bahia (GNI)W04:352-353; indi-
 colite-colored "blue," Minas
 Gerais (LN)Sp03:44-45; mottled
 pink, Minas Gerais (LN)F03:218-
 219; rutilated, from Minas
 Gerais (GNI)F03:236-237; with
 rutile and hematite inclusions,
 from Minas Gerais
 (GNI)W04:353-354; with tri-

phylite inclusions (GNI)Sp03:61-
 62;
 "rainbow" hematite from
 (GN)F93:209-210
 rhodonite, facet-quality, from Minas
 Gerais (GNI)F04:260-261
 sapphire from—(GN)Sp90:101-102,
 Sp91:48; Indaia, Minas Gerais
 (Epstein)Sp94:24-32
 spessartine—bicolored, from Minas
 Gerais (GNI)F02:269-270; from
 Minas Gerais and Rio Grande do
 Norte (GN)Sp99:55
 tourmaline from—(GN)Sp94:55;
 Minas Gerais (Proctor)Su84:78-
 100, Sp85:3-19, Su85:86-104,
 (GN)W86:248; Paraíba (Fritsch)
 F90:189-205, (GN)F89:181-182,
 W89:248, Sp90:103, Su90:164-
 165, Sp91:51, Sp92:62, F92:204,
 Sp00:73, F00:269-271, (LN)W89:
 241-242, (Barbosa)F99:138,
 (Shigley)W01:260-276, from
 Paraíba, 44.11 ct (GNI)Sp03:48;
 from Paraíba, inclusions in
 (Brandstätter)F94:178-183; from
 Paraíba and Minas Gerais
 (GN)Sp93:62-63

Brightness

analysis of, in round brilliant cut
 diamonds (Moses)F04:202-228

Brilliance

analysis of, in round-brilliant-cut
 diamonds (Hemphill)F98:158-183
 influence of star and lower girdle
 facets on (Reinitz)F01:174-197
 see also Brightness

Briolette of India

90.38 ct diamond (Krashes)
 Sp83:21-29, (Let)Su84:113

Bromellite

faceted (LN)F02:250-252

Broome cultured blister pearl, see
 Pearl, cultured**Bruce Winston**

40.97 ct diamond (Krashes)
 Sp83:21-29

Bulk diffusion, see Diffusion treat-
 ment**Burbankite**

from Mont St. Hilaire, Que.,
 Canada (GN)Sp92:62, Su92:134
 remondite-(Ce) with color change,
 from Canada (GN)W92:270-271

Burma, see Myanmar**"Burmite,"** see Amber**Burundi**

sapphire from (GN)W89:247

C**Calcareous concretions**

black—(LN)W94:268; cultured
 (LN)Su90:153; nonnacreous

(LN)Su83:115-116
 conch "pearls"
 (Fritsch)W97:208-221
 "demi-pearl" (LN)Su91:110-111
 examples of (LN)W87:235,
 Sp87:45-46, Su87:105-106,
 F88:170, Su89:105
 horse conch "pearls" (GN)F94:195
 imitation clam "pearl" from
 Mexico (GNI)W04:355-356
 Melo "pearls" (Shigley)W00:292-305
 porcelaneous "pearls"
 (GN)W93:294
 27 mm, with flame-like structure
 (LN)Sp92:52
 unusual specimens of
 (GN)W95:280-281
 see also Concretions, Pearl

Calcite

colored by inclusions
 (LN)Su98:127
 dyed—to imitate jade (GN)90:237-
 238; to imitate lapis
 (LN)Su89:104; to imitate
 rhodochrosite (GN)Su90:168
 imitation of turquoise
 (LN)W90:299
 1,156 ct faceted, with kaleidoscope
 effect (Hurlbut)W84:222-225
 [erratum (Let)Su85:117]
 "rainbow" (LN)Su95:130
 Russian synthetic (GN)W94:279
 see also Jade simulants, Marble

Calcium carbonate

beads ["Riverstone"]
 (LN)W87:232-233

California, see United States**Californite**, see Idocrase**Cambodia** (formerly Kampuchea)

heat-treated blue zircon from
 (GN)Sp88:59
 new find of ruby in (GN)Sp87:55
 Pailin gem field—(P. Keller)
 W82:186-196, (GN)W85:248

Cameo

ceramic (GN)Su89:116
 chalcedony—(LN)F82:169; with
 photoetched portrait
 (GN)W91:260
 history of (Gray)W83:191-201
 from mother-of-pearl
 (GN)Sp90:101
 from plastic (GN)Sp89:47,
 Su90:167
 repair of (LN)F82:169

Canada

amethyst from Thunder Bay,
 Ontario (GN)Su97:144
 Ammolite from southern Alberta
 (Mychaluk)Sp01:4-25
 andradite from (GN)Su99:146
 beryl, dark blue, from the Yukon
 Territory (GNI)W03:327-329

- burbankite from Mont St. Hilaire (GN)Sp92:62, Su92:134
 colored gemstones from (Larson)F99:64-65
 diamond—(GNI)Su01:138-141; exploration and production in (GN)F91:180, Su92:129, W93:290-291, Su94:122, W94:271-272, Su98:134, Su00:160-162, (Levinson)W92:234-254, (Paget)F99:40-42, (Kjarsgaard)F02:208-238, (GNI)F03:222-225; faceted, from the Ekati mine (GN)Sp99:47; marketing of diamonds from (GN)Su00:161-162; production in the Northwest Territories (GN)Su98:134-135, F98:219, W98:290-292
 Diavik diamond project (GNI)Su01:138-141, F01:222-225
 Ekati diamond mine (GNI)Su01:138-141, F01:222-225
 emerald from Yukon Territory (GNI)Sp02:93-94
 eudialyte, fluorite, and vlasovite from Quebec (GN)W93:287-288
 freshwater pearls from Quebec (GN)Sp93:58, W95:280
 gold-in-quartz from British Columbia (GN)Sp91:54-55
 hackmanite [sodalite] from (GN)Su89:112, W89:245-246, Su92:134
 iolite and other gems from (GN)Sp99:52
 minerals from Mont St. Hilaire (GN)Sp92:62, Su92:134, W92:270-271, Sp95:65-67
 nephrite from British Columbia (GN)Sp00:69-70
 opal in basalt from (GN)Sp93:57-58
 PDAC conference, Toronto (GNI)Su01:141-142
 porphyry from (GN)Su93:135
 remondite-(Ce) from—color-change (GN)W92:270-271, Sp95:65-67
 rhodonite from Yukon (GN)F94:196
 Royal Ontario Museum (Toronto) opens new exhibit (GN)Su93:141
 sapphire from—(GN)Su89:114; from Baffin Island (GNI)Su04:179-180, W04:344-345
 sapphirine from (GN)F88:179-180
 2nd World Diamond Conference, Vancouver (GNI)F01:222-225
 sphalerite and other gems from (GN)Sp92:62, Su92:134, Sp95:65-67
 synthetic diamonds misrepresented as rough from (GN)Su95:129
 3rd World Diamond Conference (GNI)Su02:172-173
 vesuvianite from Quebec (GN)F91:185
Canadian Gemmological Association
 9th annual conference (GN)Su98:145
Cancrinite
 blue, from Greenland (GN)Su93:131-132
Capão mine, see Brazil
Carborundum—see Moissanite, synthetic
Care of gem materials
 amber damaged—by alcohol (Let)Su92:140; during cleaning (LN)Su91:108
 damaged cultured pearl (LN)Su93:128, F93:203
 and durability, including chart (Martin)Su87:63-77
 fracture filling in diamond damaged by ultrasonic cleaning—(LN)F92:193; and other procedures (Kammerling)F94:142-177
 kunzite (Ramsey)W81:220-225
 pearls (LN)W81:228-229, (Goebel)F89:130-148
 rhodochrosite jewelry (Knox)Su97:122-133
 see also Jewelry repair
Carving, see Lapidary arts
Cassiterite
 faceted, from Bolivia (GNI)Su02:175-176
 imitation asterism in (McClure)Su01:124-128
Cathodoluminescence
 in diamond—characteristic patterns (GN)Sp96:60; GE POL HPHT-processed (C. Smith) F00:192-215; yellow (GN)W97:298-299
 in gem identification (Fritsch)Sp90:64-75
 and photoexcitation (GN)Sp98:61-62
 in gem-quality synthetic diamond—Chatham (Shigley)Su04:128-145; CVD (Martineau)Sp04:2-25; De Beers (Rooney)Sp93:38-45; General Electric near-colorless (Shigley)F93:191-197; near-colorless sample (LN)W04:326-328; Russian (Shigley)W93:228-248; Sumitomo (Shigley)Su92:116-122
 tomography to fingerprint diamonds (Sunagawa)W98:270-280
 see also Fluorescence, ultraviolet; Luminescence
Cat's-eye, see Chatoyancy; specific gem materials
Cause of color, see Color, cause of
Cavity filling, see Filling, fracture or cavity
Cayman Islands
 dolomite [“Caymanite”] from (GN)F94:193
Centenary diamond
 273 ct diamond unveiled by De Beers (GN)Su91:116; grading of (LN)Sp94:39
Central African Republic
 diamond production in (GN)F93:206
 history of diamond sources in (Janse)W95:228-255
Ceramic
 gem simulant (LN)W02:342
 identification of “carving” (LN)F94:184
Cesium-“beryl,” see Pezzottaite
Ceylon, see Sri Lanka
Chalcedony
 adularescent—from California (GN)W89:245; from Iran (GNI)W04:337
 amethystine [damsonite], from Arizona (Shigley)W85:219-223
 assembled “plume” agate (GN)Su90:160-161
 blue and green, colored by inclusions (GN)F93:208-209
 blue to purple, from Nevada (GN)W96:284
 cameo—(LN)F82:169; with photo-etched portrait (GN)W91:260
 chromium, from Bolivia (GN)W97:304-305
 chrysoprase—from Australia (GN)Su94:125-126, F94:193-194; from Brazil (GN)Su90:161; used to simulate emerald (GN)Sp93:63-64
 with dendritic surface stain (LN)Sp88:47
 dinosaur bone agate (Let)F83:169
 dyed—black (LN)F03:214-215; to simulate emerald (GN)Sp93:63-64
 etched (LN)Su97:134
 with fossils (LN)Sp87:47
 with goethite inclusions, from Madagascar (GN)W98:295
 with induced dendritic plume (GN)Su00:170-171
 iris agate—(GN)Sp87:53; from Oregon (GN)Sp93:53
 jasper—dyed to simulate lapis [“Swiss lapis”] (LN)Su89:105; green and white, from Mexico (GN)Su96:132-133
 from Mexico—greenish blue [chrysocolla-colored] (GN)Sp92:59-60; “turquoise” color (LN)Sp91:40
 “mini-fault” in (GNI)F01:228-229
 from Montana—blue (GN)F92:200

- porous chrysocolla-colored (GN)Su96:129-130
Raman spectrum of (Hänni)Su98:102-113
and sugilite (Shigley)Su87:78-89
treated electrically (GN)W86:246
from Uruguay (GN)W92:269
see also Quartz
- Chalcedony simulants**
agate beads coated to simulate dyed black chalcedony (LN)W88:241
barium sulfate (GN)Sp92:66
glass imitation of dyed black "onyx" (LN)Su86:108, F89:171
- Change-of-color phenomenon**, see Color change
- Chanthaburi-Trat**, see Thailand
- Charge transfer**
as cause of color (Fritsch)Sp88:3-15
as cause of color in blue sapphire (Let)F93:151, 226
- Charoite**
inclusions in quartz-feldspar (LN)F02:252
nomenclature for (GN)W93:292
from Russia (GN)Sp94:54
separation from sugilite (Shigley)Su87:78-89
simulants (GN)Su92:135, W99:221-222
with tinaksite (LN)W01:318
from USSR (GN)Sp88:57
- Chart**
beryllium diffusion of rubies and sapphires (Emmett)Su03:84-135
characteristics of HPHT-grown synthetic diamonds (Shigley)W04:303-313
commercially available gem treatments (McClure)W02:294-300
examples from the GIA diamond cut grading system (Moses)F04:202-228
major world gem producing regions (Shigley)W00:292-335
pink diamond color chart (King)Su02:128-147
- Chatham**
agreement to manufacture in Japan (GN)Su91:123
colored synthetic diamonds (Shigley)Su04:128-145
flux-grown synthetic sapphire—orange and blue (Kane)F82:140-153; pink (GN)Sp94:56-57
production and distribution of Russian synthetic diamonds (GN)F93:207, (Shigley)W93:228-248
production of synthetic emeralds and sapphires (GN)Sp91:53-54
warns against trademark infringement (GN)Su91:123
see also Emerald, synthetic; Sapphire, synthetic
- Chatham, Carroll**
obituary (Liddicoat)F83:129
- Chatoyancy**
in alexandrite—(LN)Sp83:43, F87:164, (GN)Sp93:54, with crossed growth band (GN)W91:257; fine 16.02 ct (LN)Su04:162; with a star (LN)Su89:102; from Zimbabwe (GN)Sp88:57
in almandine (LN)Sp85:44
in amethyst from Brazil (GN)Su01:143-144
in andalusite (LN)Sp90:94
in andradite (Payne)F81:157-160
in andradite and demantoid—(LN)Su04:164-165; from Iran (GN)Sp04:67-68
in apatite—(GN)F90:230; simulating Paraíba tourmaline (GN)W91:265
in beryl—from Pakistan (GN)Su00:163-164; "pseudo-eye" (LN)W99:202; yellow, from Brazil (GN)Sp04:66-67
in beryllonite from Afghanistan (GN)Sp91:47
in chrysoberyl—(GN)Sp83:60, (Gunawardene)Su86:80-95; from Brazil (GN)Sp97:61-62; gray (LN)F00:254; radioactive (GN)F97:221-222
in clinocllore from Russia (GN)Su96:130
in demantoid (LN)F85:174, (GN)W94:272-273
in diopside from southern India (GN)Su96:130-131
in emerald—(LN)F82:169-170; from Brazil (GN)Sp92:60, Sp95:60-61; from Colombia (GN)W96:284-285; faceted (LN)F97:214
false, produced by fusing feldspar to zircon (GN)F87:176
in glass—(GN)Sp92:64-65; marketed as "Fiber Eye" (GN)Su91:123
in "golden" beryl (GN)Su92:131-132
in green zoisite (GN)F94:198
in hexagonite (LN)Su85:110
in iolite—(LN)F82:171, (GN)Sp90:101, F90:232; fracture-filled (LN)F01:216-217
in kornepine from Sri Lanka (GN)W92:273-274
in labradorite from India (LN)W04:328-329
in opal—(LN)Sp83:45-46, Sp97:59, Sp98:46, (GN)F90:232-233, W90:304, Su98:138-140; from Brazil (LN)F92:194-195, (GN)Sp94:52
in orthoclase (LN)Sp93:50-51
in peridot (LN)Su87:106
in petalite (LN)W86:239-240
in quartz—(LN)Sp83:48, Su85:112, Sp87:47, Sp97:59, (GN)F87:175-176; rose (GN)Sp91:50; rutilated (LN)Sp04:63
in sapphire (LN)Su95:126-127
in scapolite (Schmetzer)Su83:108-110, (LN)Sp84:49-50, Su85:113, (GN)Sp88:58, Sp91:51
in sillimanite—(LN)F81:166, F87:167-168, (Gübelin)Su86:96-98; from Orissa, India (GN)Su94:127
in synthetic alexandrite (Kane)F87:158-162
in synthetic chrysoberyl (GN)F83:186-187
in synthetic emerald (GN)Su97:149-150
in taaffeite (LN)Sp99:46
in tanzanite (GN)F90:233-234
in topaz from Ukraine (GN)W04:346
in tourmaline—(LN)Su82:107-108, F87:168, (GN)W90:306, Sp93:54; from Brazil (GN)Sp04:66-67; from Pala, California (GN)F01:228-231
in trapiche emerald (GN)Su99:146-147
in zircon—(LN)W83:237, Su84:112, Su85:113-114, F92:197; treated (GN)F87:176
see also "cat's-eye" under specific gem materials
- Chemical composition**
of ametrine from Bolivia (Vasconcelos)Sp94:4-23, (Balitsky)Su99:122-134
of benitoite (Laurs)F97:166-187
of beryl from Finland (Lahti)Sp93:30-37
of black opaque gem materials (Johnson)W96:252-261
of chrysoberyl from Madagascar (GN)F02:261
of corundum—Be-diffused (Emmett)Su03:84-135, (GN)Sp02:86-90, W02:363-365; diffusion-treated (McClure)Sp93:16-28, (Muhlmeister)Su98:80-101; from Pakistan (Gübelin)F82:123-139
of diamond—single nitrogen in GE POL HPHT-processed (Fisher)Sp00:42-49, (C. Smith)F00:192-215
of diaspore from Turkey (GN)W94:273-274
of Egyptian gold jewelry (GN)W93:295
of emerald—from Afghanistan

- (Bowersox)Sp91:26-39; from Capoeirana, Brazil (Epstein) F89:150-158; inclusions in, from Madagascar (Schwarz)Su94:88-101; and its inclusions, from Russia (Schmetzer)Su91:86-99; natural and synthetic (Stockton) F84:141-146, (Schmetzer)F99:84-85; from Pakistan (Gübelin) F82:123-139, (Bowersox)Sp89:16-24; from Sandawana, Zimbabwe (J. Zwaan)Su97:80-100
- of euclase (LN)Su93:125-126
- of fillings—in diamond (Koivula)Su89:68-83, (Kammerling)F94:142-177, (Shigley)Su00:147-153; in emerald (GN)W99:219; in ruby (LN)F00:257-259
- of friedelite from South Africa (Pienaar)W82:221-224
- of garnets—(Manson)W81:191-204; andradite (Stockton)W83:202-208; demantoid from Mexico (GN)F94:194; demantoid and “golden” cat’s-eye andradite from California (Payne)F81:157-160; color-change (Stockton) Su82:100-101; color-change from Madagascar (Schmetzer)W99:196-201; grossular (Manson) W82:204-213; grossular from Tanzania (Nassau)F92:188-191; grossular and spessartine from Altay, China (Wang Fuquan) W93:273-277; grossular-andradite from Mali (LN)W94:265-266, (Johnson)F95:152-166; pyrope from Bohemia (Schlüter)F91:168-173; pyrope-almandine from Tanzania (Seifert)Su99:108-120; pyrope-spessartine (Manson)W84:200-207; pyrope-spessartine from Madagascar (Schmetzer)Su02:148-155 [erratum (GNI)F02:275]; spessartine from Nigeria (GN)W99:216; tsavorite from Tanzania (Kane)Su90:142-148
- of glass—cobalt (Bosshart)W83:228-231; tanzanite imitations (Kiefert)W96:270-276; radioactive (Nassau)W89:232-235; “Swarogreen” (GN)Su94:130
- of glass coating on quartz (LN)Su94:118-119
- of glass fillings in ruby (Kane)W84:187-199
- of glass imitation of tanzanite (Kiefert)W96:270-276
- of gold alloys (Mercer)W92:222-233
- of grandidierite (Schmetzer)Sp03:32-37
- of haüyne from Germany (Kiefert)F00:246-253
- of kornerupine from Sri Lanka (P. Zwaan)W96:262-269
- of malachite, natural and synthetic (Balitsky)F87:152-157
- of opal from Shewa, Ethiopia (Johnson)Su96:112-120
- of orthoamphibole, iridescent— from Greenland (Appel)Sp87:36-42; from Wyoming (Dietrich)F88:161-164
- of pectolite from the Dominican Republic (Woodruff)W89:216-225
- of peridot—(Stockton)Su83:103-107; from New Mexico (Fuhrbach)Sp92:16-27
- of pezzottaite from Madagascar (GNI)Sp03:50-54; (Laurs)W03:284-301
- of poudretteite (Smith)Sp03:24-31
- of red beryl from Utah and its rhyolite matrix (Shigley)W84:208-221
- of remondite-(Ce), as distinguished from burbankite (GN)W92:270-271
- of ruby—from Afghanistan (Bowersox)Su00:110-126; diffusion-treated (McClure)Sp93:16-28, (Muhlmeister)Su98:80-101; inclusion in diamond (Meyer) F81:153-156; inclusions in trapiche (Schmetzer)W96:242-250; from Mong Hsu, Myanmar (Peretti)Sp95:2-26; natural and synthetic (Muhlmeister)Su98:80-101; from Nepal (C. Smith) Sp97:24-41; from Pakistan (Gübelin)F82:123-139; from Vietnam (Kane)F91:136-155; from Russia (Kissin)W94:243-252; from Tanzania (Hänni)F91:156-167
- of sapphire—from Afghanistan (Bowersox)Su00:110-126; from Andranondambo, Madagascar (Schwarz)Su96:80-99; from Antsiranana, Madagascar (Schwarz)F00:216-233; from China (Guo)W92:255-260; from Montana (Emmett)W93:250-272; from Russia (Kissin)W94:243-252; from Tanzania (Seifert) Su99:108-120; from Vietnam (Kane)F91:136-155; from southern Vietnam (C. Smith)F95:168-186
- of scapolite—from Brazil, Pakistan, and Sri Lanka (P. Zwaan)W96:262-269; from Sri Lanka (Schmetzer)Su83:108-110
- of scheelite from Sri Lanka (Gunawardene)F86:166-169
- of spinel—“cobalt-blue” (Shigley) Sp84:34-41; colored by cobalt and nickel (GN)W94:276-277; natural and Russian synthetic (Muhlmeister)Su93:81-98; from Pakistan (Gübelin)F82:123-139
- of sugilite (LN)Su81:105-106
- of sunstone labradorite from Oregon (Johnston)W91:220-233
- of synthetic ametrine (Balitsky)Su99:122-134
- of synthetic alexandrite from Russia (Schmetzer)F96:186-202
- of synthetic aquamarine (Schmetzer)F90:206-211
- of synthetic ametrine (Balitsky)Su99:122-134
- of synthetic diamond— (Koivula)F84:146-158; from Russia (Shigley)W93:228-248; treated-color red (Moses)F93:182-190
- of synthetic emerald— (Schmetzer)F99:84-85; Biron hydrothermal (Kane)F85:156-170; Chinese hydrothermal (Schmetzer)W97:276-291; Lechleitner overgrowth (Schmetzer)Su81:98-100; Lennix flux-grown (Graziani)F87:140-147; overgrowth (Robert)W90:288-293; Russian flux-grown (Koivula)Su85:79-85
- of synthetic jadeite (Nassau)Sp87:27-35
- of synthetic pink quartz (Balitsky)Sp98:34-43
- of synthetic ruby—(Muhlmeister) Su98:80-101; flux-induced inclusions in (Schmetzer)Sp94:33-38; large hydrothermal (GN)W92:278-279; Ramaura (Kane)F83:130-148; from Russia (Schmetzer)Sp99:17-28; and its surface particles, by Douros (Hänni) Su94:72-86
- of synthetic sapphire—colorless (Elen)Sp99:30-41; hydrothermal, from Russia (Schmetzer)Sp99:17-28; orangy pink (LN)Su99:141; Taurus hydrothermal (V. Thomas) F97:188-202; from Union Carbide (Johnson)F95:188-195
- of synthetic spinel from Russia (Muhlmeister)Su93:81-98
- of taaffeite, purple to purplish red (Schmetzer)Sp00:50-59
- of tanzanite, color-zoned (LN)Su03:150-151
- of tanzanite simulants (Kiefert)W96:270-276
- of topaz—pink, from Pakistan (Gübelin)F86:140-151
- of tourmaline—from Paraíba, Brazil (Fritsch)F90:189-205,

- (Brandstätter)F94:178-183; red, from Zambia (Koivula)Sp85:40-42; from Zambia (Johnson) F97:204-211
- of turquoise, Zachery-treated (Fritsch)Sp99:4-16
- of treated black mabe pearl (LN)Su92:126-127, F92:195-196
- of yttrium silicate, simulating tanzanite (GN)W94:278-279, W92:277
- of zircon from Australia (Faulkner)W89:207-215
- of zoisite—bicolored (LN)W92:267; blue and green (Barot)Sp92:4-15; green, from Pakistan (GN)W92:275-276
- see also Electron-microprobe analysis; Spectrometry—laser ablation-inductively coupled plasma-mass (LA-ICP-MS); Spectroscopy—infrared; laser-induced breakdown (LIBS); Raman; UV-Vis-NIR; specific gem materials
- Chemical vapor deposition (CVD)**, see Diamond, synthetic
- Chiastolite**, see Andalustite
- Chicken-blood stone**
dickite/kaolinite and quartz with cinnabar, from China (Wang Fuquan)F89:168-170
see also Cinnabar
- Chile**
chlorargyrite from Chanarcillo (GNI)W03:334-336
green powellite from Inca de Oro, Atacama (GNI)F01:235-236
lapis lazuli from the Coquimbo Region (Coenraads)Sp00:28-41
quartz with molybdenite, from Valparaíso (GNI)W04:353-354
- China**
andalustite sphere from (GN)Sp98:51
blue spinel from (GN)Sp92:61-62
chicken-blood stone from (Wang)F89:168-170
CSO sightholder from (GN)F93:206
cultured pearls from (GN)Sp93:58
diamond center planned in Shanghai (GN)W91:254
diamond cutting in (GN)F89:177, F91:180
diamond-in-matrix specimens from (GN)Sp96:52
diamond market in (Rothschild)F99:59
diamonds from—(GN)W85:247, F88:176, (P. Keller)Sp86:14-23; crystals (GN)Sp98:50; 60.6 ct (GN)W91:254
- editorial (Liddicoat)Sp86:1
freshwater cultured pearls from—(Let)Su83:111, (LN)Su85:111, Su94:118, (GN)Sp99:53-54, (Peach)F99:75; nuclei in (Scarratt)Su00:98-109, (Let)F00:191, (Akamatsu)Su01:96-113
gem localities in—(GN)W95:276, (P. Keller)Sp86:3-13 [map clarified (Let)Su86:106]
gemstone carving in (S. Thomas) Sp86:24-34
glass imitation cat's-eyes from (GNI)W03:338-340
grossular and spessartine from Altay (Wang Fuquan)W93:273-277
jade carvings from (Tucker)Sp82:20-31
jadeite marketing and nomenclature in (Hughes)Sp00:20-26
pargasite from Hunan Province (GNI)Sp02:97
peridot from (Koivula)Sp86:38-40, (GN)Sp92:60, Sp94:53
sapphires from—Mingxi, Fujian Province (A. Keller)Sp86:41-45; Penglai, Hainan Island (Wang Furu)F88:155-160; Shandong Province (Guo)W92:255-260, (Liangguang)F99:154
standards for jewelry industry issued by government (GN)F97:229-230
synthetic emerald from, hydrothermal (Schmetzer) W97:276-291
synthetic sodalite from, irradiated (GN)Su92:139
tremolite rock referred to as "Longxi jade" from (GN)W99:217-218
turquoise from (Wang Fuquan)Sp86:35-37
vanadium-colored beryl from (GNI)F01:226-228
- "Chinese onyx,"** see Augite
- Chiton**, see Shell
- Chivor**, see Colombia
- Chlorargyrite**
from Chile (GNI)W03:334-336
- Chlorite**
carved (LN)W91:248
see also Rocks
- Chloromelanite**
composition of (Hughes)Sp00:2-26
with maw-sit-sit (LN)W83:234
- Chromite**
inclusion in diamond (LN)W98:285-286
- Chrysoberyl**
from Andhra Pradesh, India (GN)Sp99:51-52
carved (LN)F90:220
- cat's-eye—(Gunawardene)Su86:80-95; from Brazil (GN)Sp97:61-62; with crossed growth band (GN)W91:257; with gray body-color (LN)F00:254; with high iron content (LN)W01:318-319; radioactive (GN)F97:221-222; with a star (LN)Su89:102; from Zimbabwe (GN)Sp83:60, Sp88:57
green, vanadium-bearing (LN)F98:212-213, Su03:144, (GN)F96:215-216
from Ilakaka, Madagascar (GNI)F02:261
from India (GN)W97:301-302
imitation asterism in (McClure)Su01:124-128
irradiation of, in the 1990s (McClure)W00:336-359
localities—of the 1980s (Shigley)Sp90:4-31; of the 1990s (Shigley)W00:292-335
from Minas Gerais, Brazil (Proctor)Su84:78-100, Sp88:16-32
from New York (GN)Su84:121
from Sri Lanka—(P. Zwaan) Su82:62-71, (Gunawardene) Su86:80-95, (GN)W89:245; 114 ct yellow crystal (GN)W92:273-274
see also Alexandrite
- Chrysoberyl simulant**
"cat's-eye" quartz (GN)Sp88:58
- Chrysoberyl, synthetic**
bluish green, light green, and pink (Krzemnicki)F99:175
cat's-eye (GN)F83:186-187
developments in the 1990s (Koivula)W00:360-379
red, flux-grown (GN)Sp88:59
vanadium-bearing green (GN)Su97:148-149
see also Alexandrite, synthetic
- Chrysocolla**
drusy, in quartz (GN)Sp91:49
in "Eilat stone" from Israel (GN)W92:271-272
in "owl" agate (LN)W03:314
- Chrysoprase**
from Australia (GN)Su94:125-126, F94:193-194
from Brazil (GN)Su90:161
"lemon," see Rocks
- CIE color system**
(Manson)W81:191-204
- Cinnabar**
from China (P. Keller)Sp86:3-13
see also Chicken-blood stone
- Citrine**
from the Anahí mine, Bolivia—(Vasconcelos)Sp94:4-23, (GNI)W01:334-335; with "knot" (LN)F94:184-185

- hydrothermal synthetic (GN)Sp89:47
 from the Nevada-California border (Paradise)Sp82:39-42
 produced by heat treating amethyst (LN)Sp85:43, (Shigley)W85:219-223, (Epstein)W88:214-228
 Raman spectrum of (Hänni)Su98:102-113
 see also Ametrine; Quartz; Quartz, synthetic
- Clarity enhancement**
 description and detection of (Smith)W02:294-300
 developments—in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359
 see also Filling, fracture or cavity; specific gem materials
- Clarity grading**
 of diamonds (Let)Su91:126
 of filled diamonds (Koivula) Su89:68-83, (Kammerling) F94:142-177
- Classification**, see Nomenclature and classification
- Cleaning of gems and jewelry**, see Care of gem materials
- Clinochlore**
 cat's-eye, from Russia (GN)Su96:130
 color-change, from Russia (GN)Su95:129-130
- Clinohumite**
 from the Pamir Mountains, Russia (GN)Sp91:48
 rough and faceted (LN)W86:236
 from Tajikistan (GNI)W04:337-338
 with spinel, from Tanzania (GNI)Su01:144-145
 twinned (LN)Sp88:47-48
- Clinzoisite**
 from Sri Lanka (GN)F88:179
- Coating**
 with acrylic aerosol spray to improve surface appearance (GN)Su92:135
 of beryl—(LN)Sp93:46-47; to imitate emerald (LN)Sp83:44, F95:199; with plastic, to imitate trapiche emerald (LN)F98:212
 of black horn coral (GNI)Sp04:78-79
 cobalt glass coating over quartz beads (LN)Su94:118-119
 color-change synthetic sapphire with coated pavilion (LN)Sp94:46
 on corundum, misrepresented as diffusion treatment (GN)Sp94:48
- of cubic zirconia ("Tavalite") (GN)Su96:139-140
 description and detection of (Smith)W02:294-300
 developments—in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359
 on diamond—(LN)Su83:112-113, F83:172, Su84:107, Sp89:36, Su89:102, W03:315-316, (Kammerling)Sp90:32-49; to produce pink color (LN)Su98:128-129
 dichroic backing on moonstone (GN)Sp00:75
 of drusy materials with titanium and gold (GN)Su98:142-143
 and filling of ruby crystal (GN)F92:206-207
 of gems with diamond-like carbon (GN)F91:186
 gold ["Aqua Aura"]—durability of (GN)Su91:122; on quartz (GN)W88:251, F90:234-235; on topaz (GN)F90:234-235
 hematite formed on heat-treated garnet (GN)W99:220
 identification of, versus diffusion (GN)F91:188-189
 of jadeite (GN)F94:199
 on natural pearls (LN)Sp00:65
 of nephrite (LN)F04:245
 of pearls (LN)Sp02:83-84
 of platinum on drusy gem materials (GNI)Sp01:76-77
 of quartz—(GN)F96:220-221; with dichroic material (GN)Sp98:55-56
 of sapphire—in Sri Lanka (GN)W91:265; yellowish orange (LN)W91:251-252
 silicon, on drusy materials (GN)Sp00:76
 silver and platinum on quartz (GN)W90:307-308
 synthetic diamond thin film (GN)W88:249
 of topaz—to induce various colors (GN)Su98:143-144; orange, with synthetic hematite (GNI)W02:364-366
 of tourmaline from Nigeria (GNI)F03:241-242
- Cobalt**
 glass as lapis lazuli imitation (Bosshart)W83:228-231
 in Russian synthetic quartz sold as "Siberian blue quartz" (GN)Sp91:55
 in sapphire (LN)W82:231-233
 in spinel (LN)W82:231-233, Su86:111-113, F90:226-227, (Shigley)Sp84:34-41 [errata (Let)Su84:113], (GN)W90:305-306
- Cobaltocalcite**
 from Democratic Republic of Congo (formerly Zaire) (GN)Sp91:49
- Colombia**
 cat's-eye emerald from Coscuez (GN)W96:284-285
 copal from Boyacá (LN)Sp04:58-59
 corundum from the Cauca, Nariño, and Caquetá departments (GNI)W03:329-331
 emerald—from Chivor (GNI)W02:351; from the Coscuez mine (Ringsrud) Su86:67-79; with daughter crystal (LN)Sp98:44; deposits at La Pita and Polveros (GN)Sp00:68-69; "enhydro" (GN)Sp99:49; found on the *Atocha* (Kane) W89:196-206; mining (GN)Su89:112, W90:303, W93:285, W96:285, F98:220-221; mining at Muzo and Chivor (P. Keller)Su81: 80-92; "oiled" crystal from (GN)W91:264-265; oiling of (Ringsrud)F83:149-156; pre-Columbian, from Malagana (GNI)F02:262-263; trapiche, from Chivor (GNI)F03:236-237
 euclase from Pauna (LN)Sp03:42—erratum (LN)Sp04:65
 First World Emerald Congress held in Bogotá (GN)Sp98:56-57
 parasite from (GN)Sp85:60
 record emerald exports from (GN)F91:181
 resin from (GN)Su93:135-136
 sapphire from the Mercaderes-Río Mayo region—(P. Keller)Sp85:20-25; and ruby (GN)F00:268
- Color, cause of**
 in Ammolite from Canada (Mychaluk)Sp01:4-25
 azurite, chrysocolla, and malachite inclusions in chalcedony (GN)F93:208-209
 in Be-diffused corundum (Emmett)Su03:84-135
 chalcotrichite inclusions in red quartz from Mexico (GN)Sp93:59-60
 chromium—in greenish blue euclase (LN)Su93:125-126; in synthetic forsterite (Nassau)Su94:102-108; in tsavorite garnet (Let)Sp93:3
 in "cobalt blue" spinel (Shigley)Sp84:34-41
 cobalt—in diffusion-treated sapphires (GN)Sp94:55-56; and nickel in "teal" blue spinel (GN)W94:276-277; in synthetic green star sapphire (LN)Sp95:57-58
 copper—in chalcedony

(LN)Sp91:40; in Paraíba tourmaline (Fritsch)F90:189-205, (Brandstätter)F94:178-183
 in cubic zirconia (Nassau)Sp81:9-19
 in demantoid from Russia (Phillips)Su96:100-111
 in diamond—black (Kammerling)W90:282-287; black, from Siberia (Titkov)F03:200-209; Dresden Green (Kane)W90:248-266; irradiated reddish purple (LN)F98:213-214
 in emerald from Russia (Schmetzer)Su91:86-99
 in enstatite, cordierite, kornepurine, and scapolite from Embilipitiya, Sri Lanka (P. Zwaan)W96:262-269
 in freshwater pearls—(Sweaney)F84:125-140; pink (GN)W95:276-277
 in garnet (Stockton)Su88:104-106
 in gems (Rossman)Su81:60-71, (Fritsch)F87:126-139, Sp88:3-15, Su88:81-102
 in HPHT-processed diamonds—GE POL near-colorless (C. Smith) F00:192-215; yellow to green (Reinitz)Su00:128-137
 hydrogen in nonconductive gray-to-blue diamonds (Fritsch)Sp92:35-42
 intervalence charge transfer in blue sapphire (Let)F93:151, 226
 iron in ametrine (Vasconcelos)Sp94:4-23
 in jadeite (Rossman)Su81:60-71, (Hughes)Sp00:2-26
 in lavender sugilite with green areas (GN)F00:268-269
 in Malaya garnet from Madagascar (Schmetzer)W01:296-308
 in morganite/aquamarine nodules from Brazil (Kampf)Sp89:25-29
 nickel in synthetic sapphires (GN)Su94:131-132
 orange-pink in hydrogrossular (LN)W92:264
 in pectolite (Woodruff)W89:216-225
 in peridot from New Mexico (Fuhrbach)Sp92:16-27
 in Polynesian black pearls (Goebel)F89:130-148
 praseodymium and copper in “Swarogreen” glass (GN)Su94:130
 in red coral (GN)W95:276-277
 in ruby from Mong Hsu, Myanmar (Peretti)Sp95:2-26
 in sapphire—natural-color and heat-treated, from Rock Creek, Montana (Emmett)W93:250-272;

yellow (GN)F00:266-267
 in spinel—color-change (LN)Su91:112-113; from Madagascar (GN)Su00:169-171
 in sunstone labradorite from Oregon (Johnston)W91:220-233
 in synthetic aquamarine (Schmetzer)F90:206-211
 in synthetic diamond—Russian (Shigley)W93:228-248; treated-color red (Moses)F93:182-190
 in synthetic sapphire—Tairus hydrothermal (V. Thomas) F97:188-202; “Ti-sapphire” from Union Carbide (Johnson) F95:188-195
 in taaffeite, purple to purplish red (Schmetzer)Sp00:50-59
 in tourmaline from Paraíba (GN) W89:248, (Fritsch)F90:189-205
 in yellow grossular from Tanzania (GN)W91:258
 in zoisite (Barot)Sp92:4-15
 see also Diffusion treatment, Heat treatment, Irradiation

Color centers

as cause of color (Fritsch)Sp88:3-15

Color change

in alexandrite—discussion of (Gübelin)W82:197-206, (LN)Sp83:43, Sp86:46; from Madagascar (GNI)Sp01:66; from Nova Era, Minas Gerais, Brazil (GN)Su87:123, W87:238-240, F92:192, (LN)F87:164, (Proctor)Sp88:16-32; from the Tunduru region, Tanzania (GN)Sp96:58-59
 cause of (Gübelin)W82:197-206, (Fritsch)Su88:81-102
 clinocllore from Russia (GN)Su95:129-130
 in cobalt-colored spinel (Shigley) Sp84:34-41, (LN)F90:226-227, (GN)W90:305-306
 corundum—(Gübelin)W82:197-206; with asterism (GN)W87:241
 diaspore (LN)Sp87:44-45
 fluorite (Gübelin)W82:197-206
 garnet—(Stockton)Su82:100-101, W85:205-218, (Gübelin)W82:197-206, (Let)Su85:116, (GN)Su98:138, F98:222-223; grossular (Manson)W82:204-213; grossular-andradite, from Mali (LN)Su03:145-146; from Madagascar (GNI)Su03:156, (Schmetzer)W99:196-201; pyrope-spessartine (Manson)W84:200-207, (GN)Sp96:53, W96:285-286; from Tanzania (Dirlam)Su92:80-102
 garnet inclusion in diamond (LN)F82:169

in glass imitation of alexandrite (GNI)Sp04:73-74
 in hackmanite, produced by UV radiation (GN)Su89:112, W89:245-246 Su92:134
 influenced by type of illumination (Fritsch)F87:126-139
 kyanite (Gübelin)W82:197-206
 monazite (Gübelin)W82:197-206
 remondite-(Ce) from Canada (GN)W92:270-271
 sapphire—(P. Keller)Sp85:20-25; from Queensland, Australia (GN)W93:292; from Sri Lanka (GN)Su88:121; star (GN)W87:241; from Tanzania (Dirlam)Su92:80-102, (GN)Sp95:64-65
 in sapphire/synthetic color-change sapphire doublets (LN)Su03:149-150
 in synthetic alexandrite from Russia (Schmetzer)F96:186-202
 in synthetic apatite (LN)Sp01:57
 in synthetic diamond (LN)W98:286-287
 in synthetic sapphire (LN)Su95:127
 spinel—(Gübelin)W82:197-206, (LN)Sp83:48, W84:232-233; and synthetic spinel (LN)W85:236-237, Su91:112-113
 tourmaline—(GN)F91:184-185; from Mozambique (LN)F04:250-251
 zircon (GN)F95:212-213
 see also Alexandrite

Color, description of

based on L*a*b* color space (Siripant)F99:162-163
 CIE color system (Manson)W81:191-204
 developments in the 1990s (Johnson)W00:380-396
 with Gemewizard software (GNI)Sp03:57-58
 with the Munsell color system (King)W94:220-242
 by spectrophotometry (Wagner)F99:168-169

Color grading

of colored diamonds (King)W94:220-242
 of diamonds by machine (Collins)Sp84:14-21
 of fancy-color diamonds—of blue type IIb (King)W98:246-268; effect of tone (LN)Su02:162-163; of pink and red (King) Su02:128-147; as related to value (LN)Sp02:80
 of yellow sapphires (Nassau)W87:222-231

Color shift

as differentiated from color change
in garnet (Manson)W84:200-207

Color stability

in amethyst (Let)Su85:115-116
fade testing of yellow sapphire,
yellow to brown topaz, and
green spodumene (Let)F92:150
of gems irradiated using U.S.
Postal Service process
(GNI)W01:326-328
in Maxixe and Maxixe-type beryl
(Rossman)Su81:60-71,
(Nassau)W81:217-219,
(LN)W98:294
of radiation-induced yellow-green
color in grossular
(Nassau)F92:188-191
of rhodizite-londonite from
Madagascar (Lauris)W02:326-339
in sapphire—diffusion-treated
(Kane)Su90:115-133; heat-treated
and irradiated yellow (LN)W82:
231, (P. Keller)W82:186-196,
(Nassau)W87:222-231; radiation-
induced padparadscha color
(GN)W92:273-274; yellow
(Let)F92:150
in spodumene—(Rossman)Su81:
60-71; green (Let)F92:150
in topaz—blue (Rossman)Su81:60-
71, (Let)Su81:108; reactor-irradi-
ated green (Ashbaugh)Su93:116-
121; yellow to brown
(Let)F92:150
of treated amber
(LN)Su93:122-123, F93:198
in yellow diamonds
(Rossman)Su81:60-71
in zircon (GN)F86:188-189
see also Stability; specific gem
materials

Color zoning

in amethyst and synthetic
amethyst (Crowningshield)
F86:130-139
in ametrine from Bolivia
(Vasconcelos)Sp94:4-23
of andradite from Namibia
(LN)Sp01:56-57
in Be-diffused corundum
(Emmett)Su03:84-135
in beryl, red, from Utah
(Shigley)W03:302-313
in cubic zirconia (GN)Su92:138
and cutting of tourmaline
(GN)W91:262-263
in diamond—(LN)Su94:116; elec-
tron-irradiated (LN)Su91:108-109;
irradiated (Fritsch)Su89:95-101,
(LN)F90:220-221, W90:296; pink
(King)Su02:128-147; “pseudo-
dichroic” (LN)Sp01:59-60

in emerald (LN)Sp91:41
in fluorite from Quebec
(GN)W93:287-288
in grossular (GN)W90:303-304
in imitation clam “pearl”
(GNI)W04:355-356
in Paraíba tourmaline
(Fritsch)F90:189-205
in pink transparent quartz
(LN)F93:203-204
in ruby—from Mong Hsu,
Myanmar (Peretti)Sp95:2-26;
from Tanzania (Hänni)F91:156-
167; from Vietnam (Kane)F91:
136-155, (GN)W92:274-275
in sapphire—(LN)W92:265-266,
Su96:126; blue and colorless
banding (GNI)W04:345-346;
with diffusion-induced stars
(LN)W01:324-325; diffusion-
treated (Kane)Su90:115-133;
heat-treated (LN)Sp88:50-51;
Kashmir (Schwieger)W90:267-
280; from Madagascar
(Schwarz)Su96:80-99; natural
blue (LN)W93:283, F94:188-189;
“new” treated blue
(LN)W03:319-321; parti-colored
(LN)F81:165-166; pink and blue-
green (LN)W94:269-270
in synthetic alexandrite
(LN)Sp93:46
in synthetic corundum
(GNI)W04:354-355
in synthetic amethyst from Russia
(GN)F95:213-214
in synthetic diamond—Chatham
(Shigley)Su04:128-145; Gemesis,
yellow (Shigley)W02:301-309; in
HPHT-grown synthetic diamonds
(Shigley)W04:303-313; Russian
(Shigley)W93:228-248;
Sumitomo gem-quality
(Shigley)Su92:116-122
in synthetic quartz—(GN)
W96:289; blue (GN)Su93:140-141
in synthetic ruby—Douros
(Hänni)Su94:72-86; hydrother-
mal (GN)W92:278-279; flux-
grown (LN)Sp91:44; resolution
of striae (LN)W93:282-283
in synthetic sapphire—pink
(LN)W94:270; yellowish orange
(LN)F94:189
in topaz from Russia and the
Ukraine (GN)Su94:128
of tourmaline—from Madagascar
(Dirlam)Sp02:28-53; from
Nigeria (GNI)W02:356-357
in zoisite (GN)Sp93:63
see also Graining, Zoning

Colorado, see United States

Colorimetry

and color filters (Collins)Sp84:14-

21, (Let)W86:241-242

Composite materials

corundum and plastic
(LN)W96:277-278
dyed calcite-and-plastic imitation
of jadeite (GN)Su96:137-138
faceted quartz construct
(GN)Sp96:59
synthetic corundum and polymer
imitating ruby in zoisite
(GN)W96:286-287
see also Assembled gem materials

Computer

applications to gemology in the
1990s (Johnson)W00:380-396
diamond sorter (GN)Sp90:105
imaging of jewelry (GN)F91:189-
190
program to identify gemstones
(Read)F83:157-163

Computer software

Gemwizard software for color
communication (GNI)Sp03:57-
58

Conch “pearl”

description of (LN)F82:173, W85:
235-236, (Fritsch)W87:208-221
simulated by—coral
(GN)Su87:124, (Fritsch)W87:208-
221; glass (GN)W96:287-288
various colors of (LN)F01:213
see also Calcareous concretions

Concretions

bezoar collection (GN)Sp98:57
calcareous “pearls” (LN)W98:288
clam “pearl” (LN)W03:318
organic (LN)Sp83:48-49
nonnacreous pearls (LN)Su99:140
see also Calcareous concretions

Conferences

AGU, Spring 2002 meeting, dia-
mond provenance
(GNI)Su02:170-171
Antwerp Diamond Conference
(GNI)W02:367-368, W03:342-
343
Antwerp Gem Conference
(GNI)W02:368-369
Australian Diamond Conference
(GNI)W02:366-367,
(GNI)Sp04:81-83
GAC-MAC-SEG meeting
(GNI)F03:244-245, Su04:180
Gemstone Deposits of Colorado
and Rocky Mountains
(GNI)F02:272-273
GSA, Rocky Mountain Section
Annual Meeting, western U.S.
gem occurrences
(GNI)Su02:171-172
International Conference on New
Diamond Science and Technology
(GNI)Su04:179-180

- International Kimberlite Conference (GNI)F03:245-248
 Materials Research Society meeting (GNI)Sp04:83-84
 Namibian geological conference (GNI)F02:273-274
 Rapaport International Diamond Conference (GNI)W03:343-344
 Sinkankas tourmaline symposium (GNI)Sp04:84-85
 Society of Mining, Metallurgy, and Exploration (SME) annual meeting (GNI)Sp03:62-63
 Symposium on Gems and Minerals of Afghanistan, 8th (GNI)Sp02:91-92
 Tucson AGTA corundum panel (GNI)Sp03:58-59
 Tucson Diamond Symposium (GNI)Sp02:90-91
 Tucson Gem and Mineral Show, 23rd annual symposium (GNI)Sp02:92
 World Diamond Conference, 3rd, Canadian and "conflict" diamonds (GNI)Su02:172-173
- "Conflict" diamonds**
 at 3rd World Diamond Conference (GNI)Su02:172-173
 White House conference on (GNI)Sp01:64-66
 see also Kimberly Process
- Congo, Democratic Republic of [Zaire]**
 cuprite misrepresented as ruby from (GN)F93:216
 diamond—history of sources in (Jansel)W95:228-255; mining in (GN)F93:207; production lower in 1991 (GN)Su92:131
 glass imitation of emerald from (GN)F93:216
 hemimorphite from (GNI)F02:263-264
 red andesine feldspar from (GNI)Sp02:94-95
- Copal**
 feathers in Colombian specimen (LN)Sp04:58-59
 with liquid inclusions, from Madagascar (GN)Sp00:67-68
 see also Resin
- Copyright, U.S.**
 first registration for a diamond cut (Rockman)F03:210-213
- Coral**
 black, from Mexico (GN)W90:301-302
 black horn, coated with resin (GNI)Sp04:78-79
 blue sheen, from Alaska (GN)Sp98:51
 cause of red in (GN)W95:276-277
 as conch "pearl" substitute (GN)Su87:124
 dyed blue with plastic coating (LN)Sp84:45-46
 exploration in Hawaii (GN)F00:263-264
 fossilized "Stingray," from Alaska (GNI)Sp02:93
 simulant—(LN)W81:226; barium sulfate (LN)Su90:153-154, (GN)Sp92:66
 with unusual surface features (LN)W03:315
- "Coranite"**
 "Blue," see Corundum, synthetic
 "Purple," see Yttrium aluminum garnet (YAG)
- Cordierite**
 from Sri Lanka (P. Zwaan) W96:262-269
 see also Iolite
- Corundum**
 from Australia (Coldham)F85:130-146
 basaltic origins of (Levinson) W94:253-262, (GN)F00:266-267
 bicolored (GN)Sp98:51-52
 from Brazil, Indaia mine, Minas Gerais (Epstein)Sp94:24-32
 carbon dioxide inclusions in (Koiivula)F86:152-155
 coated pink, to simulate Vietnamese ruby rough (GN)W93:289-290
 from Colombia (GNI)W03:329-331
 color-enhanced bead (LN)W84:231
 diamond inclusions in (GN)W97:299
 diffusion-treated—blue (Kane) Su90:115-133; red (McClure) Sp93:16-28, (LN)F95:196-197, Su98:127-128, (Muhlmeister) Su98:80-101; update on (GN) Sp94:55-56
 dyed—(Let)Sp93:3; and quench-cracked to simulate ruby (Schmetzer)Su92:112-115, (LN)F92:196-197
 glass in heat-treated (Nassau)F81:121-131, (Kane)W84:187-199
 in green muscovite matrix from Pakistan (GN)Su91:120
 from Kashmir (Atkinson)Su83:64-76
 LIBS to detect Be-diffusion treatment (Krzemnicki)W04:314-322
 localities—of the 1980s (Shigley)Sp90:4-31; of the 1990s (Shigley)W00:292-335
 from Montana—Rock Creek (Emmett)W93:250-272, (GN)W94:276; Yogo Gulch (LN) Su94:120, (Mychaluk)Sp95:28-41
 from Myanmar—Mogok (P. Keller)W83:209-219, (Kane)F92:152-174; Mong Hsu (Peretti)Sp95:2-26
 from Nepal (GN)F93:211, F94:194-195, (C. Smith)Sp97:24-41.
 origins of, from Australia and Southeast Asia (GN)W97:302-303
 from Russia, southern Ural Mountains (Kissin)W94:243-252
 at the Smithsonian Institution (Feather)F99:144
 spectrographic technique to identify Be diffusion in (Let)Su04:105
 and spinel and sapphirine crystal (GN)F92:200-201
 from Sri Lanka (GN)W94:277-278
 with strong magnetism (GNI)Su03:154-155
 with synthetic recrystallization (Emmett)Su03:84-135
 with synthetic ruby overgrowth (Smith)F02:240-248
 from Thailand (P. Keller)W82:186-196
 with tourmaline and kyanite (LN)Su81:106
 trace-element interactions in (Emmett)Su03:84-135
 treatment of—coating misrepresented as diffusion (GN)Sp94:48-49; heat (GN)W99:220-221; in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359
 from Vietnam—(Kane)F91:136-155, (C. Smith)F95:168-186; effect on economy (GN)W93:292-293; mining update (Kammerling)Su94:109-114; purple-pink "trapiche" (GN)F94:197
 from Wyoming (GNI)W01:336-337
 see also Beryllium (Be) diffusion of corundum; Rocks; Ruby; Sapphire; Sapphire, treatment of
- Corundum simulant**
 crystals simulated by GGG (GN)W95:285-286
 see also Assembled gem materials, Ruby simulants
- Corundum, synthetic**
 "Blue Coranite," as a tanzanite simulant (Kiefert)W96:270-276
 color zoning in (GNI)W04:354-355
 developments—in the 1980s (Nassau)Sp90:50-63; in the 1990s (Koiivula)W00:360-379
 "Plato lines" and growth structures in (GN)Sp99:58-59
 "recrystallized"—(GN)Sp95:71, Su95:136; in Be-diffused ruby and sapphire (Emmett) Su03:84-135; laser inscription of

(GN)Su95:136-137
shaped into "waterworn" crystals
(GN)W89:249-250
used as a topaz simulant
(GN)Su93:137
see also Ruby, synthetic; Sapphire,
synthetic

Corundum-fuchsite-kyanite rock
from India (GNI)W04:338-339

Country of origin
determination of—in Afghanistan
ruby (Bowersox)Su00:110-126; in
Kashmir sapphire (Schwieger)
W90:267-280; in Nepal ruby (C.
Smith)Sp97:24-41; in Vietnam
sapphire (C. Smith)F95:168-186
editorial on (Liddicoat)W90:247
see also individual gem localities

Covellite
as a gem material (GN)Su86:114,
(LN)Sp89:35-36

C-Ox, see Cubic zirconia

Crevozhay, Paula
see Designers

Cristobalite
mixed with opal, from Madagascar
(GNI)W04:339-340
in opal (LN)F82:172-173

Crowningshield, G. Robert
editorial on (Boyajian)F03:181
tribute to (Moses)F03:184-199

Cryogenic cooling
to enhance spectra (Hofer)F81:143-
149, (Scarratt)Su82:72-78

Cryolite
from Mont St. Hilaire, Canada
(GN)Sp92:62, Su92:134

"Crystal Mesh," see Glass

Crystallography
of ametrine (Vasconcelos)Sp94:4-23
Brazil-law twinning—in amethyst
(Crowningshield)F86:130-139; in
amethyst from Brazil (Epstein)
W88:214-228; in ametrine
(Vasconcelos)Sp94:4-23; in syn-
thetic quartz (Koivula)F89:159-164
of corundum—(C. Smith)F96:170-
184; from the southern Urals
(Kissin)W94:243-252
of diamond (Diehl)Sp04:40-57
of Douros synthetic ruby
(Hänni)Su94:72-86
of garnet—green grossular [tsa-
vorite] (Kane)Su90:142-148;
grossular-andradite from Mali
(Johnson)F95:152-166
of labradorite [sunstone] from
Oregon (Johnston)W91:220-233
of red beryl from Utah
(Shigley)W84:208-221
of ruby—from Mong Hsu,
Myanmar (Peretti)Sp95:2-26; from
Tanzania (Hänni)F91:156-167

of ruby and sapphire from
Afghanistan
(Bowersox)Su00:110-126
of sapphire from Southern
Vietnam (C. Smith)F95:168-186
of synthetic alexandrite, flux-
grown (Schmetzer)F96:186-202
of synthetic amethyst, hydrother-
mal (Balitsky)Su04:146-161
of synthetic diamonds, HPHT-
grown (Shigley)W04:303-313
of taaffeite (Schmetzer)Sp00:50-59
of tugtupite from Greenland
(Jensen)Su82:90-94
see also Growth structure,
Twinning

Cubic zirconia
bicolored (GN)Su92:138
black, to simulate black diamond
(Chalain)F99:173-174
Brewster-angle refractometer used
to measure R.I. of (GN)Su92:138
Buddha carved from (LN)W93:278
carvings sold as amber
(GNI)Su04:177
colored briolettes (GNI)Su03:161-
163
cutting of (Kerr)F82:154-159
damaged during repair
(LN)F85:172-173
developments in the 1980s
(Nassau)Sp90:50-63
as diamond simulants, rough and
faceted (LN)F82:169, W88:241-
242, (GN)Sp89:50-51, Sp94:47
as the hemicylinder for a refrac-
tometer (Hurlbut)Su81:93-95
as imitation diamond crystals
(LN)F96:205
inclusions in (LN)F84:167
with laser drill holes (LN)F83:172
marketed as C-Ox (GN)F83:187,
(LN)W83:232, (Nassau)Sp90:50-63
new colors of (GN)Sp92:64
with optical coating ("Tavalite")
(GN)Su96:139-140
from Russia—nontransparent
"CZ" (Kammerling)W91:240-
246, (GN)Su92:138; production
(GN)Sp94:57, W94:279; yellow-
green (GN)Sp94:57
separation from diamond (Nassau)
Sp81:9-19, (Hobbs)Sp81:20-33,
(LN)W88:241-242
status of (Nassau)Sp81:9-19,
Sp90:50-63
submitted as diamond
(LN)Su83:113-114, W85:234,
W90:295
synthetic diamond coating on
(GN)Sp87:52
unusually small melee
(GN)W92:278
see also Diamond simulants

Cubic zirconia simulant
foil-backed glass (LN)W89:242

Cullinan blue diamond necklace
examination of (LN)F04:241-242

Cultured pearl, see Pearl, cultured

Cummingtonite-grunerite
as ornamental gem (LN)
Su84:106-107

Cuprite
from Democratic Republic of
Congo (formerly Zaire), misrep-
resented as ruby (GN)F93:216

Cut
analysis of brilliance in round-bril-
liant-cut diamonds
(Hemphill)F98:158-183
see also Faceting, Lapidary arts

Cut grading
of round brilliant diamonds
(Moses)F04:202-228

Cuts and cutting
developments—in the 1980s
(Misiowski)Sp90:76-93; in the
1990s (Misiowski)W00:398-417
of Pakistani peridot, to create a
matched suite (Kane)W04:288-302
see also Diamond, cuts and cutting
of; Faceting; Lapidary arts

Cutting Edge awards
AGTA (GN)Su96:139-140,
Su00:172-173

CVD-grown synthetic diamonds, see
Diamond, synthetic

Czech Republic
garnets from Bohemia
(Schlüter)F91:168-173
highlights of gemological confer-
ence in (GN)W91:256
moldavite from (GN)Sp92:60-61

Czocharlski, see Synthetics; specific
gem materials

D

Danburite
from California (GN)F98:220
from Sri Lanka (LN)Sp86:47,
(GN)W91:260-261

Darkfield illumination, see Lighting
methods

Datolite
large (13 ct) (LN)F01:213-214

**DCLR (dispersed colored light
return)**
fire metric in round brilliant cut
diamonds (Reinitz)F01:174-197

Deal Sweetener
45.31 ct diamond
(Krashes)Sp83:21-29

De Beers
acquisition of rough diamonds
from Botswana (GN)F87:172-173
and Democratic Republic of

- Congo (formerly Zaire) (GN)Su81:118
and diamond mining in Africa (Janse)W95:228-255
and diamond sources and production (Levinson)W92:234-254
history of formation and marketing (Janse)Sp96:2-30
instruments to detect synthetic diamonds (Welbourn)F96:156-169
and marine diamond mining (Gurney)W91:206-219
marketing agreement with Sakha (GN)Su92:129-130
role in diamond market—1970s-1980s (Boyajian)F88:134-153; new “supplier of choice” program (GN)F00:261
sales in 1984-1994 (GN)Su94:122
Supplier of Choice approved by European Commission (GNI)Sp03:59
synthetic diamonds—gem-quality, manufactured by (Shigley)W87:187-206, (GN)W90:300; marketing of high-quality single crystals and polycrystalline thin films (GN)Su93:130; near colorless-to-blue experimental (Rooney)Sp93:38-45
and Tanzania (Dirnam)Su92:80-102, (GN)Su92:130-131
unveils Centenary diamond (GN)Su91:116
- Demantoid**, see Andradite
- “Demi-pearl”**
combination pearl and calcareous concretion (LN)F89:174, Su91:110-111
- Democratic Republic of the Congo [formerly Zaire]**
tourmaline from (GNI)F04:263-265
- Density**, see Specific gravity
- Designers**
Art Deco (Ebert) Sp83:3-11—Louis Cartier, Georg Jensen, René Lalique
Art Nouveau (Misiorowski)W86:209-228—Charles Ashbee, Siegfried Bing, Boucheron, Cartier, Chaumet, Peter Carl Fabergé, Theodor Fahrner, Georges Fouquet, Josef Hoffman, Georg Jensen, Archibald Knox, René Lalique, Arthur Lazenby Liberty, Grand Duke Ludwig of Hesse, Charles Rennie Mackintosh, Luis Masriera, Murre Bennett & Co., Louis Comfort Tiffany, Henry Van de Velde, Henri Vever, Wilhelm Lucas von Cranach, Philippe Wolfers
Edwardian (Misiorowski)F93:152-172—Boucheron, Louis Cartier, Chaumet, Peter Carl Fabergé, Garrards and Hennells, Laclouche, Tiffany and Marcus Co.
North American gem artists featured in “Voices of the Earth” collection (Thompson)W01:310-317
Retro (S. Thomas)Sp87:3-17—Georges Braque, Luis Cartier, Salvador Dalí, Van Cleef & Arpels, Duke of Verdura, Eileen Vanderbilt Webb
in the 1980s (Misiorowski)Sp90:76-93—Boucheron, Bulgari, Carrera y Carrera, Cartier, Henry Dunay, Elizabeth Gage, Laurence Graff, Marina B., Niessing, Nova Stylings, Paloma Picasso, Van Cleef & Arpels
in the 1990s (Misiorowski)W00:398-416—Barbara Berk, George Bunz, Bart Curren, Henry Dunay, Michael Dyber, Lina Fanourakis, Elizabeth Gage, Michael Good, Fawaz Gruosi, Emmanuel and Sophie Guillaume, Richard Homer, Paul Lantuch, Glenn Lehrer, Michelle Ong, Alex Sepkus, Christian Tse, Christopher Walling, Steve Walters, Stephen Webster, David Yurman, Michael Zobel
see also Jewelry
- Deutsches Edelsteinmuseum of Idar-Oberstein**—see Museums and gem collections
- Devonshire emerald**
1,384 ct crystal (P. Keller)Su81:80-92
- Diamond**
with abraded facet junctions (LN)F83:172
African sources of—history (Janse)W95:228-255, Sp96:2-30; new developments in (Gurney)F99:34-36
age, origin, and emplacement of (Kirkley)Sp91:2-25
aggregate of two rounded dodecahedra (LN)Sp92:52
from Angola—(GN)F88:176, (Levinson)W92:234-254, (Janse)W95:228-255, (Chambel)F99:155-156; determination of locality (GN)W99:208-209
with angular grooves on surface of (LN)W81:226
the Antwerp sector (Pruwer)F99:46
in Arkansas (GN)F97:220-221
in Art Deco jewelry (Ebert)Sp83:3-11
assembled “piggyback” (LN)W85:233, (GN)Su97:143
from Australia—(Hofer)F85:147-155, (Boyajian)F88:134-153, (GN)F89:178, Sp90:106, W92:268, Su94:122, F94:192; Argyle production (GN)F93:206, (Shigley)Sp01:26-41; Copeton (GNI)F01:225; Ellendale (GNI)F02:258-259; 104.73 ct rough (GNI)F03:222; update on (Janse)F99:37-39
from Borneo (L. Spencer)Su88:67-80, (GN)W91:255
from Botswana (GN)F81:180, Sp83:59, F85:185, F87:172-173, W89:244, F94:191, (Janse)W95:228-255
from Brazil (GN)W87:238, Su88:120, Su91:117
from California (GN)Su87:122-123, (Kopf)F90:212-219
from Canada—(GN)F89:177-178, F91:180, Su92:129, (Levinson)W92:234-254, (Kjarsgaard)F02:208-238, (GNI)Su01:138-141, F01:222-225; exploration for (GN)W93:290, Su94:122, W94:271-272, (GNI)F03:222-225; faceted, from the Ekati mine (GN)Sp99:47; a government perspective (Paget)F99:40-42
cathodoluminescence “fingerprints” (GN)Sp96:60, (Sunagawa)W98:270-280
from the Central African Republic (GN)F93:206, (Janse)W95:228-255
chart for separation from synthetic (Shigley)W95:256-264
from China—(GN)Sp83:59, W91:254, (P. Keller)Sp86:3-13, Sp86:14-23; 32.79 ct (GN)F88:176
Chinese sightholder at CSO (GN)F93:206
clarity grading of (Let)Su91:126
color grading by machine (Collins)Sp84:14-21
from Colorado (GN)W96:282-283
conference reports—AGU, on diamond provenance (GNI)Su02:170-171; Antwerp Diamond Conference (GNI)W02:367-368; AusIMM and Australian Diamond Conference (GNI)W01:333-334; Australian Diamond Conference (GNI)W02:366-367; *Financial Times*, in Belgium (GN)W98:292-293; French conference on diamond technology (GN)Su97:142-143; International Mineralogical Association, in Canada (GN)F98:218-219; International Rough Diamond, in Israel (GN)Su98:135-136, Su00:161-162; 2nd World Diamond Conference (GNI)F01:222-225; 3rd World Diamond Conference (GNI)Su02:172-173; Tucson

- Diamond Symposium (GNI)Sp02:90-91; White House conference on "conflict" (GNI)Sp01:64-66
- cryogenic cooling of, to enhance spectra (Hofer)F81:143-149
- crystal—with etched hole (LN)Su95:122; set in tie pin (GNI)Sp03:49; with unusual overgrowth (LN)Sp03:41
- crystals from Russia and China (GN)Sp98:50
- cube, with unusual inclusion (LN)Su89:102
- D-IF 64.83 ct pear shape— (GN)F87:172; sold at auction for \$6,380,000 W87:238
- damaged—burned (LN)W81:226-227, W82:228-229, W88:242-243, Sp92:53; fracture filling, during recutting and cleaning (LN)F92:193; by hardness test (LN)Sp88:48-49; by spontaneous fracture (LN)W97:295; from wear (LN)Sp97:55-56, (GN)F97:220
- from Democratic Republic of Congo (formerly Zaire) (GN)Su92:131, (Janse)W95:228-255; mining of (GN)F93:207
- depth of formation (Kirkley) Sp91:2-25, (GN)W92:268-269
- economic review of—(Rapaport) F99:51; in the 1970s-1980s (Boyajian)F88:134-153; international developments (Pearson) F99:50; retail markets and branding (Shor)F99:53-54
- in Edwardian jewelry (Misorowski)F93:152-171
- emplacement in kimberlite, as determined by SEM (Stockton)Su81:72-79
- Eureka (GN)Sp84:58-59, (Janse)W95:228-255
- exhibit at American Museum of Natural History (GN)Sp98:62
- false "simulant" reading on thermal conductivity meters (LN)Su93:124
- fingerprinting of—two diamonds cut from the same rough (Sunagawa)W98:270-280; U.S. patents (GNI)Su04:175-177; with X-ray topography (Diehl)Sp04:40-57
- from Finland (GN)W94:272
- 52.59 ct, sold at auction (GN)Su88:120
- fluorescence, impact on appearance of (Boyajian)W97:243, (Moses)W97:244-259
- fracturing due to strain (LN)F96:205-206
- in Ghana (GN)Su94:123, F94:191
- GIA grading system for (Dirlam)Sp02:2-13
- Golconda "D" resurfaces (GN)W84:242
- grading standards issued by Chinese government (GN)F97:229-230
- in Guinea (GN)F94:191
- in Guyana (LN)W85:232
- hardness research (GN)Su90:159
- with hexagonal indented natural (LN)F91:174
- historic trends in the industry (GN)W95:274-275
- history of sources in Africa (Janse)W95:228-255, Sp96:2-30, (Let)F96:155
- "hopper" crystal with strong yellow fluorescence (LN)W04:324
- as inclusions in corundum (GN)W97:299
- from India—(GN)W88:248; exploration for (GN)W93:291
- with internal inscriptions (LN)W02:344-345
- iridescence in (LN)Su93:123-124
- with irregular finish on table (LN)Sp82:44
- in jewelry design—of the 1980s (Misorowski)Sp90:76-93; of the 1990s (Misorowski)W00:398-417
- Kimberley Process ratified (GNI)W02:348
- from Lesotho (Janse)W95:228-255
- localities—of the 1980s (Shigley)Sp90:4-31; of the 1990s (Shigley)W00:292-335
- machine measurement of color (Let)F95:151
- manufacturing and distribution of—in Antwerp (Pruwer)F99:46; global (Haas)F99:52; in India (Sevdermish)Sp98:4-23, (Mitchell)F99:47-48; in Israel (Schnitzer)F99:49; in New York (Hasenfeld)F99:44-45
- Marie Antoinette earrings (Fryer)Su86:99-102
- Marine mining of—exploration off Australia (GN)Su91:117; off southwest coast of Africa (Gurney)W91:206-219; offshore prospecting ship (Gurney)W91:206-219, (GN)F95:205
- marketing and economics of— (Cohen)F99:55, (Pearson)F99:50, (Rapaport)F99:51, (Shor)F99:53-54; at APEC International Jewellery Conference in Melbourne (GN)F00:260-261; in China (Rothschild)F99:59; future of (Symposium Panel)F99:116-117; at 2nd International Rough Diamond Conference in Israel (GN)Su00:161-162; in Japan (Kato)F99:58; in the U.S. (Janowski)F99:56-57
- in matrix, from China and Russia (GN)Sp96:52
- mining, exploration, and production—in Africa (Gurney)F99:34-36; in Angola (Chambel)F99:155-156; in Australia (GN)Su99:143-144, (Janse)F99:37-39; in Canada (GN)Su98:134-135, F98:219, W98:290-292, (Paget)F99:40-42; future (Symposium Panel)F99:114-115; past, present, and future (Levinson)W92:234-254; presentations at the PDAC (GN)Su99:142-143, Su00:160-161; in Russia (Sobolev)F99:43; presentations at the 2nd International Rough Diamond Conference in Israel (GN)Su00:161-162
- Mohs-Rose twinned rough (GN)W87:238
- morphology of (GN)W97:300-301
- from Myanmar (GN)F92:198-199
- from Namaqualand (GN)Sp84:58, (Janse)W95:228-255
- from Namibia (GN)F88:176, F91:180, F94:191, (Janse)W95:228-255
- nickel in pyrope as indicator of deposits (GN)W91:255
- octahedra in jewelry (GN)Su99:143
- 128 ct Star of the South (Smith)Sp02:54-64
- 192.9 ct rough from Guinea (GN)W91:255
- "opalescent"—(GN)Sp97:60; from Panna mine, India (GN)Sp92:58
- origin, history of theories (Janse)Sp96:2-30
- Portuguese diamond (Fryer)Su86:99-102
- provenance of, reports at AGU Spring 2002 meeting (GNI)Su02:170-171
- Punch Jones diamond (GN)W84:242-243
- purchase agreement between De Beers and Botswana (GN)F87:172-173
- with radiation stains on natural (LN)Sp81:41-42
- radioactive greenish yellow (LN)Sp93:49
- from Russia and the Russian Federation—(Levinson)W92:234-254; from Buryatskaya, near Mongolia (GN)F91:180; mining and production (GN)Su91:116-117, F93:206-207, F94:192, F95:204-205, (Sobolev)F99:43
- from Sakha (Yakutia)—building

- reserves (GN)Su93:131; to be marketed through CSO (GN)Su92:129-130
- sales—changes in “pipeline” (GN)W97:299-300; in China (Rothschild)F99:59; De Beers (GN)Su94:122; in Japan (Kato)F99:58; in Russia (GN)Su94:123; in U.S. (GN)W91:254, (Janowski)F99:56-57; from U.S. stockpile (GN)F93:207; worldwide in 1970s and 1980s (Boyajian)F88:134-153
- set in polymer (GN)F91:189
- from Sierra Leone (GN)F94:191, W94:271, (Janse)Sp96:2-30
- 64.94 ct rough (GN)Sp83:60
- sorting and identification equipment from Russia (GN)F94:200
- from South Africa—(Janse)W95:228-255; historical mining photos (GN)F91:181; mining (GN)F94:191, W94:271; mining at Longlands (GN)Su92:130
- in space (GN)Su89:110
- SSEF Diamond Spotter, to identify type (Boehm)Sp02:14-27
- from Swaziland (Janse)W95:228-255
- from Tanzania (Dirlam)Su92:80-102, (GN)Su92:130-131, W94:271, (Janse)Sp96:2-30
- from Thailand (GN)W84:242
- thermal conductivity of (LN)W97:293-294, (Nassau)W97:260-275
- with trigons on table (GNI)Su01:142
- Tucson Diamond Symposium (GNI)Sp02:90-91
- at Tucson shows (GN)Sp93:52
- twinned—heart-shaped crystal (GN)F94:192-193; “Star of David” crystals (GN)Su91:117-118
- 273.85 ct Centenary, grading of (LN)Sp94:39
- types and their properties—(Fritsch)Sp92:35-42; blue type IIb (King)W98:246-268; pink (King)Su02:128-147; type IaB showing “tatami” strain pattern (GNI)Sp03:59-60; unusual type II (LN)F03:215-216
- from Ukraine (GN)Su92:129
- from U.S.—Appalachian Mountains (GN)W94:271; Arkansas (GN)F81:180, F88:176; California (GN)Su87:122-123, (Kopf)F90:212-219; Michigan (GN)F89:178; Wisconsin (GN)F89:178, Su94:122
- with unusual fluorescence (LN)W90:295-296
- with unusual natural (LN)Sp81:42
- with unusual wear (LN)F89:173
- from Uzbekistan (GN)Su92:129
- from Venezuela—(GN)W99:209-210; production of (GN)Su93:131
- and Winston, Harry (Krashes)Sp83:21-29
- Zale diamond (GN)W84:243
- from Zimbabwe—(GN)W92:269, (Janse)W95:228-255; production (GN)Su94:123
- see also Diamond, colored; Diamond, cuts and cutting of; Diamond, inclusions in; Diamond simulants; Diamond, synthetic; Diamond treatment; Instruments
- Diamond, colored**
- Allnatt, 101.29 ct, description of (King)Su03:136-143
- altered vs. natural-color, inclusions in (LN)F02:252-253
- beads fashioned as “pearls” (LN)Su02:163-164
- bicolored—near-colorless and light yellow (LN)W89:237; pink and green (LN)Su97:135-136
- black—(LN)F90:221, Sp92:53, (Kammerling)W90:282-287, (Johnson)W96:252-261; cabochons (LN)F97:212; with iron (LN)W95:266; in jewelry of the 1990s (Misirowski)W00:398-417; laboratory-irradiated (LN)Su92:124-125, (GN)W92:276-277; “pearls” (GN)Sp97:60-61; produced by heat treatment (LN)F01:214-215; from Siberia (Titkov)F03:200-209
- blue—characterization and color grading of type IIb (King)W98:246-268; with color caused by scattering of light from pinpoints (LN)F04:245; conductivity of (LN)Su85:108-109; in the Cullinan necklace (LN)F04:241-242; highly conductive (LN)Sp91:41; HPHT-annealed (LN)F01:215-216; natural non-conducting (GN)W93:291; type IIb with radiation stains (LN)F91:174-175; with unusual inclusions (LN)Sp93:47-48; zoned (LN)Su00:156-157
- brown—from Australia (Shigley)Sp01:26-41; color origin of 545.65 ct (LN)Sp94:39-40; crystal, in “Renaissance ring” (LN)W92:263; with green-to-blue color zones (LN)W98:285; rough, naturally irradiated (LN)Sp94:40-41
- brown-pink, with “green graining” (LN)F93:198-199
- brown-yellow—with “amber center” and pink lamellae (LN)Su03:144-145; color appearance changing with viewing direction (LN)Su98:129
- chameleon (LN)W81:227, W82:228, Su92:124, Sp00:60-61, (GN)Su91:116
- from China (P. Keller)Sp86:14-23
- color change due to laser sawing (LN)W85:232
- color grading of—(King)W94:220-242; by machine (Collins)Sp84:14-21
- color intensified by cleavage (LN)W96:278-279
- color-zoned (LN)Su94:116
- comparison of the 45.52 ct Hope, 30.62 ct Blue Heart, and 27.64 ct Heart of Eternity (GNI)W03:322-325
- dark gray with brown octahedral cloud (LN)Sp92:53
- De Beers Millennium Star, 203.04 ct, description of (King)Su03:136-143
- description of color (Hofer)F99:159
- Fancy Dark brown-greenish yellow with micro-inclusions (LN)W04:325-326
- grading of (LN)Sp02:80, Su02:162-163
- gray-to-blue, nonconductive (Fritsch)Sp92:35-42
- green—with color caused by inclusions (LN)F95:197; Dresden Green (Kane)W90:248-266; evidence of natural (GN)W93:291; irradiated (LN)F94:185; with moon-like surface (LN)Su04:163-164; with radiation stains (LN)W81:227, F86:171-172, W88:241-242, Su91:110, W91:249; radium-treated (LN)W89:238; surface on 7.56 ct octahedral crystal (LN)Sp92:53-54; treated (LN)Su93:124-125, F93:200-201, W93:278
- Heart of Eternity, 27.64 ct, description of (King)Su03:136-143
- Hope, grading of (Crowningshield)Su89:91-94
- HPHT-treated—blue and pink (LN)F00:254-255; green-yellow type IIa, with N-related defects (LN)Sp03:39-41; yellow to green (LN)W99:203-204, (Reinitz)Su00:128-137
- irradiated—green-gray type IIb (LN)F04:243; greenish blue crystal (LN)F04:243
- in jewelry design—(Perret)F99:170-171; of the 1980s (Misirowski)Sp90:76-93; of the 1990s

(Misiorowski)W00:398-417
 "magnetic" pink (LN)W04:324-325
 Moussaieff Red, 5.11 ct, description of (King)Su03:136-143
 and near-colorless from the same rough (LN)F96:204-205
 Ocean Dream, 5.51 ct, description of (King)Su03:136-143
 "olive," with phantom (GNI)Sp04:76-78
 orange (LN)F97:213
 orangy yellow, with high nickel content (GNI)W04:334-336
 pink—(LN)Sp83:43-44; from Australia (Hofer)F85:147-155, (Shigley)Sp01:26-41; characterization and grading of (King)Su02:128-147; coated with nail polish (LN)Su83:112-113; dyed and fracture-filled (LN)Su04:163; fracture-filled (LN)W97:294-295; with green radiation stains (LN)Sp04:59-60; HPHT-treated (LN)F00:254-255, F01:215-216; irradiated and annealed (LN)Su95:121-122; with transient "pink" color (LN)Su02:165-166
 pinkish orange—(LN)F96:206-207; type IIa, with N-related defects (LN)Sp03:39-41
 pseudo-dichroism in brownish pink (LN)Sp01:59-60
 Pumpkin, 5.54 ct, description of (King)Su03:136-143
 purple (LN)Su88:112, Su90:154-155
 red—three notable (Kane)Su87:90-95; as compared to treated-color red synthetic diamonds (Moses)F93:182-190
 sources of (Let)Su99:81
 at special Smithsonian exhibit (King)Su03:136-143
 Steinmetz Pink, 59.60 ct, description of (King)Su03:136-143
 synthetic yellow (LN)Sp96:44-45
 treated-color rough (LN)W99:203
 treated pink-to-purple (LN)F96:207-208
 untreated type Ib, with green transmission (GNI)F04:252-254
 violet-gray (LN)F93:199
 white (LN)Su00:156
 yellow—with "additional" color (LN)Su97:134-135; from Brazil (LN)Sp97:54-55; cathodoluminescence of (GN)W97:298-299; from Colorado (LN)Sp97:54-55; cut from green surface-color rough (LN)Su91:109-110; irradiated and annealed (LN)W94:264; with natural radiation stain (LN)W85:233, Su89:102-103; with Ni-related optical centers

(GNI)W03:325-326; piggyback (LN)W85:233; with strain phantom (LN)F93:199-200; treated color with green graining (LN)Su97:136; treated, identification with the spectroscopy (Moses)F03:184-199; 260 ct from Brazil (GN)Su84:121
 yellowish brown, with unusual radiation stains (LN)W93:279
 see also Diamond, synthetic; Diamond treatment

Diamond, cuts and cutting of

from Australia (GN)F84:174
 automated cutting (GN)Su92:129, (Caspi)Su97:102-121
 Barion emerald cut (Kerr)F82:154-159
 beads fashioned as "pearls" (LN)Su02:163-164
 blue (King)W98:246-268
 brilliant, modified (LN)W82:228
 Buddha (GN)F96:215
 in Canada (GNI)Su01:139-141, (Kjarsgaard)F02:208-238
 carved (LN)Sp83:43, F89:172-173
 Cento, effect of additional facets on appearance (GNI)Su03:152-153
 with concave facets (LN)F81:161, F89:171-172
 "Context" and "Spirit Sun" cuts (GN)Sp95:59-60
 Crusader diamond (LN)W82:228
 cube cut (LN)Sp81:42-43, F85:172
 cutting in Botswana (GN)W91:254
 cutting in China (GN)W88:248, F89:177, F91:180, W91:254
 cutting in Dubai [United Arab Emirates] (GN)W91:254
 cutting in India (GN)F93:206, (Sevdermish)Sp98:4-23, (Mitchell)F99:47-48
 cutting in Israel (Schnitzer)F99:49
 cutting machinery—(GN)Su91:125, Su94:123, (Caspi)Su97:102-121; equipment from Russia (GN)Su94:123
 cutting in Mauritius (GN)W89:244
 cutting in Myanmar (GN)F92:198-199
 cutting in New York (Hasenfeld)F99:44-45
 damaged during cutting (LN)Su85:108, Sp90:94
 "Dream" cuts (GN)F91:181
 editorial on (Boyajian)F04:197-198
 Elara, first copyright registration for a diamond cut (Rockman)F03:210-213
 evaluation of cut—(Symposium War Room)F99:134-135, (Johnson)W00:380-396; bril-

liance aspect, using virtual images (Hemphill)F99:158-159; editorial on (Boyajian)F01:173; "Ideal" (Schoeckert)F99:159-160; metric for fire and more on brilliance (Reinitz)F01:174-197
 "Flanders Brilliant" debuts in U.S. (GN)Su93:130-131
 GIA analysis of "fire," comments on (Let)Su02:124-127
 grading cut quality of round brilliants—(Moses)F04:202-228; (Let)W04:287
 "Hamsa" shape (LN)F01:214
 history (GN)W93:291-292
 influence on color of famous blue diamonds (GNI)W03:322-325
 in jewelry design—in the 1980s (Misiorowski)Sp90:76-93; in the 1990s (Misiorowski)W00:398-417
 laser cutting (LN)Sp86:47, F86:170-171
 laser sawing—(Baker)F81:150-152; color induced by (LN)W85:232-233
 legal protection of (Overton)W02:310-325
 modern cutting methods (Caspi)Su97:102-121
 Mogul, drilled, tablet-cut and engraved tablet-cut (LN)Su96:122-123
 in Namibia (GNI)F02:272
 Peruzzi cut (LN)Sp81:42-43
 pink (King)Su02:128-147
 Profile Cut (GNI)F03:225-226
 proprietary and branded—list of (Overton)W02:310-325; update (GNI)Sp04:75-76
 research update (GNI)Sp01:66-67
 rose cut (LN)Su83:113
 round modified brilliants (GNI)Su02:173-174
 Royal Asscher (GNI)Su01:138
 Royal Line (GN)W91:255-256
 star cut (GN)Sp93:52
 technological developments in the 1990s (Johnson)W00:380-396
 trigons on table (GNI)Su01:142
 "Tycoon cut" (GN)Su00:160
 with unusual amount of fire (LN)W99:202-203
 Watermeyer split-facet cuts (Kerr)F82:154-159
 yellow cut from green surface-color rough (LN)Su91:109-110
 see also Faceting

Diamond, inclusions in
 of almandine-pyrope (LN)W89:236-237
 altered vs. natural, in fancy-color (LN)F02:252-253
 in black (Kammerling)W90:282-287

brown octahedral cloud in dark gray (LN)Sp92:53
 carbonate (LN)Su01:131
 as cause of green face-up color (LN)F95:197
 cavity, with "melted" appearance—(LN)W93:279-280; resembling etched dislocation channels (GN)W92:268
 characteristic of yellow (LN)Sp94:41-42
 chromite coated with graphite (LN)W98:285-286
 of chromium-bearing crystals (LN)Sp87:44
 cloud, shaped like a hexagonal star (LN)Sp99:42-43
 of cloud-like needles (LN)Su89:102
 of color-change garnet (LN)F82:169, W89:237-238
 compact disc-shaped (LN)F02:253-254
 of dendrites (LN)W83:233-234, Su84:107
 of diamond (LN)W84:228, F86:172, F90:222
 of diopside and pyrope (LN)F98:214
 eclogitic (pyroxene, garnet, rutile) (LN)Sp02:80-81
 etch features—channels (LN)Su90:154, Su99:137-138, (GN)Su94:115-116; dislocation channels in pink and yellow (LN)W92:262-263; internal (LN)Sp90:95; planes in yellow (LN)W92:262-263; with radiation stains (LN)Su91:110; ribbon-like in pink (LN)F92:193-194; similar to (GN)W92:268; tubes (LN)W93:279
 as evidence of diamond age and origin (Kirkley)Sp91:2-25
 Fancy Dark brown-greenish yellow with micro-inclusions (LN)W04:325-326
 flower-like, causes of (LN)F00:255
 fluid (GN)W95:274
 fluorescent phantom crystal (GN)Su96:128
 fracture-filled (GN)F87:172, W88:248, (Koivula)Su89:68-83, (GN)W89:244, Sp90:103-105, (Kammerling)F94:142-177, (Shigley)Su00:147-154
 in Gemesis synthetic yellow (Shigley)W02:301-309
 graining—brown (LN)Sp81:40-41, W92:263; in the Dresden Green (Kane)W90:248-266; green, in brown-pink (LN)F93:198-199; in HPHT-processed (Moses)F99:14-22, (Smith)F00:192-215; in pink to red (Hofer)F85:147-155,

(Kane)Su87:90-95; in synthetic (Moses)F93:182-190, (Shigley)W87:187-206, W93:228-248; in white (GN)Sp92:58
 heart-shaped (LN)W86:236, Su88:112
 hollow hexagonal columns [not etch pits] in (Let)Sp92:73
 iridescence in an incompletely filled fracture (LN)F95:198-199
 iridescent "dislocation" (LN)Su93:123-124
 K-Cr loparite or Cr-chevkinite (LN)Su01:131-132
 knot (LN)Sp87:44
 "mobile" diamond (GN)F95:204
 natural features—resembling characteristics of fracture filling (LN)Sp95:52-53; resembling laser drilling (LN)Su94:115-116
 needle-like (LN)W82:228-229, Sp89:36, Su89:102
 of olivine (LN)Su81:101
 phantom growth plane (LN)F84:167
 in pink—(King)Su02:128-147; from Australia (Hofer)F85:147-155
 of pyrope and diopside in Yakutian crystals (GN)W97:300
 radiation stains—(LN)Sp81:41-42, W93:279; on types Ia and IIb (Fritsch)Sp92:35-42
 in red and pink (Kane)Su87:90-95
 removal of, by new laser treatment (McClure)Su00:138-146
 of ruby (Meyer)F81:153-156
 stellate cloud (LN)Sp01:58-59
 strain phantom (LN)Su95:120-121
 triangular—(LN)F94:185-186; growth features (LN)Sp90:95, Sp95:53; "voids" (LN)W98:286
 tube-like (GN)W88:248-249
 of tubules, hollow (LN)Sp81:42
 use of, to separate synthetic from natural diamond (Shigley)W95:256-264
 void, large (LN)Sp02:81-82

Diamond simulants

black—diamond fragments in metallic matrix (GN)Su00:171-173; list of (Kammerling)W90:282-287; radioactive (Let)Su87:111
 "colorless"—characteristics of various types (Nassau)W97:260-275
 cubic zirconia—colored briolettes (GNI)Su03:161-163; faceted and rough in diamond parcels (GN)Sp94:47; imitation of crystals (LN)F96:205
 detection of (Hobbs)Sp81:20-33, (Hoover)Su83:77-86, (Shigley)F99:80-81
 gallium phosphide (GN)F98:228-229

of the 1990s (Koivula)W00:360-379
 synthetic moissanite—(GN)Sp96:52-53, Sp98:55, (LN)F98:215-216; characteristics and identification of (Nassau)W97:260-275 [erratum (GN)Sp99:60]
 topaz—and cubic zirconia, with diamond fragments to deceive diamond probe (GNI)Su01:154-155; with engraved "trigons" (LN)Sp97:57; fashioned to resemble diamond crystals (LN)F97:217-218
 see also Cubic zirconia; Gadolinium gallium garnet; Moissanite, synthetic; Strontium titanate; Yttrium aluminum garnet

Diamond, synthetic

bicolored blue and yellow crystal (GNI)Su03:163-164
 black (LN)Su99:138
 blue (LN)Sp00:62-63
 carbon-13, made by General Electric (GN)W91:254-255
 chart for separation from natural—(Shigley)W95:256-264; comments on (Let)Sp96:63; updated chart of HPHT-grown (Shigley)W04:303-313
 Chatham to produce and sell Russian material (GN)F93:207
 Chatham "white" (GN)F96:214
 from Chatham Created Gems—(Shigley)Su04:128-145; with photoluminescence peak due to ruby inclusions? (Let)W04:285-286
 chemical analysis of (Rossman)F84:163-166
 chemical vapor deposition [CVD] (GN)W92:268; on cubic zirconia (GN)Sp87:52; developments in the 1990s (Koivula)W00:360-379; on diamond simulant (GN)Sp87:52; in jewelry (GN)Su97:143-144; on natural diamond (GN)Su91:118; technology of (GN)W83:247, Sp88:59, W88:249; (Fritsch)Su89:84-90
 chemical vapor deposition [CVD], gem-quality—challenges of (Boyajian)W03:267; characterization of (GNI)F03:237-239; growth and identification of (Wang)W03:268-283, erratum (GNI)Sp04:86; identification of (Martineau)Sp04:2-25
 color change in (LN)W98:286-287
 colored, with distinctive surface features (LN)Sp01:60-61
 colors of (Kanda)F99:174-175
 conference in France (GN)F91:180-181

- De Beers detection instruments (Welbourn)F96:156-169
- De Beers gem-quality— (Shigley)W87:187-206, W95:256-264, (GN)W90:300; near colorless-to-blue (Rooney)Sp93:38-45
- developments—in the 1980s (Nassau)Sp90:50-63, (Fritsch)Sp90:64-75; in the 1990s (Koivula)W00:360-379, (Johnson)W00:380-396
- diamond-like carbon (DLC) coating on gems (GN)F91:186
- editorial on (Liddicoat)W86:191
- faceted yellow, with atypical fluorescence (LN)W93:280
- French conference on technology of (GN)Su97:142-143
- Gemesis yellow, production and characterization of (Shigley)W02: 301-309
- General Electric gem-quality— (Koivula)F84:146-158, (Rossman)F84:163-166, (Shigley)W95:256-264; near-colorless type-IIa crystals (Shigley)F93:191-197
- green and yellow (GN)W92:268-269
- group submitted to lab as natural (LN)Su95:122-123
- identification of (Shigley)W95:256-264, F99:80-81, (LN)Su99:139
- impact on diamond industry (Boyajian)F88:134-153
- inclusions in (Koivula)F84:146-158, (Shigley)W87:187-206, W95:256-264
- India to receive Soviet synthesis technology (GN)W88:248
- LifeGems (GNI)Sp03:62
- magnetism and magnet for testing—(Koivula)F84:146-158, (Rossman)F84:163-166, (GN)Sp95:69, (Shigley)W86:192-208, W87:187-206, W95:256-264, (Let)Sp96:63, F96:154
- in the marketplace (GN)Sp96:52
- misrepresented as Canadian rough (GN)Su95:129
- near-colorless—gemological properties of (Shigley)Sp97:42-53; near-colorless, submitted to the GIA Gem Laboratory (LN)W04:326-328
- orangy yellow crystal (LN)F93:200
- patents for treatment processes (Let)W04:286-287
- produced by TNT detonation (GN)Sp89:50
- red, treated-color (Moses)F93:182-190, (LN)Sp95:53-54
- from Russia—(GN)Sp91:46, F93:207-208, W96:283, Sp99:47-48, (Shigley)W93:228-248, W95:256-264, (LN)Sp96:44, Su99:139; Chatham to produce and sell (GN)F93:207; in jewelry (GN)Su96:128-129; near-colorless (GN)Su94:123-124; production facilities (GN)W94:279-280
- Sumitomo gem-quality— (GN)Sp85:59, F86:189-190, W87:241-242, Sp89:50, (Shigley)W86:192-208, Su92:116-122, W95:256-264, (LN)Sp87:44, W90:295-296; production of high-purity material (GN)F93:208
- at the Tucson shows (GN)Sp99:47-48
- 2 kg piece from USSR actually cubic zirconia (GN)Sp89:50
- yellow, with distinctive inclusions (LN)Sp04:60-61
- see also Chemical vapor deposition (CVD); Fluorescence, ultraviolet; Luminescence
- Diamond treatment**
- acid etching of inclusions (LN)Sp02: 81-82
- Bellataire decolorized diamonds, see GE POL and HPHT entries below
- coating—(LN)Su83:112, F83:172, Su84:107, Sp89:36, Su89:102, W03:315-316; with bluish gray synthetic diamond thin film (GN)Su91:118, pink (LN)Su98:128-129; reddish purple (LN)F98:213-214
- developments—and disclosure, World Diamond Congress resolution (GN)F93:214; in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359
- disclosure of (GN)Sp91:46
- dyed and fracture-filled pink diamond (LN)Su04:163
- early identification of, with the spectroscope (Moses) F03:184-199
- filling of fractures to alter color (LN)Sp03:38-39
- filling of fractures to enhance clarity—(GN)F87:172, W88:248, W89:244, Sp90:103-105, Sp94:47-48, (Koivula)Su89:68-83, (Kammerling)Sp90:32-49, F94:142-177, (LN)Su91:109, Sp93:48-49, W96: 278, (Boyajian)F94:141; chart for identification of (McClure)Su95:114-119; damaged (LN)Su92:123, F92:193, (GN)W92:276; developments in the 1990s (McClure) W00:336-359; firms processing (GN)Su95:129; flash effects in (LN)F92:192; identification challenges (LN)Sp97:56-57, F97:213; incomplete, with iridescence (LN)F95:198-199; marketed as “Genesis II Diamond” (GN)W92:276; with natural features resembling (LN)Sp95:52; new Oved filler (Shigley) Su00:147-153; pink (LN)W97: 294-295; pink, with dark blue flash (LN)F92:192-193; rough (GN)W92:276; with thallium (LN)W95:266-267
- GE POL—clues to the process (Schmetzer)W99:186-190; photographic record of Pegasus (Moses)F99:14-22; update on (GN)Su99:144-145
- heat, to produce black (LN)F01:214-215
- HPHT (high pressure/high temperature)—altered inclusion as evidence of (LN)F02:252-253; of colored rough (LN)W99:203; of CVD-grown synthetic diamonds (Wang)W03:268-283, (Martineau)Sp04:2-25; to decolorize brown type IIa diamonds (GE POL); identification of (Reinitz) F99:88-89, (Fisher)Sp00:42-49, (Let)Su00:96-97, (C. Smith)F00:192-215, (McClure)W00:336-359; by InColor, to produce black and green (LN)Sp00:61-62; at new commercial facility in the U.S. (LN)Su02:162; to produce blue and pink (LN)F00:254-256, F01:215-216; to produce yellow to green (LN)W99:203-204, (Reinitz)Su00:128-137; from Russia (C. Smith)F00:192-215; showing a color shift (GNI) Sp04:74-75; of type Ia, from South Korea (GNI)F03:240-241; of type IIa with N-related defects (LN)Sp03:39-41
- irradiation—and heating of diamond (Rossman)Su81:60-71; natural, of green and blue diamonds (GN)W93:291
- laboratory-irradiated—with Americium (LN)F94:185; black (LN)Su92:124-125, (GN) W92:276-277; with color-zoned pavilion (Fritsch)Su89:95-101; cyclotron-treated (LN)Sp81:40-41, Su82:102, Sp88:48, (Scarratt) Su82: 72-78; by electrons (LN)Su91:108-109; green (Rossman)Su81:60-71, (LN) Su81:101, W81:227, F88:170-171, F90:220-221, W90:296, F93:200-201; green, 1937 GIA Gem Trade Laboratory report on (LN) F00:256; green-gray type IIb (LN)F04:243-245; greenish blue crystal (LN)F04:243; identifica-

- tion of (Scarratt)Su82:72-78; identification of, by infrared spectroscopy (Fritsch)Sp87:18-26; in the 1990s (McClure)W00:336-359; old mine cut (LN)Sp95:53; pink (LN)Su88:112-113, Su95:121-122; radioactive green (LN)F87:164-165, W89:238; yellow (LN)Sp81:40-41, W82:228-229, Su83:114, F87:165; (Rossman)Su81:60-71
laser drill holes—(LN)Sp84:46, Sp89:36, F90:221-222, Su94:115-116, F94:185-186; for mounting (LN)Sp93:48; new lasering technique (McClure)Su00:138-146, (LN)Su02:164-165; unusually large (LN)W01:319-321
natural features resembling characteristics of fracture filling (LN)Sp95:52-53, (McClure)Su95:114-119
pink (LN)Su95:121-122
radioactivity in (Ashbaugh)Su92:104-111
synthetics, red (LN)Sp95:53-54
technological developments in the 1990s (Johnson)W00:380-396
see also Heat treatment, Irradiation, Treatment
- Diamond, twinned**
with black "band" (LN)Su01:130-131
- DiamondPlus instrument**
and identification of CVD synthetic diamonds (Martineau) Sp04:2-25
- DiamondSure instrument**
and identification of CVD synthetic diamonds (Martineau) Sp04:2-25
- DiamondView instrument**
and identification of CVD synthetic diamonds (Martineau) Sp04:2-25
and identification of HPHT-grown synthetic diamonds (Shigley) W04:303-313
image of glass fillings in rubies (LN)F04:247-249
image of "magnetic" natural pink diamond (LN)W04:324-325
image of natural blue diamond (LN)F04:241-242
image of a near-colorless synthetic diamond (LN)W04:326-328
- Diaspore**
color-change—(LN)Sp87:44-45; from Turkey (Let)Su84:113, (GN)Sp85:58-59, W94:273-274, Sp95:60
included in sapphire (Schmetzer)Su88:107-111
inclusions in (LN)Sp87:44-45
1.24 ct gem (LN)F83:172-173
- Diavik diamond mine, Northwest Territories**, see Canada
- Dichroscope**
for gem identification (Boehm)Sp02:14-27
- Diffraction**
as cause of color (Fritsch)Su88:81-102
- Diffusion**
explanation of (Emmett)Su03:84-135
- Diffusion detector**
for gem identification (Boehm)Sp02:14-27
- Diffusion treatment**
of blue sapphire obscured by mounting (LN)W93:283-284
of corundum, with Be—characterization of (GNI)Sp02:86-90, W02:363-365, (Emmett) Su03:84-135; detection, using LIBS (Krzemnicki)W04:314-322; to produce yellow (LN) F02:254-255; to produce ruby and orange sapphire (LN) W02:342-344; spectrographic technique to identify (Let)Su04:105; Tucson show AGTA panel on (GNI) Sp03:58-59
of corundum to imitate ruby—(McClure)Sp93:16-28; (LN)F95:196-197, Su98:127-128; coated, misrepresented as diffusion (GN)Sp94:48-49; trace-element chemistry of (Muhlmeister)Su98:80-101
description and detection of (Smith)W02:294-300
developments in the 1990s (McClure)W00:336-359
experimentation with (GN)F91:187-188
identification of—versus coating (LN)F91:188-189; by illuminated immersion cell (GN)Sp92:67
of sapphire—(LN)Sp81:46, F82:173, F85:171-172, F90:224-225, Sp91:44-45, Su92:127-128, W92:266, (Nassau)F81:121-131, (Kammerling)Sp90:32-49, (Kane)Su90:115-133, (GN)Sp91:53, Sp92:62-63, F92:204-205; with cobalt (GN)Sp94:55-56, (LN)Su02:167; to induce asterism (Nassau)F81:121-131, (GN)W97:308-309; to induce asterism and purple color (LN)Sp95:56-57; from Montana (LN)F90:224-225, (GN)F91:186-187
with synthetic overgrowth (LN)F02:255-256
of synthetic ruby, to induce "fingerprint" inclusions and aster-
- ism (LN)F85:171-172, Su95:126
of synthetic sapphire (LN)Su82:107, F02:256-257, (GN)W98:301-302
of topaz, identification of (McClure)F99:86-87, (Underwood)F99:154-155
Tucson show AGTA panel on (GNI)Sp03:58-59
see also Beryllium (Be) diffusion of corundum; Treatment
- Diopside**
cat's-eye, from southern India (GN)Su96:130-131
from China (GN)Su89:111-112
chrome—from Russia (GN)Sp94:54; from Siberia (GN)F96:216
grayish lavender (LN)Su84:107
green "Tashmarine" from central Asia (GNI)F02:261-262
from Tanzania—(GN)W91:257; 62.66 ct green (GN)F92:201
- Disclosure**
of diamond treatments (GN)F93:214
of stability of enhanced and some natural-color stones—(A. Keller)Su93:79; and FTC regulations (Let)W93:227, 305
of treatments—(Boyajian)Su03:83, (Smith)W02:294-300, (Symposium War Room) F99:136-137; legal requirements (Overton) Su04:106-127
- Dispersed metal ions**
as cause of color in gems (Fritsch)F87:126-139
- Dispersion**, see Fire
- Display**
of gems and jewelry, related to durability (D. Martin)Su87:63-77
of loose gemstones (GNI)Sp01:76-77, Sp02:105
- Distribution**, see Marketing and distribution
- Djevahirdjian, V.**
obituary (GN)F92:209
- Dolomite**
died to imitate lapis lazuli (LN)W86:238-239
with green banding (GN)Sp91:47
pink, from Cayman Islands (GN)F94:193
with quartzite (GN)W91:251
"zebra" stone from Australia (GN)Su94:128-129
see also Marble, Rocks
- Dominican Republic**
amber from (GN)W92:269
pectolite from (Woodruff)W89:216-225

Donors

"Robert C. Kammerling Research Endowment" W96:293
sapphirine donated by *G&G* reader (GN)F98:226

Douros synthetic ruby, see Ruby, synthetic

Doublets, see Assembled gem materials

Dravite, see Tourmaline

Dresden Green diamond

history and examination of (Kane)W90:248-266

Drusy gems

black "onyx" (Johnson)W96:252-261

coated with silicon (GN)Sp00:76 in fashioned gem materials (GN)Sp91:49

hematite from Arizona (GN)Sp00:68-69

in jewelry of the 1990s (Misirowski)W00:398-417
platinum (and gold) coating of (GNI)Sp01:76-77

silicon produced for the computer industry (GN)Su96:138-139
see also specific gem materials

Dubai [United Arab Emirates]

diamond cutting in (GN)W91:254

Dumortierite

from Sri Lanka (LN)Sp00:62-63

Durability

of Be-diffused corundum (Emmett)Su03:84-135

of diffusion treatment in sapphire (Kane)Su90:115-133

of fracture filler in diamonds—(Koivula)Su89:68-83, (LN)Su92:123, F92:193, (GN)W92:276, (Kammerling)F94:142-177; new Oved material (Shigley)Su00:147-154

of gems in jewelry design, manufacture, repair, cleaning, and display (D. Martin)Su87:63-77

of heat- and/or diffusion-treated sapphire (LN)Su92:127-128, W92:266

of jadeite, bleached and polymer-impregnated (Fritsch)F92:176-187

of jadeite, untreated and polymer-impregnated (GN)Sp96:61-62

of opal from Ethiopia (Johnson)Su96:112-120

see also Care of gem materials; Color stability; Dyeing; Jewelry repair; Stability; specific gem materials

Dyeing

of agate, "landscape," from Brazil (GNI)Sp03:49

of beryl—(Kammerling)Sp90:32-49; beads (GN)Su92:136

of chalcedony (LN)F03:214-215

of corundum to simulate ruby (Schmetzer)Su92:112-115, (LN)F92:196-197

of cultured pearl—(LN)F91:175-176; faceted, black (LN)Su01:134-135

description and detection of (Smith)W02:294-300

developments—in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359

of diamond, pink, fracture-filled (LN)Su04:163

of freshwater cultured pearls (GN)Sp99:55-56, Sp00:75

of jadeite—blue (LN)Su83:115; green assemblage (LN)Sp02:82-83; green, and its simulants (Hobbs)Sp82:3-19; lavender (Koivula)Sp82:32-35; resembling nephrite (LN)Su04:166-167

of mabe pearl (LN)Su92:126-127, F92:195-196

of nephrite (LN)Sp95:55

of pearl, green (LN)F91:175

of quartz—(LN)W81:229-230, (GN)W89:247; to simulate emerald (GN)F92:205-206; to simulate jade (LN)Su95:125-126

of quartzite—beads, to simulate ruby (LN)F03:219-220; to simulate dyed lavender jadeite (GN)Su91:122

of sandstone with tea (GN)W92:277

see also Fading; Treatment; specific gem materials

E**East Africa**

"color-change" tourmaline from (GN)F91:184-185

green chromium-bearing actinolite from (GN)W93:292

grossular from (Nassau)F92:188-191

see also Ethiopia, Garnet, Grossular, Kenya, Malawi, Mining and exploration, Sapphire, Tanzania

Edenite

near-colorless, from Myanmar (GNI)F04:254-257

Editorials

"Basil W. Anderson, 1901-1984" (Liddicoat)Sp84:1

"Breakthrough Technology" (Boyajian)Sp00:1

"Buyer Beware" (A. Keller) W91:205

"Carlsbad: A New Home for GIA and *Gems & Gemology*" (A. Keller)Su97:79

"Carroll Chatham, 1914-1983" (Liddicoat)F83:129

"The Challenge of Change" (Boyajian)W00:291

"China" (Liddicoat)Sp86:1

"The Country of Origin Question" (Liddicoat)W90:247

"Demystifying Diamond Cut" (Boyajian)F98:157

"Diamond Prospecting and Market Prospects" (Liddicoat)W95:227

"Disclose or Be Disclosed" (Boyajian)Su03:83

"The Dr. Edward J. Gübelin Most Valuable Article Award"

(A. Keller)Sp97:1-2, Sp98:1-2, Sp99:2-3, Sp00:79-80, Sp01:1-2, Sp02:107-108

"First GIA Gemological Research Conference" (Keller)W04:283

"G. Robert Crowningshield: A Giant among Gemologists" (Boyajian) F03:181

"The *G&G Twenty Year Index: Two Decades of Evolution*" (A. Keller)Su01:95

"Gemology Today"

(Liddicoat)F88:133

"The *Gems & Gemology* Most Valuable Article Award"

(Liddicoat)Sp82:1-2, Sp83:1-2; (A. Keller)Sp84:2-3, Sp85:1-2, Sp86:2, Sp87:1-2, Sp88:1-2, Sp89:1, Sp90:111-112, Sp91:57-58, Sp92:1-2, Sp93:1-2, Sp94:1, Sp95:72-73, Sp96:64-65

"*Gems & Gemology* Celebrates Its 70th Anniversary with Recognition by ISI" (Keller)Sp04:1

"*Gems & Gemology: Sixty Years of History and History-Making*" (Liddicoat)W94:219

"*Gems & Gemology Turns 65*" (Liddicoat and A. Keller) W99:173

"In Honor of Dr. Edward J. Gübelin" (Keller)Sp03:1-2

"In Honor of Robert C. Kammerling" (Boyajian)W96:231

"The Impact of Fluorescence in Diamonds: A Different Research Perspective" (Boyajian)W97:243

"Information and Communication: Keys to the Future" (Liddicoat)Su91:69

"The International Gemological Symposium: Facing the Future with GIA" (Boyajian)Sp91:1

"An Introduction to the New *Gems & Gemology*" (Liddicoat)Sp81:1

- "The Liddicoat Legacy" (Keller)
 F02:205
- "Madagascar: Making Its Mark"
 (Liddicoat)Su96:79
- "The Magic of Pegmatites"
 (Liddicoat)Su84:63
- "May We Take a Bow?" (A. Keller)
 W01:259
- "The New Australia" (Liddicoat)
 F85:129
- "New Challenges for the Diamond
 Industry" (Liddicoat)Su89:67
- "New Diamond Treatments: What
 Do They Mean for the
 Gemological Laboratory?"
 (Boyajian)F00:189
- "The New *Gems & Gemology* Is
 One Year Old" (Liddicoat)
 W81:183
- "New Sources Bring New
 Opportunities (A. Keller)F91:135
- "The 1980s in Review: New
 Realities of the Gem and Jewelry
 Industry" (Liddicoat)Sp90:1
- "The 1999 International Gemolo-
 gical Symposium: What a Ride!"
 (A. Keller and Kimmel) F99:1
- "Not Invented Here" (A. Keller)
 Su00:95
- "Nothing Is as Simple as It Seems"
 (A. Keller)Su99:79
- "Opening Pandora's Black Box"
 (Liddicoat)F96:153
- "Our Future: Fortright or
 Fractured?" (Boyajian)F94:141
- "The Quintessential Gemologist,
 Robert C. Kammerling, 1947-
 1996" (A. Keller)Sp96:1
- "The Radioactivity Issue"
 (Liddicoat)W88:195
- "Reflections on the 1980s"
 (Liddicoat)W89:195
- "Remembering Gemology's
 Renaissance Man: John
 Sinkankas (1915-2002)"
 (Keller)Su02:123
- "The Results of Our First Reader
 Survey" (Keller)Su04:103
- "Retrospective 1987"
 (A. Keller) Sp88:1
- "Richard T. Liddicoat: Celebrating
 50 Years of Leadership"
 (Boyajian)Sp02:1
- "Russia Reemerges as a Gemstone
 Giant" (Liddicoat)Su95:87
- "Shedding Light on 'Fire'"
 (Boyajian)F01:173
- "Stability Disclosure: Are We Going
 Far Enough?" (A. Keller)Su93:79
- "Symposium 1999: Meeting the
 Millennium" (Boyajian)F97:165
- "Symposium '99: You Can't Afford
 to Miss It!" (A. Keller)Sp99:1
- "Synthetics Manufacturers: Some
 Help, Some Hinder"
 (Liddicoat)Su83:63
- "Support Your Local Researcher"
 (A. Keller)Su98:79
- "Thank You!" (A. Keller)Sp90:3
- "Tomorrow's Challenge: CVD
 Synthetic Diamonds"
 (Boyajian)W03:267
- "In Tribute to Lewis Kuhn"
 (Liddicoat)Su81:59
- "In Tribute to Robert M. Shipley,
 Jr." (Liddicoat)W82:185
- "Tucson '87: Don't Miss It!"
 (Liddicoat)F86:129
- "The Ultimate Synthetic: A
 Jewelry-Quality Diamond"
 (Liddicoat)W86:191
- "Unlocking the Secrets of the
 Fourth C" (Boyajian)F04:197-198
- "What Did You Say the Name
 Was?" (Liddicoat)W92:219
- "What is a Synthetic?"
 (Liddicoat)F87:125
- "Why You Need to Know"
 (A. Keller)W85:191
- Edwardes ruby**
 167 ct ruby crystal
 (P. Keller)W83:209-219
- EDXRF**, see Spectrometry, X-ray
 fluorescence
- Egypt**
 emerald and green beryl from
 ancient mines in—
 (Jennings)Su93:100-115; in
 ancient carving (LN)Su93:125
- garnet from (GN)Su92:132
- green quartz from (GN)F95:209
- Egyptian blue**, see Lapis lazuli
 simulants
- "Eilat stone"**
 chrysocolla-and-malachite rock
 from Israel (GN)W92:271-272
- from Israel and Peru (GN)F95:206
- simulant consisting of feldspar and
 amphibole from Egypt
 (GN)W92:271-272
- Ekanite**
 from Sri Lanka—(P. Zwaan)Su82:
 62-71, (GN)Su87:123, Su88:121-
 122; asteriated (GN)W99:211-
 212; naturally radioactive
 (LN)Sp86:47-48
- star, 33 ct (GN)Sp90:101
- Ekati diamond mine, Northwest
 Territories**—see Canada
- Elara diamond cut**
 copyright registration for
 (Rockman)F03:210-213
- Electrical conductivity**
 of Be-diffused corundum
 (Emmett)Su03:84-135
- Electron-microprobe analysis**
 of ametrine from Bolivia
 (Vasconcelos)Sp94:4-23
- of benitoite (Lauris)F97:166-187
- of beryl from Finland
 (Lahti)Sp93:30-37
- of chrysoberyl, yellowish green
 and green (GNI)F02:261
- of emerald—from Afghanistan
 (Bowersox)Sp91:26-39; from
 Capoeirana, Brazil (Epstein)
 F89:150-158; and its inclusions,
 from Russia (Schmetzer)Su91:
 86-99; natural and synthetic
 (Stockton)F84:141-146; from
 Pakistan (Gübelin)F82:123-139,
 (Bowersox)Sp89:16-24; from
 Sandawana, Zimbabwe
 (J. Zwaan)Su97:80-100
- of fillings—in diamond
 (Koiivula)Su89:68-83; glass, in
 ruby (Kane)W84:187-199
- of friedelite from South Africa
 (Pienaar)W82:221-224
- of garnets—(Manson)W81:191-204;
 andradite (Stockton)W83:202-
 208; demantoid and "golden"
 cat's-eye andradite from
 California (Payne)F81:157-160;
 color-change from Madagascar
 (Schmetzer)W99:196-201;
 grossular (Manson)W82:204-213;
 grossular from Tanzania (Nassau)
 F92:188-191; grossular-andradite
 from Mali (Johnson)F95:152-166;
 pyrope from Bohemia (Schlüter)
 F91:168-173; pyrope-almandine
 from Tanzania (Seifert)Su99:108-
 120; pyrope-spessartine (Manson)
 W84:200-207; tsavorite from
 Tanzania (Kane)Su90:142-148
- of glass imitation of tanzanite
 (Kiefert)W96:270-276
- of korerupine from Sri Lanka
 (P. Zwaan)W96:262-269
- of liddicoatite—Bi-bearing, from
 Nigeria (GNI)Su01:152-153; pur-
 plish red, from Nigeria
 (GNI)F01:240-241—from
 Madagascar and elsewhere
 (Dirlam)Sp02:28-53
- of Malaya garnet from Madagascar
 (Schmetzer)W01:296-308
- of omphacite, blue, from
 Guatemala (GNI)Sp04:68-70
- of peridot (Stockton)Su83:103-107
- of pezzottaite from Madagascar
 (Lauris)W03:284-301
- of pyrope from Italy
 (Guastoni)F01:198-204
- of pyrope-spessartine, Cr- and V-
 bearing, from Madagascar
 (Schmetzer)Su02:
 148-155; erratum (GNI)F02:275
- of red beryl from Utah
 (Shigley)W84:208-221

- of rhodizite-londonite from Madagascar (Lauris)W02:326-339
- of ruby—inclusions in, trapiche (Schmetzer)W96:242-250; from Mong Hsu, Myanmar (Peretti)Sp95:2-26; from Pakistan (Gübelin)F82:123-139; from Vietnam (Kane)F91:136-155; from Russia (Kissin)W94:243-252; from Tanzania (Hänni)F91:156-167
- of sapphire—from China (Guo)W92:255-260; from Tanzania (Seifert)Su99:108-120; from Russia (Kissin)W94:243-252; from Vietnam (Kane)F91:136-155
- of scapolite—from Brazil, Pakistan, and Sri Lanka (P. Zwaan)W96:262-269; from Sri Lanka (Schmetzer)Su83:108-110, (P. Zwaan)W96:262-269
- of scheelite from Sri Lanka (Gunawardene)F86:166-169
- of spessartine from California (Lauris)W01:278-295
- of spinel—"cobalt-blue" (Shigley)Sp84:34-41; natural and Russian synthetic (Muhlmeister)Su93:81-98; from Pakistan (Gübelin)F82:123-139
- of sunstone labradorite from Oregon (Johnston)W91:220-233
- of synthetic alexandrite from Russia (Schmetzer)F96:186-202
- of synthetic aquamarine (Schmetzer)F90:206-211
- of synthetic beryl—red, from Russia (Shigley)Sp01:42-55
- of synthetic emerald—Biron hydrothermal (Kane)F85:156-170; from China, hydrothermal (Schmetzer)W97:276-291; Lechleitner overgrowth (Schmetzer)Su81:98-100; Lennix flux-grown (Graziani)F87:140-147; overgrowth (Robert)W90:288-293; from Russia, flux-grown (Koivula)Su85:79-85
- of synthetic jadeite (Nassau)Sp87:27-35
- of synthetic ruby by Douros (Hänni)Su94:72-86
- of synthetic sapphire—from Union Carbide (Johnson)F95:188-195; Taurus (V. Thomas)F97:188-202
- of synthetic spinel from Russia (Muhlmeister)Su93:81-98
- of taaffeite, purple to purplish red (Schmetzer)Sp00:50-59
- of tanzanite, color-zoned (LN)Su03:150-151
- of topaz—pink, from Pakistan (Gübelin)F86:140-151
- of tourmaline—from the Democratic Republic of the Congo (GNI)F04:263-265; from Malawi (GNI)Su01:151-152; from Paraíba, Brazil (Fritsch)F90:189-205, (Brandstätter)F94:178-183; from Paraíba and Rio Grande do Norte, Brazil (Shigley)W01:260-276; red, from Zambia (Koivula)Sp85:40-42; from Zambia (Johnson)F97:204-211
- of zoisite, blue and green, from Merelani in Tanzania (Barot)Sp92:4-15
- see also Chemical composition
- Ellendale diamond mine**, see Australia
- Emerald**
- with abundant nail-head spicules (LN)W03:316-317
- from Afghanistan (Bowersox)W85:192-204, Sp91:26-39, (GN)W97:302-303, (GNI)Sp01:68
- with alexandrite intergrowth (GNI)F03:226-227
- from Australia (GN)Su81:117
- from Brazil—(GN)Sp94:49-50, Sp98:52; cabochons with feldspar matrix (GNI) Su02:176-177; Capoeirana [Nova Era] (GN)Sp89:47, [Epstein)F89:150-158; cat's-eye (GN)Sp92:60; Piteiras (GNI)Sp01:68-69, W01:328-329; Santa Terezinha de Goiás (Cassedanne)Sp84:4-13; trapiche from Goiás (LN)Su94:116-117
- from Canada (GNI)Sp02:93-94
- carved pre-Columbian, from Colombia (GNI)F02:262-263
- carved slice (LN)F81:161-162
- cat's-eye—(LN)F82:169; from Brazil (GN)Sp92:60; from Colombia (GN)W96:284-285; faceted (LN)F97:214; seen at Tucson shows (GN)Sp95:60-61
- coated beryl (LN)Sp83:44
- chemical distinction of natural from synthetic (Stockton)F84:141-146
- from Colombia—(P. Keller)Su81:80-92, (GN)W90:303, F91:181, W93:285, Sp00:68-69; *Atocha* treasures (Kane)W89:196-206; from the Chivor area (GNI)W02:351; from the Coscuez mine (Ringsrud)Su86:67-79; mining of (GN)Su89:112, W96:285, F98:220-221; "oiled" cavernous crystal (GN)W91:264-265; oiling process (Ringsrud)F83:149-156
- color-zoned (LN)Sp91:41
- comparison of properties among stones from various localities (Gübelin)F82:123-139
- cryogenic cooling of, to enhance spectra (Hofer)F81:143-149
- dyeing of—in the 1980s (Kammerling)Sp90:32-49; in the 1990s (McClure)W00:336-359
- earrings with natural and imitation (LN)Sp96:44-46
- from Egypt—(Jennings)Su93:100-115; ancient carving (LN)Su93:125
- engraved in Arabic (GNI)Su01:145
- "enhydro," from Colombia (GN)Sp99:49
- fakes (LN)Su81:102, Sp82:44-45, Su82:102-103, F82:169-171, Su89:117, (Let)Su86:105
- fillers—chemistry of (GN)W99:219; developments in the 1990s (McClure)W00:336-359; identification of (Johnson)Su99:82-107, (Hänni)F99:93-94, 146-147, (Garzon)F99:145, (Johnson)F99:149-151, (Let)W99:174; new, from Arthur Groom-Gematrat (GN)Su97:148
- fracture-filled—(LN)Sp90:95-96, (Kammerling)Su91:70-85, (GN)Sp95:54; degree of enhancement (McClure)W99:176-185; etch channels (LN)W93:280; with green liquid (GN)F92:205; "invisible" (LN)Sp99:43-44; from Israel (GN)Sp93:62-63, Su94:129-130; with Opticon (GN)F89:180-181, Sp91:52-53; with Opticon and traditional "oils" (Kammerling)Su91:70-85; with plastic (GN)F87:175, (LN)Su89:104
- identification of natural and synthetic (Schmetzer)F99:84-85
- inclusions in—(LN)W81:228; from the *Atocha* (Kane)W89:196-206; from Madagascar (Schwarz)Su94:88-101; misleading spicule-like (LN)Sp92:54-55; from Nova Era, Brazil (Epstein)F89:150-158; from Pakistan (Gübelin)F82:123-139; from Russia (Schmetzer)Su91:86-99; from Sandawana, Zimbabwe (J. Zwaan)Su97:80-100; from Santa Terezinha, Brazil (Cassedanne)Sp84:4-13; three-phase (LN)Sp98:44; tourmaline (Koivula)W82:225-227
- from India (GN)W95:277
- infrared spectroscopy of, to separate from synthetic (Stockton)Su87:96-99, (GN)Sp96:62
- with iridescent coating

(LN)Sp86:48-49
localities—of the 1980s
(Shigley)Sp90:4-31; of the 1990s
(Shigley)W00:292-335
from Madagascar—(GN)Su91:119,
Sp93:55; mining and inclusions
(Schwarz)Su94:88-101
in matrix, from North Carolina
(GN)Su93:132
necklaces of, fashioned in India
(GN)Sp95:61
from Nigeria (GN)W91:257,
Sp93:55, W95:275-276
from North Carolina
(GNI)Sp02:103-104
oiled—reaction to heat
(LN)Sp84:46-47; oiling process
and detection of
(Ringsrud)F83:149-156
origin of—ancient Roman
(GN)W97:303; Bactrian
(GN)W97:302-303; as deter-
mined by isotopic composition
(GN)W97:303
from Pakistan—(Gübelin)F82:123-
139, (GN)W85:247; from Gujar
Killi (Bowersox)Sp89:16-24
polishing of, in Israel
(GN)Su94:129-130
pre-Columbian carving
(LN)W94:264-265
and quartz imitation in same
necklace (LN)W84:228-229
with quartz intergrowth
(GN)Su00:164-165
from Russia—joint venture for pro-
duction of (GN)Su91:120; the
Ural Mountains (GN)Sp91:49,
(Schmetzer)Su91:86-99,
(Laskovenkov)Su95:106-113,
(Let)F95:150
from Sandawana, Zimbabwe
(J. Zwaan)Su97:80-100
from shipwrecks—1622 *Atocha*,
off Florida (Kane)W89:196-206;
1687, off Panama (LN)Sp82:44
with six-rayed star (GN)F95:206
sources worldwide
(Schwarz)F99:62-63
spiral growth pattern in
(LN)F83:173
from Sri Lanka (GN)W89:247-248
star, from Madagascar
(GNI)Sp02:104
with strong dichroism—from
Brazil (LN)W03:317; from
Madagascar (GNI)W03:331
from Tanzania (Dirlam)Su92:80-102
trapiche—cat's-eye, from
Colombia (GN)Su99:146-147;
with double core, from
Colombia (GN)Sp97:62; gem-
quality crystal (GN)W87:240;
from Goiás, Brazil (LN)Su94:

116-117; seen at Tucson shows
(GN)Sp95:60-61, with unusual
appearance (GNI)F03:236-237
with unusual flash-effect colors
(LN)Sp95:54
with unusual structure
(LN)Sp81:43-44
World Emerald Congress, first
(GN)Sp98:56-57
from Zambia—(GN)Sp93:55;
(GNI)W04:347-350; with tour-
maline inclusions (Koivula)
W82:225-227; with unusual
spectrum (LN)W82:229-230
from Zimbabwe—(GN)F90:230,
W93:292; Sandawana
(J. Zwaan)Su97:80-100
see also Beryl

Emerald simulants

apatite (GN)Su90:161
beryl—coated (LN)Sp83:44; coated
with plastic (LN)F95:199, Su97:
136-137; crystal filled with green
fluid (GN)Su89:117, Su92:137-
138; dyed (LN)W81: 227-228,
F84:167-168, F90:220; triplet
(GN)Sp90:100, (LN)Sp01:57-59
chrysoptase chalcedony, dyed
green chalcedony, and aven-
turing quartz (GN)Sp93:63-64
“Emeraldolite,” synthetic emerald
overgrowth on beryl
(Robert)W90:288-293
fluorite fashioned as crystal
(GN)F90:237
fuchsite cabochons
(GNI)Su02:183-184
glass—from Democratic Republic
of Congo (formerly Zaire)
(GN)F93:216; fashioned as crys-
tal (GN)Sp90:108-109;
“Swarogreen” from Austria
(GN)Su94:130
Lechleitner synthetic emerald
overgrowth (Schmetzer)Su81:98-
100, (LN)F84:167-168
“Mexican emerald” (GN)W86:246
quartz—“crystal” (GN)Sp89:50;
crystal with “matrix”
(GN)Su97:150; dyed, epoxy-
filled, and quench-crackled
(GN)F92:205-206; with green
backing (LN)W84:228; and green
epoxy resin (GN)Su90:167-168
“soudé emerald”
(Misiowski)W86:209-228,
(LN)W86:236-238, (GN)Sp89:50
sphene (GN)W86:246
trapiche—assemblage with plastic
coating (LN)F98:212
triplet with quartz top
(LN)Sp96:44-46
yttrium aluminum garnet
(LN)Su92:125

Emerald, synthetic

Biron hydrothermal—description
of (Kane)F85:156-170; with high
R.I. and birefringence
(LN)Su88:113; identification of
synthetic chrysoberyl crystals in
(Schmetzer)W97:276-291; Pool
identical to (GN)W88:252-253
Biron/Pool marketed as
“Kimberley Created Emerald”
(GN)Sp91:54, Su94:130-131
cabochon-cut (LN)Sp93:49-50
cat's-eye, from Russia
(GN)Su97:149-150
Chatham production of—
(GN)Sp91:53-54; in Japan
(GN)Su91:123
chemical distinction from natural
(Stockton)F84:141-146
developments—in the 1980s
(Nassau)Sp90:50-63; in the 1990s
(Koivula)W00:360-379
flux-grown—from Russia
(GN)Sp94:57, (Koivula)Su85:79-
85; tubules in (LN)Sp83:44-45
Gilson-type, distributed by
Chatham (GN)Su91:123
hydrothermal—with “bread-
crumb” inclusions (LN)W86:
238; from China (Schmetzer)
W97:276-291; growth-related
properties of (Schmetzer)Sp96:
40-43; inclusions in (LN)W96:
279-280; from Russia (Koivula)
Sp96:32-39, (GN)Sp85:59-60,
Sp95:71; with spicule-like inclu-
sion (LN)Sp92:54-55
inclusions in—(LN)Su81:101-102,
Sp82:44-46, Su83:114-115;
“breadcrumbs” (LN)W86:238;
natural-appearing (LN)Sp81:43-
44; spicule-like (LN)F85:173,
Sp92:54-55; tubules (LN)Sp83:
44-45; yellow-fluorescing flux
(LN)W87:233-234
infrared spectroscopy of (Stockton)
Su87:96-99, (GN)Sp96:62
with iridescent coating
(LN)Sp84:45
Lechleitner overgrowth—chromi-
um content of (Schmetzer)Su81:
98-100, (LN)F84:167-168; on
faceted beryl (LN)W92:263-264
Lennix flux-grown (LN)F82:170-
171, (Graziani)F87:140-147
Linde, as compared to Lechleitner
(Schmetzer)Su81:98-100
new source of (LN)Su81:101-102
in parcels of natural emerald from
Pakistan (GN)W91:265
Pool, resembles Biron hydrother-
mal (LN)W88:252-253
“recrystallized” (GN)Sp95:71
from Russia—flux-grown

- (GN)Su93:137-138; flux overgrowth on aquamarine (GN)Sp91:55; hydrothermal marketed as "Emsprit Emerald" (GN)Sp91:54; hydrothermal (GN)W93:295; seen at Tucson shows (GN)Sp95:71
- "Emeraldolite,"** see Emerald simulants
- Emilia emerald**
7,025 ct crystal (P. Keller)Su81:80-92
- Enameling**
in Art Deco jewelry (Ebert)Sp83:3-11
in Art Nouveau jewelry (Misorowski)W86:209-228
- Endangered species**
helmeted hornbill (Kane)Su81:96-97
ivory, coral, and tortoise shell in the 1980s (Misorowski)Sp90:76-93
trade in gem materials from (Carmona)F99:169-170
see also Ivory
- Engine-turned effect**
to identify ivory (LN)W01:322-323
- England**
fluorite from Rogerley mine (GNI)Sp02:95-96
- Engraved gems**
history, process, and materials used (Gray)W83:191-201
see also Lapidary arts
- Enhancement** see Coating; Diffusion treatment; Dyeing; Filling, fracture or cavity; Heat treatment; Irradiation; Treatment; specific gem materials
- Enstatite**
near-colorless (LN)F84:168-169
separated from peridot (Stockton)Su83:103-107
from Sri Lanka (P. Zwaan)W96:262-269
- Epidote**
from Elahera, Sri Lanka (Gunawardene)Su86:80-95
with needle-like inclusions (LN)Su87:104
- Errata**
to "Amethyst from Brazil" (Epstein)W88:214-228—clarification of optic figures (Let)Su89:109
to "Argyle diamond deposit" (Shigley)Sp01:26-41—figure 3 caption (GNI)Su01:159
to "Art Deco" (Ebert)Sp83:3-11—provenance of *The Red Hat* (Let)F83:170
to "Benitoite" (Laurs)F97:166-187—(GN)W97:310, F98:230
to "Canary tourmaline" (GNI)Su01:151-152—from Zambia, not Malawi (GNI)Sp04:86
to "Chart of commercially available gem treatments" (Smith)W02:294-300—photomicrographs transposed (GNI)Sp03:64
to "Chinese freshwater cultured pearls" (Akamatsu)Su01:96-113—name of province (GNI)F01:245
to "Colombage-Ara scheelite" (Gunawardene)F86:166-169—spectra (Let)Su87:112
to "Etch features in beryl and quartz" (GNI)Sp02:102-103—name of lapidary (GNI)F02:275
to "Euclase specimen" (LN)Sp03:42—from Pauna, Colombia, not Brazil (LN)Sp04:65
to "Faceting large gemstones" (M. Gray)Sp88:33-42—(Let)Sp89:42
to "Fingerprinting of two diamonds" (Sunagawa)W98:270-280—figures 6 and 7 (GN)Sp99:60
to "Gamma-ray spectroscopy" (Ashbaugh)Su92:104-111—figures 6 and 7 (Let)F92:150
to "Garnets from Tranoroa, Madagascar" (Schmetzer)Su02:148-155—figure 10 (GNI)F02:275
to "Gem corundum in alkali basalt" (Levinson)W94:253-263—(Let)Sp95:1
to "Gem-quality CVD synthetic diamonds" (Wang)W03:268-283—incorrect reference (GNI)Sp04:86
to "Gemstone irradiation" (Ashbaugh)W88:196-213—(Let)Su89:109, Sp89:44
to "Glass imitation of tsavorite garnet" (LN)Su03:146-147—fluorescence description (GNI)F03:249
to "Green diamonds" (LN)W81:227—stones in figure 6 switched (Let)Sp82:43
to "Herderite" (LN)Sp04:61-62—incorrect reference (GNI)Su04:181
to "Hornbill 'ivory' identification questionable" (Let)W02:291-292—photos of hornbill ivory and *kibatama ojime* bead (GNI)Sp03:64
to "Hydrothermal synthetic red beryl" (Shigley)Sp01:42-55—Y-axes in figure 4 (GNI)Su01:159
to "Kilbourne Hole peridot" (Fuhrbach)Sp92:16-27—formation of peridot (Let)F92:150
to "Legal protection of proprietary diamond cuts" (Overton)W02:310-325—ownership of design (GNI)Sp03:64
to "Large synthetic ruby" (LN)F95:203—growth process (LN)W95:273
to "Liddicoatite from Madagascar" (Diriam)Sp02:28-53—references (GNI)W02:369
to "Modeling the appearance of the round brilliant cut diamond" (Reinitz)F01:174-197—acronym AGA (GNI)W01:343
to "North American West Coast pearls" (GNI)W03:332-333—green abalone and pink abalone cannot be legally fished in the United States (GNI)W04:357
to "Parisite" (LN)W82:230—spectra reversed (LN)Sp83:49
to "Pearl, hollow natural" (LN)Sp84:48-49—figure 19 caption (Let)Su84:113
to "Peridot from Tanzania" (Stockton)Su83:103-107—spectra reversed (Let)F83:170
rossmanite (GN)F98:230—corrected (GN)Sp99:60
to "Sapphires with diffusion-induced stars" (LN)W01:324-325—orientation of stars (GNI)F02:275
to "A simple procedure" (Crowningshield)F86:130-139—zoning in synthetic amethysts (Let)W86:242
spelling of "malaya" corrected to "malaya" (GN)Sp00:78
to "Synthetic moissanite" (Nassau)W97:260-275—thermal inertia data corrected (GN)Sp99:60
to "*Tridacna* clam shell beads" (GNI)Su04:178—*Tridacna* giant clams are protected species (GNI)W04:357
to "Vanadium-colored beryl from China" (GNI)F01:226-228—name of province (GNI)W01:343
- Estrela de Alva [Dawn Star]**
aquamarine (Proctor)Su84:78-100
- Ethics**
code of conduct for gemologists and jewelers (GNI)W01:332
- Ethiopia**
opal from—(GN)Sp94:52; Shewa Province (GN)Su95:132, F97:225, (Johnson)Su96:112-120
peridot from (GN)Sp92:60, Sp93:59
- Ettringite group**
sturmanite[?] from South Africa (GN)F97:223-224
- Euclase**
crystal specimen with apatite and feldspar (LN)Sp03:42
irradiated (GN)Sp87:53
greenish blue, Cr-colored (LN)Su93:125-126
specimen (LN)Sp03:42—actually

from Colombia, erratum
(LN)Sp04:65

Eudialyte

from Quebec, Canada
(GN)W93:287

Exploration—see Mining and
exploration

Eye-piece pointer

as a microscope accessory
(Fryer)Su85:105-107

F

Faceting

analyzing brilliance in round-bril-
liant-cut diamonds

(Hemphill)F98:158-183

automation in the 1990s
(Johnson)W00:380-396

Barion emerald cut
(Kerr)F82:154-159

buff-top faceted quartz cut from
spheres (GN)Sp98:55-56

of colored stones and cubic zirco-
nia in Thailand (GN)Sp91:48

of cultured pearls (GN)Su97:147,
(LN)W98:287

developments—in the 1980s
(Misiowski)Sp90:76-93; in the
1990s (Misiowski)W00:398-417

of diamond (Caspi)Su97:102-121

of emerald—from Afghanistan
(Bowersox)Sp91:26-39; from

Pakistan (Bowersox)Sp89:16-24

“fantasy” cuts (GN)Sp92:60

of kunzite (Ramsey)W81:220-225

of large gemstones (M. Gray)
Sp88:33-42

of liddicoatite to display color zon-
ing (GN)Sp98:54

Lion Cut for colored stones and
diamonds (GNI)Su03:156-157

by machine (GN)Su91:125

machine for diamonds and colored
stones (GN)Su98:144-145

in Madagascar (GNI)F03:242-243

of neodymium penta-phosphate
(GN)W97:307-308

of 192 ct tsavorite (GNI)Sp01:72-75

optics and curves in
(Anderson)W91:234-239

of peridot—from China
(Koivula)Sp86:38-40; pallasitic
(Sinkankas)Sp92:43-51

of rock crystal
(Sinkankas)W82:214-220

of spinel (GNI)Sp03:56-57

in Sri Lanka (P. Zwaan)Su82:62-71

of twinned calcite
(Hurlbut)W84:222-225

Watermeyer split-facet cuts
(Kerr)F82:154-159

of zircon (Faulkner)W89:207-215

see also Cuts and cutting;
Diamond, cuts and cutting of;
Lapidary arts

Fading

of dyed black cultured pearls
(GNI)F04:267-268

see also Color stability

Fakes

assembled specimens—emerald
(LN)Su81:102, Sp82:44-45,

(Let)Su86:105, (GN)Su89:117,
Sp90:108-109, Su90:167-168,

F90:237, Su92:137-138; lepidolite
(Koivula)Sp84:42-44; tour-

maline (GN)F92:209, W92:279

calcite imitation of “shell pearls”
(LN)Su01:135-136

ceramic “carving” (LN)F94:184

cubic zirconia—carved to imitate
ancient Buddha (LN)W93:278;

imitation of diamond
(GNI)Su01:154-155; imitation of

diamond octahedra (LN)F82:169,
W88:241-242, (GN)Sp89:50

developments in the 1990s
(Koivula)W00:360-379

GGG fashioned to simulate a
corundum crystal (GN)W95:285-

286

glass fashioned to simulate—emer-
ald (GN)F93:216; indicolite crys-
tal (GN)Su92:138-139; ruby
(GN)F93:215

imitation opalized shells
(GN)F89:183-184

inclusions added to chalcedony—
(GN)Sp88:47; and quartz
(GN)Sp89:45-46

plastic imitation—of amber
(GNI)Su01:153-154; of a walrus

tusk and a sperm whale tooth
(GNI)W03:340-342

quartz imitation of emerald
(GN)Sp89:50-51

sapphire imitation in medieval
cross (GNI)F01:243-245

star quartz imitation of sapphire
(GNI)Su01:154

synthetic corundum imitations of
natural crystals (GN)W89:249-

250

synthetic diamonds misrepresent-
ed as Canadian rough
(GN)Su95:129

synthetic ruby fashioned to simu-
late—red beryl crystal
(LN)Sp84:49-50, Sp91:43-44; natu-

ral ruby crystal (LN)F93:204,
W93:282-283; Vietnamese ruby

rough (GN)W91:260-261,
Su92:139

topaz imitation of diamond
(GNI)Su01:154-155

see also Ceramic; Glass; “imita-

tion” or “simulant” under spe-
cific gem materials

Federal Trade Commission (FTC)

and gem treatment disclosure
(Overton)Su04:106-127

Feldspar

as carving material (LN)F85:173-174

chrome diopside in (LN)Su01:132

dyed to imitate lapis lazuli
(LN)F95:201

identification of alkali versus pla-
gioclase (LN)W94:265

indistinguishable from iolite
(GN)W98:295-296

labradorite—bicolored, from
Finland (GN)Sp97:62-63; with

lamellar labradorescence
(LN)W04:328-329; from
Madagascar (LN)Su91:120,

(GN)F98:223-224

moonstone—and cat’s-eye moon-
stone from Sri Lanka (P. Zwaan)

Su82:62-71; from China (P.
Keller)Sp86:3-13; “rainbow,”

from Bihar State, India (GN)
Su97:144-145; sanidine from

New Mexico (GN)F88:177-178

nomenclature of sunstone,
labradorite, and heliolite
(Let)F92:149, W92:220-221

orthoclase—cat’s-eye (LN)Sp93:50-

51; crystals from Madagascar
(GN)Sp90:106; with dichroic

backing (“Celestial moonstone”)
(GN)Sp00:75; green, from

Vietnam (GNI)W01:329-330;

moonstone beads (LN)Sp91:41-42

phenomenal, from India
(GN)Su95:130-131

plagioclase, with ruby inclusions
(GN)W94:274

“rainbow lattice sunstone” ortho-
clase from Australia (GN)Sp89:47

“rainbow moonstone” identified
as labradorite (GN)F87:175

red andesine, from Congo
(GNI)Sp02:94-95

in rock with amphibole, resem-
bling “Eilat stone”
(GN)W92:271-272

star (LN)Su97:137

sunstone from Oregon—
(GN)Sp90:107-108,

(Johnston)W91:220-233; cut to
highlight inclusions
(GN)Sp99:49; oligoclase mixed

with iolite from India
(GN)W91:261; with “watermel-

on” coloring (GN)Su97:145

sunstone, star, from Tanzania
(GNI) Su02:177, F03:235-236

transparent, from North America
(GN)Sp98:57

see also Amazonite, Rocks

Fiber-optic illuminator, see Lighting methods

Fibrolite, see Sillimanite

Filling, fracture or cavity

- of alexandrite (LN)F92:192, F95:196
- of beryl (Kammerling)Sp90:32-49 and coating of ruby (GN)F92:206-207
- of corundum—(GN)F84:174-175, (Kammerling)Sp90:32-49; with flux (Emmett)F99:90-92
- developments in the 1990s (McClure)W00:336-359
- of diamond—(GN)F87:172, W89:244, Sp90:103-105, Sp94:47-48, (Koivula)Su89:68-83, (Kammerling)Sp90:32-49, (LN)Su91:109, Sp93:48-49, Sp03:38-39, (Boyajian)F94:141, (Kammerling)F94:142-177; chart for identification of (McClure)Su95:114-119; damaged during cutting and cleaning (LN)F92:192-193; damaged by heat (LN)Su92:123; of dyed pink (LN)Su04:163; with features resembling natural (LN)Sp95:52; firms processing (GN)Su95:129; flash effects in (LN)F92:192, W96:278; incomplete, with iridescence (LN)F95:198-199; laser drilling to assist (LN)Sp93:48-49; marketed as “Genesis II Diamond” (GN)W92:276; new Oved filler (Shigley)Su00:147-153; rough (GN)W92:276; with thallium (LN)W95:266
- of emerald—(GN)F87:175, (LN)Su89:104, Sp90:95-96, F92:205, Sp95:54; apparatus for (GN)F92:205, Sp93:63, Su94:129-130; in Colombia (Ringsrud)F83:149-156; with colored Opticon (GN)Sp91:52-53; etch channels in (LN)W93:280; identification of fillers (Johnson)Su99:82-107; with Opticon and traditional “oils” (Kammerling)Su91:70-85
- of garnet (LN)W93:281
- of hessonite (LN)W93:281
- of iolite (LN)F01:216-217
- of opal (Kammerling)Sp90:32-49
- Opticon—in colored stones (Kammerling)Su91:70-85; in quartz (GN)W91:264; relief and R.I. of (GN)Su93:136-137; use of (Let)Sp92:73
- of pink diamond (LN)W97:294-295
- of quench-crackled synthetic ruby (GN)F92:208-209, Su97:151
- of ruby—(Kane)W84:187-199, (GN)F93:214-215, (LN)Sp03:45; crystal (GN)F92:206-207; with a

- lead glass (LN)F04:247-249; with star (LN)W95:270; and synthetic ruby (LN)W90:297-298
- of synthetic emerald (GN)W91:265
- of tourmaline—(Kammerling)Sp90:32-49; “Paraíba” (Shigley)W01:260-276
- see also Diamond treatment; Ruby—treatment of, Treatment

Filters

- in gem identification (Boehm)Sp02:14-27

Finland

- beryl from Luumäki—(Lahti)Sp93:30-37; yellow and green (GNI)F04:256-258
- diamond found in (GN)W94:272
- labradorite from Ylämaa (GN)Sp97:62-63

Fire

- analysis of, in round brilliant diamonds—(Reinitz)F01:174-197; (Moses)F04:202-228; editorial (Boyajian)F01:173

Fire agate, see Chalcedony

Fire assay, see Gold

Flame structure

- in calcareous concretion (LN)W87:235
- in conch “pearls” (Fritsch)W87:208-221

Flanders Brilliant, see Diamond, cuts and cutting of

Flash effect

- in emerald (LN)Sp95:54
- in fracture-filled diamond—(Koivula)Su89:68-83, (Kammerling)F94:142-177, (McClure)Su95:114-119, (Shigley)Su00:147-153; almost masked by body color (LN)W95:266-267
- see also Filling, fracture or cavity

Fluorescence, ultraviolet [UV]

- of alexandrite, natural versus synthetic (LN)Sp88:47
- of amber and plastic (LN)Su00:155-156
- of beryl from California (GNI)Su04:173-175
- of corundum—diffusion-treated (McClure)Sp93:16-28; dyed beads (Schmetzer)Su92:112-115, (LN)F92:196-197
- of diamond—bicolored (LN)W89:237; black (LN)F90:221, (Kammerling)W90:282-287; chameleon (LN)Su92:124; non-conductive gray-to-blue (Fritsch)Sp92:35-42; pink (Hofer)F85:147-155, (King)Su02:128-147; to separate from synthetic (Shigley)W95:256-264,

- (Welbourn)F96:156-169; with transient “pink” color (LN)Su02:165-166; treated pink (LN)Su88:112-113; type IIb blue (King)W98:246-268; yellow (LN)W90:295-296

effect on appearance of diamond (Boyajian)W97:243, (Moses)W97:244-259

of fake tanzanite specimens (GNI)Su04:178-179

of heat-treated and natural-color Imperial topaz (Sauer)W96:232-241

of HPHT-grown synthetic diamonds (Shigley)W04:303-313

of HPHT-processed yellow to green diamonds (Reinitz)Su00:128-137

of jadeite—bleached and polymer-impregnated (Fritsch)F92:176-187; coated (GN)F94:199

of Lechleitner synthetic ruby and synthetic sapphire (Kane)Sp85:35-39

of magnesite (LN)Sp85:47-48

of nacre and yellow cultured pearls from *P. margaritifera* (Elen)Sp02:66-72

of opal—from Mexico (LN)Su85:110-111; and synthetic opal (LN)Sp92:55-56

of pearl—black (LN)F86:174, W90:296-297; dyed assembled blister (LN)Su92:127; dyed black mabe (LN)F92:195-196; Mexican (Kiefert)Sp04:26-38; natural- and treated-color “golden” South Sea cultured (Elen)Su01:114-123, Su02:156-159

of petroleum inclusions in quartz from Pakistan (GNI)Sp04:79-81

portable instruments (Boehm)Sp02:14-27

of ruby—heat-treated (LN)Su84:111; hydrothermal synthetic (GN)W92:278

of sapphire—(LN)F94:188-189; heat-treated yellow (LN)W92:266; to separate natural from synthetic colorless (Elen)Sp99:30-41

of scapolite from Sri Lanka (P. Zwaan)W96:262-269

to separate glass and amethyst (LN)Su92:125-126

short-wave, to resolve striae in synthetic sapphire (LN)W94:270

of spinel, color-change (LN)W85:237, Su91:112-113

of synthetic diamonds—(Koivula)F84:146-158, (Shigley)W86:192-208, W87:187-206, Su92:116-122, F93:191-197,

W93:228-248, W95:256-264, Sp97:42-53, (GN)W87:241-242, (Rooney)Sp93:38-45, (Moses) F93:182-190, (LN)Sp96:44-45 of synthetic emerald from Russia (Koivula)Su85:79-85 of taaffeite (LN)F88:174 of tsavorite from Tanzania (GNI)Sp04:72-73 use of, in gemology (Fritsch)Sp90:64-75 yellow, in "hopper" diamond crystal (LN)W04:324 see also Luminescence, Phosphorescence; X-ray fluorescence [luminescence]; specific gem materials

Fluorite

from Afghanistan (GNI)Sp02:95 as amethyst simulant (GN)Sp87:53 barite inclusions in— (Koivula)W98:281-283; "spears" (GNI)W04:350-351 color-zoned—from Canada (GN)W93:287-288; purple-and-colorless beads (GN)Sp91:47 damaged by sulfuric acid (LN)Su85:109-110 from England (GNI)Sp02:95-96 irradiated—(Rossman)Su81:60-71; color-change, from Brazil (GNI)Su02:186 1,372 ct faceted pink, from Pakistan (GNI)Su03:156 parti-colored, from Brazil (GN)Su95:131 pink faceted, from Pakistan (GN)Sp93:56 and rose quartz necklace (LN)Sp83:44-45 with tourmaline needles (LN)F88:173 from Switzerland (GN)Sp98:60-61 from U.S., California (GN)Su94:125

Foil backing, see Glass

Foord, Eugene E.

obituary (GN)Sp98:63

Forsterite

colorless, from Sri Lanka (GN)Sp99:49-50 synthetic—developments in the 1990s (Koivula)W00:360-379; production and identification of (Nassau)Su94:102-108; as a tanzanite simulant (LN)Su99:139-140, (McClure)F99:86-87

Fossils

in chalcedony (LN)Sp87:47 dinosaur bone agate (Let)F83:169 petrified palm wood (GN)Sp97:64 "Stingray" coral from Alaska (GNI)Sp02:93

trilobite (LN)Sp83:46-47 see also Amber—inclusions in; Petrified wood; Pseudomorph

Fourier transform infrared spectrometer [FTIR], see Spectroscopy, infrared

Fracture filling, see Filling, fracture or cavity

France

azurite from (LN)W90:294 "carpet shell" pearl from Gois passage (GNI)F01:233 "langasite"-like material from (GNI)F01:242-243 stolzite from the Sainte Lucie mine (GNI)W03:334-336

"French river pearls," see Pearl simulants

Fresnoite

from California, faceted (GN)F00:264-266 synthetic, developments in the 1990s (Koivula)W00:360-379

Friedelite

from South Africa (Pienaar)W82:221-224

Fryer, Charles W. (Chuck)

obituary (Let)W02:292

Fuchsite

cabochons imitating emerald (GNI)Su02:183-184

G

Gadolinium gallium garnet [GGG]

blue (GN)W94:280 fashioned to simulate a corundum crystal (GN)W95:285-286 from Russia (GN)F97:228 separation from diamond (Hobbs)Sp81:20-33

Gahnospinel and gahnite—see Spinel; Spinel, synthetic

Garnet

from Afghanistan (Bowersox)W85:192-204 almandine-spessartine—from Afghanistan (GNI)F04:261-263; from Brazil (Let)W93:227; from Egypt (GN)Su92:132 bicolored grossular-andradite from Mali (GN)F97:224-225 from Bohemia [Czech Republic] (Schlüter)F91:168-173 chemistry of (Stockton)Su81:72-79 from China (P. Keller)Sp86:3-13 classification of—(Manson)W81:191-204 [erratum (Let)Sp82:43], Sp83:41-42, W84:200-207, (Hanneman)Sp83:37-40, (Stockton)W85:205-218; nomenclature of malaya/malaia, umbalite, and tsavorite

(Let)F92:149 color-change—(Stockton)Su82:100-101, W85:205-218, (Gübelin) W82:197-206, (Let)Su85:116-117; from East Africa (GN)F88:176-177; grossular-andradite from Mali (LN)Su03:145-146; as inclusion in diamond (LN)F82:169; from Madagascar (GN)F98:222-223, (Schmetzer) W99:196-201, (GNI)Su03:156; photography of (Let)Su00:97,188; pyrope-spessartine (Manson)W84:200-207; from Sri Lanka (GN)Su98:138 demantoid, see Andradite from Egypt (GN)Su92:132 from Elahera, Sri Lanka (Gunawardene)Su86:80-95 grossular-andradite, from Mali—(LN)W94:265-266, (GN)Sp95:61, (Johnson)F95:152-166; color-change (LN)Su03:145-146 heat treatment of—(GN)W97:308; produced hematite coating (GN)W99:220 hydrogrossular—massive pink carving (LN)Sp00:63-64; orange-pink (LN)W92:264; "Transvaal jade," from South Africa (Let)Sp89:43-44 from Idaho (GN)F86:187 imitation asterism in (McClure)Su01:124-128 localities—of the 1980s (Shigley)Sp90:4-31; of the 1990s (Shigley)W00:292-335 from Madagascar (GNI)F03:229-231 malaya [malaia]—(Stockton)W85:205-218; from Madagascar (Schmetzer)W01:296-308 pyrope-almandine—(P. Zwaan) Su82:62-71; with filled fracture (LN)W93:281; identified by Raman analysis (LN)W97:295-296; from Kalalani, Tanzania (Seifert)Su99:108-120; from Mozambique (GN)Su96:131; from Orissa, India (Goyal) F99:147 pyrope-spessartine—(Manson)W84:200-207, (GN)Sp96:53; from Madagascar (GN)F98:222-223 [erratum W98:302]; from Madagascar, Cr- and V-bearing (Schmetzer)Su02:148-155 [erratum F02:275]; from Sri Lanka (GN)W96:285-286 Raman spectrum of (Hänni)Su98:102-113 red-to-violet (Manson)W81:191-204 rhodolite—from China (P. Keller) Sp86:3-13; from India (GN)

- Sp89:45, Sp91:50, Sp94:54-55; from Tanzania (GN)Sp88:57-58, Sp89:45; star, from Tanzania (GN)Sp89:48-49
- from Sri Lanka (GN)W92:273-274
- from Tajikistan (GN)Su92:134-135
- from Tanzania (Dirlam)Su92:80-102
- uvarovite, from Russia (GN)Sp94:53-54
- from Vietnam (Kane)F91:136-155
- “watermelon” hydrogrossular-idocrase, from South Africa (GN)Sp99:50-51
- see also Almandine, Almandine-spessartine, Andradite, Assembled gem materials, Grossular, Pyrope, Rocks, Spessartine
- Gaspeite**
- from Australia, “Allura” (GN)Su94:125-126
- Gem carving**, see Lapidary arts
- Gem collections**, see Museums and gem collections
- GEM DiamondMaster**, see Instruments
- Gem localities**
- developments—in the 1980s (Shigley)Sp90:4-31; in the 1990s, with chart (Shigley)W00:292-335
- map of deposits in Sri Lanka (Dissanayake)F93:173-181
- see also Mining and exploration; specific countries; specific gem materials
- Gemesis**
- synthetic diamonds, production and characterization of (Shigley)W02:301-309
- Gemewizard**
- color communication software (GNI)Sp03:57-58
- Gemmarum et Lapidum Historia**
- and gem treatment (Nassau)Sp84:22-33
- Gemology**
- of archeological gem materials—pre-Columbian (Murphy)233-245; Roman (GN)Sp96:62; Visigoth (GN)Sp96:61-62; using Raman spectroscopy (GN)Sp96:290-291
- contributions to, by G. Robert Crowningshield (Moses)F03:184-199
- history of (Dirlam)Sp89:2-15
- see also History, Instruments
- Gems & Gemology**
- contributions to, by G. Robert Crowningshield (Moses) F03:184-199
- contributions to, by Richard T. Liddicoat (Dirlam)Sp02:2-13
- 70th anniversary of (Keller)Sp04:1
- use of lenticular for Fall issue cover (Overlin)W04:376
- results of first reader survey (Keller)Su04:103
- “**Gemulet**,” see Opal simulants
- General Electric Company**
- carbon-13 synthetic diamonds (GN)W91:254-255
- near-colorless type-IIa synthetic diamond crystals (Shigley)F93:191-197
- synthetic gem-quality diamonds—(Koivula)F84:146-158, (Liddicoat)W86:191, (Shigley)F93:191-197; compared to De Beers (Shigley)W87:187-206; compared to Sumitomo (Shigley)W86:192-208
- synthetic jadeite (GN)W84:244-245, (Nassau)Sp87:27-35
- see also GE POL diamonds
- Geneva ruby**, see Ruby, synthetic
- Genheltvite**
- faceted (GN)F95:206-207
- orange-red, 8.16 ct (LN)Sp02:82
- Geological Society of America (GSA), Rocky Mountain Section**
- reports on Western U.S. gem occurrences (GNI)Su02:171-172
- Geology**
- formation of red beryl from Utah (Shigley)W03:302-313
- Geophysics**
- in gemstone exploration (Cook)Sp97:4-23
- Georadar**, see Geophysics
- GE POL diamonds**
- General Electric process to lighten diamonds distributed by Pegasus Overseas Ltd.—(GN)Su99:144-145, (Moses)F99:14-22, (Schmetzer)W99:186-190; identification of (Fisher)Sp00:42-49, (Let)Su00:96-97, (C. Smith)F00:192-215
- see Diamond treatment—HPHT
- Germany**
- Deutsches Edelsteinmuseum of Idar-Oberstein, Germany (P. Keller)Su83:97-102
- haüyne from the Eifel district (Kiefert)F00:246-253
- Geuda**, see Sapphire, Sri Lanka
- Ghana**
- diamond mining in (GN)Su94:123, F94:191
- history of diamond sources in (Jansel)Sp96:2-30
- GIA Gemological Research Conference**
- August 26–27, 2006 (Keller)W04:283
- Gibbsite**
- dyed, as a nephrite imitation (LN)Su01:132-133
- as a turquoise simulant (LN)Su83:117, Sp88:52, (GN)Sp87:55
- Gilson**, see Synthetics
- Glass**
- bicolored, blue and colorless (LN)F98:215
- black opaque (Johnson)W96:252-261
- blue slag from Sweden, resembling opal (GN)Sp99:56
- Ca-phosphate, as a tanzanite simulant (Kiefert)W96:270-276
- cat’s-eye (GN)Sp92:64-65
- coating on beads to imitate black pearls (LN)F95:202-203
- cobalt-bearing (blue)—coating over quartz beads (LN)Su94:118-119; devitrified (Bosschart)W83:228-231, (LN)Su86:108-109
- color-change, imitating alexandrite (GNI)Sp04:73-74
- devitrified—partially, as jadeite simulant (GN)Su95:137; resembling actinolite (LN)F93:201
- dichroic, imitating opal (GN)Sp97:69
- doublet of red and green (GN)F92:207
- fiber-optic—imitating tiger’s-eye (GN)F96:222; marketed as “Fiber Eye” (GN)Su91:123
- as filling—in corundum (GN)F84:174-175; in diamond (GN)Sp90:103-105; in ruby (LN)Sp03:45; in ruby and synthetic ruby (Kane)W84:187-199, (LN)W90:297-298; glass-like, in Mong Hsu ruby (LN)F00:257-259
- foil-backed—(Let)Su85:115; in flexible fabric (“Crystal Mesh”) (GN)F96:221-222
- fused, sold as “cultured snow quartz” (GN)Sp99:56
- with high R.I. and S.G. (GN)W93:289
- in historical religious objects (Hänni)Su98:102-113
- identification of—gem simulants (McClure)F99:86-87; natural vs. manufactured (Owens)F99:152
- as imitations or simulants—of agate (GN)Sp98:55; of amethyst (GNI)F02:270-271; of cat’s-eye (GNI)W03:338-340; of conch “pearl” (GN)W96:287-288; of dyed black “onyx” (LN)Su86:108-109, F89:171; of emerald (GN)F93:216, Su94:130; of emerald crystal (GN)Sp90:108-109; of “healing crystals,” turquoise, and amethyst (LN)Su92:125-126; of indicolite crystal (GN)Su92:138-139, (GNI)F02:270-271; of

- jadeite (LN)F82:171-172, F83:173-174, F95:201, W02:345-346, (GN)W90:309, Su95:137, (LN)Su01:133; of lapis lazuli (GN)Su91:123-124; of Mexican opal (LN)F95:201-202; of obsidian (LN)Su98:129-130, (GN)W98:301; of opal (GN)Sp97:69; of pectolite (GN)W90:309; of peridot (LN)Sp99:44, Su04:165; of purpurine (LN)Su00:157-158; of quartz (LN)W01:321-322; of ruby crystal (GN)F93:215; of sapphire, with quartz (GNI)F01:243-245; of tanzanite (LN)W03:317-318; of topaz (LN)Su85:113; of tsavorite (LN)Su03:146; of turquoise (LN)Su92:125-126
- internal laser carving of (GN)W96:292
- from Japan (GN)F84:176
- "Libyan Desert" (GN)Sp98:58
- with metallic appearance and unusual optical properties (LN)Su88:113
- microbilles from Arizona (LN)Sp86:49
- from Mount Saint Helens ash—(Nassau)Su86:103-104; green, marketed as rock (GN)F92:207
- natural—from Mexico and the U.S. (GN)W93:293; moldavite from Czech Republic (GN)Sp92:60-61; seen at the Tucson shows (GN)Sp95:61; tektites (GN)W95:277-278
- as natural inclusion in ruby (Kane)W84:187-199
- in period jewelry (LN)Su90:157-158
- radioactive—"egg" (LN)Su90:155; rhinestones (Nassau)W89:232-235
- sold as "cherry quartz" (LN)Sp03:42-43
- "Swarogreen," emerald simulant from Austria (GN)Su94:130
- with synthetic opal center (GN)Sp97:69
- with unusual inclusions (LN)Su03:147
- see also Assembled gem materials, Jade simulants
- Globalization**
- in the gem and jewelry industry (Tempelman)F99:2-7
- Goethite**
- in "golden" jade (LN)F88:172
- as inclusion—in amethyst (LN)Su84:106; in "strawberry" quartz from Russia (GN)Sp95:63-64
- with opal and hematite (LN)F88:171-172
- with unusual properties (LN)Sp87:45
- Gold**
- in quartz from British Columbia, Canada (GN)Sp91:54-55
- testing methods and standards (Mercer)W92:222-233
- see also Coating, Granulation, Inclusions, Jewelry, *Mokume gane*
- Goldman Oved**
- fracture filling of diamonds (Kammerling)F94:142-177
- Görgeyite**
- from Russia (GN)Su95:129-130
- Goshenite**, see Beryl
- Grading**
- color grading—of blue diamonds (King)W98:246-268; of colored diamonds (King)W94:220-242, (LN)Sp02:80; of pink diamonds (King)Su02:128-147
- cut evaluation and color measurement in the 1990s (Johnson)W00:380-396
- Gem Quality Index (GQI) (Tashey)F99:163-164
- GIA diamond grading system, history of (Dirlam)Sp02:2-13
- see also Diamonds, cuts and cutting of
- Graining**
- brown (LN)W92:263
- in the Dresden Green diamond (Kane)W90:248-266
- green, in a brown-pink diamond (LN)F93:198-199
- in purplish red, purple-pink, and reddish purple diamonds (Hofer)F85:147-155, (Kane)Su87:90-95, (King)Su02:128-147
- in synthetic diamonds—(Moses)F93:182-190, (Shigley)W93:228-248; and compared to natural diamonds (Shigley)W87:187-206, W95:256-264
- white (GN)Sp92:58
- in YAG (LN)W93:284
- Grandidierite**
- from Sri Lanka (Schmetzer)Sp03:32-37
- Granulation**
- in the 1980s (Misorowski)Sp90:76-93
- Graphite**
- inclusions in quartz from Brazil (GNI)W04:352-353
- Greece**
- Douros synthetic ruby from (GN)W93:295, Sp94:57, (Hänni)Su94:72-86
- Greenland**
- cancrinite from (GN)Su93:131-132
- iridescent orthoamphibole ("Nuummite") from (Appel)Sp87:36-42, (GN)Sp00:73-74
- sapphire from (GN)F88:179-180
- tugtupite from—(Jensen)Su82:90-94, (GN)Sp00:73-74
- Grossular [grossularite]**
- from British Columbia, Canada (GN)Sp00:69-70
- from China—(P. Keller)Sp86:3-13; Altay (Wang Fuquan)W93:273-277
- classification of (Manson)W82:204-213, (Stockton)W85:205-218
- color-zoned (GN)W90:303-304
- dyed green to imitate jadeite (LN)W88:243
- glass imitation of tsavorite (LN)Su03:146
- hessonite—from Afghanistan (GNI)F04:258-259; with filled fracture (LN)W93:281; from Orissa, India (GN)Su93:133-134, Sp94:54-55; from Russia (GN)Sp94:54; from Sri Lanka (P. Zwaan)Su82:62-71, (GN)W94:277-278
- from Mali (GN)F98:221-222
- massive—carved (LN)W91:249-250; green, from South Africa (LN)Sp85:44, F85:174-175, (GN)F93:209
- pericase resembling (LN)Sp96:48-49
- pink, from Mexico (Stockton)Su88:104-106
- pink and green (LN)Su82:103
- radiation-induced unstable yellow-green color (Nassau)F92:188-191
- from Romania (Ionescu)F99:139
- from Sri Lanka—orange (GN)Sp88:57-58; orange-brown (P. Zwaan)Su82:62-71
- from Tanzania—(Dirlam)Su92:80-102, (Let)F92:150; yellow (GN)W91:258
- tsavorite—chromium as cause of color (Let)Sp93:3; from East Africa (GN)Sp88:57-58, W88:249-250; identification of (McClure)F99:86-87; from Kalalani, Tanzania (Seifert)Su99:108-120; localities in Tanzania and Kenya (GNI)W01:331; from Madagascar (GN)W99:218; nomenclature for (Let)F92:149; 192 ct rough from Tanzania, fashioning of (GNI)Sp01:72-75; from Tanzania (Kane)Su90:142-148, (Dirlam)Su92:80-102, (Let)F92:150, (GN)Su99:151-152, (GNI)Sp04:72-73; with tanzanite

(Barot)Sp92:4-15; 23.56 ct, from Tanzania (GN)W91:258-259 from Washington, orange and brown (GN)F88:177 see also Garnet, Rocks

Grossular-andradite, see Garnet

Growth structure
 of CVD synthetic diamonds (Martineau)Sp04:2-25
 developments in the 1990s (Johnson)W00:380-396
 of diamond, natural and synthetic (Welbourn)F96:156-169
 of flux-grown synthetic alexandrite (Schmetzer)F96:186-202
 of hydrothermal synthetic amethyst (Balitsky)Su04:146-161
 of hydrothermal synthetic emerald (Schmetzer)Sp96:40-43
 of hydrothermal synthetic ruby and sapphire from Russia (Schmetzer)Sp99:17-28
 introduction to, with example in ruby (C. Smith)F96:170-184
 of near-colorless synthetic diamond (Shigley)Sp97:42-53
 of ruby from Nepal (C. Smith)Sp97:24-41
 of ruby and sapphire from Afghanistan (Bowersox)Su00:110-126
 of sapphire from Antsirana, Madagascar (Schwarz)F00:216-233
 of synthetic ametrine from Russia (Balitsky)Su99:122-134
 of synthetic corundum (LN)Sp99:58-59
 see also Crystallography

Growth structures
 in Chinese freshwater cultured pearls (Scarratt)Su00:98-109
 in Kasumiga freshwater cultured pearls from Japan (GN)Su00:167-168
 see also Growth structure

Guatemala
 jadeite from—(Hargett)Su90:134-141, (GNI)W02:352-353; with lawsonite inclusions (LN)Su03:147-148
 omphacite from Quebrada Seca (GNI)Sp04:68-70

Gübelin, Dr. Edward J.
 editorial honoring (Keller)Sp03:1-2

Guinea
 history of diamond sources in (Janse)Sp96:2-30
 192.9 ct diamond from (GN)W91:255

Guyana
 diamonds from (LN)W85:232-233

H

Hackmanite

with “color change” produced by UV radiation—from Mont St. Hilaire, Canada (GN)Su89:112, W89:245-246, Su92:134; from Myanmar (GN)F98:223

Hallmarking

of gold jewelry (Mercer)W92:222-233
 in identification (GN)Su82:121, (Let)W82:234
 in Sri Lanka (GN)W84:244
 unusual, on period jewelry (LN)Su90:157-158

Hardness testing

in gem identification (GNI)W01:332-333

Hausmannite

drusy (GN)F95:207-208

Häüyne

from Germany (Kiefert)F00:246-253

Hawaii

, see United States

Hawk's-eye

, see Pietersite

Heat treatment

of amber (LN)Su93:122-123
 of amethyst—(LN)W83:236, Sp85:43, (Shigley)W85:219-223, (Epstein)W88:214-228, (GN)Su89:110-111; and citrine from Bolivia (Vasconcelos)Sp94:4-23
 of amethystine chalcedony (Shigley)W85:219-223
 of amethyst-citrine (ametrine) (Nassau)Sp81:37-39
 of apatite from Madagascar (GN)Sp94:50-51
 of aquamarine (Proctor)Su84:78-100
 of beryl—(Rossman)Su81:60-71; from Finland (Lahti)Sp93:30-37; from the Ukraine (GN)Sp93:54-55
 CO₂ fluid inclusions to determine heat-induced or natural color in corundum (Koivula)F86:152-155
 of corundum—(Let)Sp82:43, Su82:109, (LN)W83:232, (GN)F84:174-175, (Kammerling)Sp90:32-49; with Be (Emmett)Su03:84-135
 description and detection of (Smith)W02:294-300
 developments—in the 1980s (Kammerling)Sp90:32-49; in the 1990s, enhancement and detection (McClure)W00:336-359; in the 1990s, technological (Johnson)W00:380-396
 of diamond, at high pressure (HPHT)—to decolorize type IIa GE POL diamonds (Fisher)Sp00:42-49, (C. Smith)F00:192-215; identification of, in yellow

to green diamonds (Reinitz)Su00:128-137
 early use of (Nassau)Sp84:22-33
 furnace from Japan (LN)W83:232
 of garnet (GN)W97:308
 of “golden” South Sea cultured pearls (Elen)Su01:114-123
 of heliodor (Proctor)Su84:78-100
 of irradiated diamonds (Rossman)Su81:60-71
 of irradiated synthetic diamonds (Moses)F93:182-190, (Shigley)W93:228-248, W95:256-264
 of irradiated topaz (Nassau)Sp85:26-34, (Ashbaugh)Su93:116-121
 of kunzite (Bowersox)W85:192-204
 of lavender jadeite, to test for color enhancement (Koivula)Sp82:32-35
 of lepidolite (GN)Sp89:50
 in Madagascar (GNI)F03:242-243
 of morganite (Proctor)Su84:78-100
 of Paraíba tourmaline (GN)Sp90:103-104, Sp91:51, (Fritsch)F90:189-205, (Shigley)W01:260-276
 of pink diamond—(LN)Sp83:43-44; from Australia (Hofer)F85:147-155
 of quartz (Kammerling)Sp90:32-49
 of ruby—(Nassau)F81:121-131, (Abraham)Su82:79-82, (LN)W83:232, Su84:111, Sp98:46-47, (GN)W86:247; with glass filling (LN)Sp03:45; from Mong Hsu, Myanmar (Peretti)Sp95:2-26, (LN)F00:257-259, (McClure)W00:336-359; natural and synthetic (LN)Sp87:48, W87:235-236; in Sri Lanka (GN)Sp91:53
 of sapphire—(LN)Sp81:46, W83:232, W84:231-232, Sp87:48-49, Sp98:47-48, (Nassau)F81:121-131, (Abraham)Su82:79-82; from Australia (Let)Sp82:43, (Coldham)F85:130-146; coarse silk in (Let)Sp89:42; evidence of treatment in blue (LN)Su87:108, Sp88:50-51; “golden” yellow (P. Keller)W82:186-196; as indicated by discoid fractures (LN)Su97:140; from Kashmir (Schwieger)W90:267-280; from Madagascar (Schwarz)Su96:80-99; from Montana (GN)Sp90:101-102, F91:186-187, W94:276, (Emmett)W93:250-272; pink, from Sri Lanka (GN)F87:176; pinkish orange (LN)Sp86:52-53; from Tanzania (GN)W88:251, (Dirlam)Su92:80-102; yellow (LN)Sp82:48, W82:231, F87:167, W92:266, (Nassau)W87:222-231
 of synthetic ruby to induce “finger-

- prints" (Schmetzer)Sp94:33-38
of synthetic sapphire—
(LN)Su84:111-112, Chatham
(GN)Sp88:58-59
of tanzanite/zoisite—(GN)F90:233-
234; green (Barot)Sp92:4-15
of topaz—(Rossman)Su81:60-71,
(Nassau)Sp85:26-34; Imperial, to
turn pink (P. Keller)Sp83:12-20,
(Sauer)W96:232-241; from
Pakistan (Gübelin)F86:140-151;
"rutilated" (Kammerling)
F89:165-167
of tourmaline—from Malawi
(GNI)Su01:151-152; from Minas
Gerais, Brazil (Proctor)Sp85:3-19;
from Paraíba, Brazil (GN)Sp90:
103-104, (Shigley)W01:260-276;
from Zambia (LN)F86:175-176
of zircon (Rossman)Su81:60-71,
(Kammerling)Sp90:32-49,
(GN)Sp88:59
see also Diffusion treatment; Treat-
ment; specific gem materials
- Heliodor**
from Minas Gerais, Brazil
(Proctor)Su84:78-100
see also Beryl
- Heliolite**, see Feldspar
- Hematite**
as cause of iridescence in star sun-
stone from Tanzania
(GNI)F03:235-236
coating on heat-treated garnet
(GN)W99:220
drusy, from Arizona (GN)Sp00:68-69
inclusions—in quartz
(LN)W04:332-333; in quartz,
resembling hematite
(GN)F95:209-210; produced by
heat treatment of "rutilated"
topaz (Kammerling)F89:165-167;
in zircon from India
(LN)Su89:106
magnetic (LN)Sp84:46-47
"rainbow," from Brazil
(GN)F93:209-210, Sp95:61-62
simulated by iridescent shale or
slate (GN)Su95:137
- Hematite simulant**
magnetic imitation—(GN)F00:272;
"Hemetine" (LN)Sp84:46-47
- Hemimorphite**
from Congo (GNI)F02:263-264
9.80 ct cabochon (LN)F02:254
submitted for identification
(LN)Sp98:44-45
- Hercynite**
magnetism of (LN)Sp94:43
- Herderite**
unusually large (LN)F96:208
update on (LN)Sp04:61-62; erratum
(GNI)Su04:181
- Hessonite**, see Grossular
- Hexagonite**
cat's-eye (LN)Su85:110
- Hiddenite**
new discovery in North Carolina
(GNI)F03:228-229
- High pressure/high temperature
(HPHT) growth**, see Diamond,
synthetic
- High pressure/high temperature
treatment**
see Diamond treatment—HPHT
- "Hinge pearls,"** see Pearl simulants
- History**
of Art Deco jewelry (Ebert)Sp83:3-11
of Art Nouveau jewelry
(Misiorowski)W86:209-228
of conch "pearls"
(Fritsch)W87:208-221
of the diamond market in the
1980s (Boyajian)F88:134-153
of diamond mining—in Africa
(Janse)W95:228-255, Sp96:2-30; in
Canada (Kjarsgaard)F02:208-238;
in Changma, China (P. Keller)
Sp86:14-23; in Kalimantan,
Borneo (L. Spencer)Su88:67-80
of the Dresden Green diamond
(Kane)W90:248-266
Edwardian jewelry
(Misiorowski)F93:152-171
of emerald mining—in Brazil
(Cassedanne)Sp84:4-13,
(Epstein)F89:150-158; in
Colombia (P. Keller)Su81:80-92,
(Ringsrud)Su86:67-79; in Russia
(Laskovenkov)Su95:106-113; at
the Sandawana mines, Zim-
babwe (J. Zwaan)Su97:80-100
of emeralds in Afghanistan
(Bowersox)Sp91:26-39
of engraved gems (Gray)W83:191-
201
of famous gems—four from the
Smithsonian (Fryer)Su86:99-102;
sold by Harry Winston
(Krashes)Sp83:21-29
of G. Robert Crowningshield's
accomplishments
(Moses)F03:184-199
of garnets from Bohemia
(Schlüter)F91:168-173
of gem mining—in Elahera, Sri
Lanka (Gunawardene)Su86:80-
95; in Mogok (Kane)F92:152-174;
in Tanzania (Dirlam)Su92:80-102
of gemology (Dirlam)Sp89:2-15
of gems from Zabargad
(Gübelin)Sp81:2-8
of gemstone carving in China
(S. Thomas)Sp86:24-34
of gemstone treatments
(Nassau)Sp84:22-33
of "heliolite" for sunstone
(Let)W92:220-221, 288
of the Hope diamond
(Krashes)Sp83:21-29
of jadeite from Guatemala
(Hargett)Su90:134-141
of Majorica imitation pearls
(Hanano)F90:178-188
of "modern" and Retro jewelry
(S. Thomas)Sp87:3-17
of opal from Querétaro, Mexico
(Koivula)Su83:87-96
of padparadscha sapphires
(Crowningshield)Sp83:30-36
of pearl fashion from antiquity to
the 1920s (Dirlam)Su85:63-78
of pearl production—in North
America (Sweaney)F84:125-140;
in Polynesia (Goebel)F89:130-
148; in South Baja California
(Cariño)Su95:88-105
of pearl treatment (Nassau)
W85:224-231, (Let)Su86:105
of pectolite from the Dominican
Republic (Woodruff)W89:216-225
of pegmatite mining in Minas
Gerais, Brazil
(Proctor)Su84:78-100
of peridot—from Zabargad
(Gübelin)Sp81:2-8; gem-quality
pallasitic (Sinkankas)Sp92:43-51
of proprietary diamond cuts
(Overton)W02:310-325
of red beryl from Utah
(Shigley)W03:302-313
of Richard T. Liddicoat's accom-
plishments (Dirlam)Sp02:2-13
of rubies from Mogok, Burma
(P. Keller)W83:209-219;
(Kane)F92:152-174
of sapphire—from Australia
(Coldham)F85:130-146; from
Hainan Island, China (Wang
Furui)F88:155-160; from
Kashmir (Atkinson)Su83:64-76,
(Schwieger)W90:267-280
of specific gravity determination
(Sinkankas)F86:156-165
of Star of the South diamond
(Smith)Sp02:54-64
of topaz from Ouro Preto, Brazil
(P. Keller)Sp83:12-20
see also Jewelry
- Hixon ruby**
196.1 ct crystal
(P. Keller)W83:209-219
- "Hollandine,"** see Spessartine—from
Namibia
- Hooker**
emerald brooch (P. Keller)
Su81:80-92
- Hope diamond**
characterization and IR spectrum
of (GNI)W03:322-325

grading of (Crowningshield)
Su89:91-94

history of (Krashes)Sp83:21-29

Horn

dyed to imitate amber
(GNI)F04:265-266

Hornbill ivory, see Ivory

Hornblende

iron-rich black, as jade simulant
(LN)F94:186-187

Howlite

dyed magnesite misrepresented as
(GN)F93:215

HPHT treatment, see Diamond
treatment—HPHT

Hydrogrossular, see Garnet

Hypersthene

with lamellar twin-related optical
effects (GNI)Su03:159-162