

---

# AUTHOR INDEX

## VOLUMES 17–44

1981–2008

---

This index lists, alphabetically by surname, all authors of feature articles, Notes and New Techniques, and editorials that appeared in the 1981 through 2008 issues of *Gems & Gemology*, together with the full title of the article, the specific issue ("Sp" for Spring, "Su" for Summer, "F" for Fall, and "W" for Winter, followed by two digits for the year), and the inclusive page numbers. Full citation is given under the first author only; co-authors are listed separately and cross-referenced to first authors. Also included are presenters whose abstracts were published in the Fall 1999 (F99) issue and Fall 2006 (F06) issues, the proceedings of the Third and Fourth International Gemological Symposia, respectively.

### A

Abbaschian R., see Shigley J.E.  
Abduriyim A.: Applications of LA-ICP-MS (laser ablation–inductively coupled plasma–mass spectrometry) to the gemological field, F06:87-88  
Abduriyim A., Kitawaki H.: Applications of laser ablation–inductively coupled plasma–mass spectrometry (LA-ICP-MS) to gemology, Su06:98-118  
Abduriyim A., Kitawaki H., Furuya M., Schwarz D.: Paraíba-type copper-bearing tourmaline from Brazil, Nigeria, and Mozambique: Chemical fingerprinting by LA-ICP-MS, Sp06:4-21  
Abduriyim A., see also Kitawaki H.  
Abraham J.S.D.: Heat treating corundum: The Bangkok operation, Su82:79-82  
Achar J., see Wang W.  
Adamo I., Pavese A., Prospero L., Diella V., Ajò D., Gatta G.D., Smith C.P.: Aquamarine, Maxixe-type beryl, and hydrothermal synthetic blue beryl: Analysis and identification, F08:214-226  
Adamo I., Pavese A., Prospero L., Diella V., Merlini M., Gemmi M., Ajò D.: Characterization of the new Malossi hydrothermal synthetic emerald, W05:328-338  
Ajò D., see Adamo I.  
Akamatsu S.: The present and future of Akoya cultured pearls, F99:73-74  
Akamatsu S., Zansheng L.T., Moses T.M., Scarratt K.: The current status of Chinese freshwater cultured

pearls, Su01:96-113  
Akamatsu S., see also Scarratt K.  
Albright M.K.: Opportunities and danger: The world in 2006, F06:2-6  
Anckar B.: Amethyst mining in Zambia, F06:112-113  
Anckar B., see also Hainschwang T., Laurs B.M., Zwaan J.C.  
Anderson A.L.:  
Curves and optics in nontraditional gemstone cutting, W91:234-239  
*Leigha*: The creation of a three-dimensional intarsia sculpture, Sp98:24-33  
Andres Y., see Fritsch E.  
Anthonis A.: Optical characterization of CVD synthetic diamond plates grown at LIMHP-CNRS, France, F06:152-153  
Anwar J., see Bowersox G.W.  
Appel P.W.U., Jensen A.: A new gem material from Greenland: Iridescent orthoamphibole, Sp87:36-42  
Arizmendi E., see Kiefert L.  
Armbruster T., see Laurs B.M.  
Ashbaugh III C.E.:  
Gamma-ray spectroscopy to measure radioactivity in gemstones, Su92:104-111  
Gemstone irradiation and radioactivity, W88:196-213  
Ashbaugh III C.E., Shigley J.E.: Reactor-irradiated green topaz, Su93:116-121  
Atichat W.: Ruby-sapphire quality grading for the gem trade, F06:128  
Atkinson D., Kothavala R.Z.: Kashmir sapphire, Su83:64-76  
Azielant O.: Online vs. offline: Are

they really in opposite corners of the ring? F06:56-57

### B

Baker D.M.: Revolution in diamond cutting: Laser sawing of diamond crystals, F81:150-152  
Balitskaya L.V., see Balitsky V.S.  
Balitskaya O.V., see Balitsky V.S.  
Balitsky D.V., see Balitsky V.S.  
Balitsky V.S.: Synthesis and enhancement of gems in Russia in the second half of the 1990s, F99:173  
Balitsky V.S., Balitsky D.V., Bondarenko G.V., Balitskaya O.V.: The 3543  $\text{cm}^{-1}$  infrared absorption band in natural and synthetic amethyst and its value in identification, Su04:146-161  
Balitsky V.S., Bublikova T.M., Sorokina S.L., Balitskaya L.V., Shteinberg A.S.: Man-made jewelry malachite F87:152-157  
Balitsky V.S., Lu T., Rossman G.R., Makhina I.B., Mar'in A.A., Shigley J.E., Elen S., Dorogovin B.A.: Russian synthetic ametrine, Su99:122-134  
Balitsky V.S., Makhina I.B., Prygov V.I., Mar'in A.A., Emel'chenko A.G., Fritsch E., McClure S.F., Lu T., DeGhionno D., Koivula J.I., Shigley J.E.: Russian synthetic pink quartz, Sp98:34-43  
Bank H., see Lind Th. and Schmetzer K.  
Barbosa H.D.: Copper tourmaline from Paraíba, Brazil: Reopening of the mine, regional exploration, F99:138

- Bariand P., see Wyart J.
- Barot N.R., Boehm E.W.: Gem-quality green zoisite, Sp92:4-15
- Bassett A.M., see Dirlam D.M. and Smith C.P.
- Beaton D.: Color quantification: A spectrographic imaging approach, F06:93-94
- Beaton D., see also Laurs B.M., Scarratt K.
- Becker G., see Sinkankas J.
- Befi R.: Coated topaz, F06:128-129
- Befi R., see also Laurs B.M.
- Beili Z., see Schmetzer K.
- Bell K.C.: Natural pearl formation as seen through macro photography, F06:169-170
- Berg L.M.: The power of branding and brand-partnering at retail, F06:45
- Berg R.B.: The importance of surface features and adhering material in deciphering the geologic history of alluvial sapphires—an example from western Montana, F06:145
- Bernardes de Oliveira M., see Shigley J.E.
- Bernhardt H.-J., see Hänni H.A., Peretti A., and Schmetzer K.
- Bernhardt U.K.: Engraved gems: 6000 BC–2000 AD, F99:169
- Bertel E., see Gabasch H.
- Bhandari R., see Choudhary G.
- Bidny A.S.: New data for distinguishing between hydrothermal synthetic, flux synthetic, and natural corundum, F06:153-154
- Biehler R., see Schmetzer K.
- Blodgett T., see Moses T.M.
- Boehm E.W.:  
ICA colored gemstone worldwide mining report, F06:157  
Portable instruments and tips on practical gemology in the field, Sp02:14-27  
Untreated and underappreciated gems, F06:28
- Boehm E.W., see also Barot N.R., Johnson M.L., Kane R.E., Koivula J.I., and Shigley J.E.
- Bondanza M.: Technical innovations, F06:42
- Bondarenko G.V., see Balitsky V.S.
- Bordelon O., see Emmett J.L.
- Bosshart G.:  
Cobalt glass as a lapis lazuli imitation, W83:228-231  
Rare reverse color change in a blue zircon from Myanmar (Burma), F06:94-95
- Bosshart G., see also Hughes R.W., Schmetzer K., Shigley J.E., and Smith C.P.
- Botha M.: Three-dimensional solid modeling in applied diamond crystallography, F06:129
- Bowersox G.W.:  
Central Asia: A prime source of gemstones for the 21st century, F99:140  
A status report on gemstones from Afghanistan, W85:192-204
- Bowersox G.W., Anwar J.: The Gujjar Killi emerald deposit, Northwest Frontier Province, Pakistan, Sp89:16-24
- Bowersox G.W., Foord E.E., Laurs B.M., Shigley J.E., Smith C.P.: Ruby and sapphire from Jegdalek, Afghanistan, Su00:110-126
- Bowersox G.W., Snee L.W., Foord E.E., Seal II R.R.: Emeralds of the Panjshir Valley, Afghanistan, Sp91:26-39
- Boyajian W.E.:  
Breakthrough technology, Sp00:1  
Demystifying diamond cut, F98:157  
Disclose or be disclosed, Su03:83  
An economic review of the past decade in diamonds, F88:134-153  
G. Robert Crowningshield: A giant among gemologists, F03:181  
In honor of Robert C. Kammerling, W96:231  
The impact of fluorescence in diamonds: A different research perspective, W97:243  
The International Gemological Symposium: Facing the future with GIA, Sp91:1  
Meeting the millennium in the gem and jewelry trade, F99:8-13  
New diamond treatments: What do they mean for the gemological laboratory? F00:189  
Our future: Forthright or fractured? F94:141  
A retrospective of the '90s: The challenge of change, W00:291  
Richard T. Liddicoat: Celebrating 50 years of leadership, Sp02:1  
Shedding light on "fire," F01:173  
Shifting tides in the diamond industry, F05:201  
Symposium 1999: Meeting the millennium, F97:165  
Tomorrow's challenge: CVD synthetic diamonds, W03:267  
Unlocking the secrets of the fourth C, F04:197-198
- Boyajian W.E., see also Liddicoat R.T.
- Brand A.A.: Emerald mineralization in northwestern Ontario, Canada, F06:113
- Brandstätter F., Niedermayr G.: Inclusions of native copper and tenorite in cuprian-elbaite tourmaline from Paraíba, Brazil, F94:178-183
- Braunwart E.: Branding techniques and the fashion industry, F06:31
- Breeding C.M.: High-energy ultraviolet luminescence imaging: Applications of the DTC DiamondView for gem identification, F06:88
- Breeding C.M., see also Chadwick K.M., Du Toit G., Eaton-Magaña S., Laurs B.M., Shigley J.E., Titkov S.V., Wang W.
- Brennan W., see Epstein D.S.
- Brown G.: Treated Andamooka matrix opal, Su91:100-107
- Bublikova T.M., see Balitsky V.S.
- Buckley J.: Giving back wisely: Philanthropy as an investment for retail jewelers, F06:166
- Buerki P.R., see Reinitz I.M.
- Burford M., see Schmetzer K.
- Burianek M.: The gemstones of the Shrine of the Three Magi (ca. 1200 AD) in Cologne Cathedral, Germany, F06:121
- Butler J.E.: Growth of CVD synthetic diamond, F06:111-112
- Butler J.E., see also Eaton-Magaña S., Wang W.
- C**
- Cade A.:  
Characterization of sapphires from Yogo, Montana, F06:129-130  
Garnet inclusions in Yogo sapphires, F06:106
- Cairncross B., Campbell I.C., Huizenga J.M.: Topaz, aquamarine, and other beryls from Klein Spitzkoppe, Namibia, Su98:114-125
- Calderon G.P., see Jennings R.H.
- Calnon J.: Perspective of an electronic retailer, F99:109-110
- Campbell I.C., see Cairncross B.
- Canut de Bon C., see Coenraads R.R.
- Cariño M., Monteforte M.: History of pearling in La Paz Bay, South Baja California, Su95:88-105
- Carmona C.I.:  
Estimating weights of mounted colored gemstones, F98:202-211  
Products of endangered species used in jewelry, F06:166-167  
Products of endangered and threatened species used in jewelry, F99:169-170
- Carriere D.P., see Sucher S.D.
- Caspi A.: Modern diamond cutting and polishing, Su97:102-121
- Cassedanne J.P., Sauer D.A.: The Santa Terezinha de Goiás emerald deposit, Sp84:4-13
- Ceulemans T.: Statistical study of the

- performance and predictive value of color measurement instruments for cape-colored rough diamonds, F06:130
- Chadwick K.M., Breeding C.M.: Color variations and properties of johachidolite from Myanmar, F08:246-251
- Chalain J.-P.A.: An imitation of black diamond: Artificial black cubic zirconium oxide, F99:173-174
- Chambel L.: Diamond deposits of Angola, F99:155-156
- Chapman J.G.: Studies of the pink and blue coloration in Argyle diamonds, F99:156-157
- Chapman J.G., see also Shigley J.E.
- Charles D.: Defects in single-crystal CVD synthetic diamond studied by optical spectroscopy with the application of uniaxial stress, F06:121-122
- Choudhary G., Bhandari R.: A new type of synthetic fire opal: Mexifire, F08:228-233
- Choudhary G., Golecha C.: A study of nail-head spicule inclusions in natural gemstones, F07:228-235
- Christenson C.: Red beryl, F99:140
- Chyi K.L., see Dietrich R.V.
- Cino K., see Moses T.M.
- Clanin J.:
  - Geology and mining of southern Tanzanian alluvial gem deposits, F06:107
  - Mining of pegmatite-related primary gem deposits, F06:145
- Clarke C., see Shigley J.E.
- Coenraads R.R., Canut de Bon C.: Lapis lazuli from the Coquimbo Region, Chile, Sp00:28-41
- Coenraads R.R., Zenil A.R.: Leopard opal: Play-of-color opal in vesicular basalt from Zimapán, Hidalgo State, Mexico, W06:236-246
- Cohen S.: A manufacturer's perspective, F99:55
- Colbert J.: Digital asset management for gem and jewelry photography, F06:163
- Coldham T.: Sapphires from Australia, F85:130-146
- Cole J.E., see Shigley J.E.
- Collins A.T.:
  - Identification technologies for diamond treatments, F06:33-34
  - Pitfalls in color grading diamonds by machine, Sp84:14-21
- Conner L., see Fritsch E.
- Cook B.: "Bahia Gold" golden rutillated quartz, Serra da Mangabeira, Novo Horizonte, Bahia, Brazil, F06:130
- Cook B., see also Shigley J.E.
- Cook F.A.:
  - Applications of geophysics in gemstone exploration, Sp97:4-23
  - Gemstones and global tectonics, F99:140-141
- Cook F.A., see also Levinson A.A.
- Cook J.L., see Dirlam D.M.
- Cooper M., see King J.M. and Welbourn C.M.
- Cooper M.A., see Laurs B.M.
- Coquillard C.: The multichannel retailer, F06:54
- Costin G., see Fritz E.A.
- Creagh D.C., see Millstead P.W.
- Crowder M.J., see Martineau P.M.
- Crown A.: Tanzanite mining update—A follow-up to the mine disaster of April 9, 1998 at Merelani, Tanzania, F99:141-142
- Crowningshield R.:
  - Cultured <sup>3</sup>/<sub>4</sub> blister pearls, Sp82:36-38
  - Grading the Hope diamond, Su89:91-94
  - Irradiated topaz and radioactivity, W81:215-217
  - Padparadscha: What's in a name? Sp83:30-36
- Crowningshield R., Fryer C.W., Hurlbut C.: A simple procedure to separate natural from synthetic amethyst on the basis of twinning, F86:130-139
- Cushman T.:
  - Case study Madagascar: Progress and development through education, F06:161
  - The short life and death of a sapphire boomtown, F99:142
- D**
- De Corte K.: Overview of dislocation networks in natural type IIa diamonds, F06:122-123
- DeGhionno D.G., see Balitsky V.S., Johnson M.L., and Koivula J.I.
- Deljanin B.:
  - Cross-referencing Identification System (CIS): Database and tool for diamond research, F06:163-164
  - Mining and heat treatment of "geuda" sapphire at Ratnapura, Sri Lanka, F99:142-143
  - Study of fancy-color and near-colorless HPHT-grown synthetic diamonds from Advanced Optical Technology Co., Canada, F06:154-155
- Deljanin B., see also Hainschwang T.
- DeRe N.:
  - Achievements from patents, designs, and trademarks relating to the gem trade, F99:164-165
  - Imaging spectroscopy: A developing frontier for gem analysis, F06:88-89
- DeRe N., see also Hainschwang T.
- DeMaggio M.: Visions of gems: The photodocumentation of gemological subjects, F99:160
- Demartin F., see Guastoni A.
- Demianets L.N., see Shigley J.E.
- Denton M.B.: The present and future potential of Raman spectroscopy in the characterization of gems and minerals, F06:89
- Devouard B., see Muhlmeister S.
- Dhamani A.: The Gulf perspective, F06:61
- Diehl R., Herres N.: X-ray fingerprinting routine for cut diamonds, Sp04:40-57
- Diella V., see Adamo I.
- Dietrich R.V., White J.S., Nelen J.E., Chyi K.L.: A gem-quality iridescent orthoamphibole from Wyoming, F88:161-164
- Dikin S.D., see Spencer L.K.
- Dirlam D.M., Laurs B.M., Pezzotta F., Simmons W.B.: Liddicoatite tourmaline from Anjanabonoina, Madagascar, Sp02:28-53
- Dirlam D.M., Misiorowski E.B., Cook J.L., Weldon R.: The Sinkankas library, Sp89:2-15
- Dirlam D.M., Misiorowski E.B., Thomas S.A.: Pearl fashion through the ages, Su85:63-78
- Dirlam D.M., Misiorowski E.B., Tozer R., Stark K.B., Bassett A.M.: Gem wealth of Tanzania, Su92:80-102
- Dirlam D.M., Shigley J.E., Overlin S.D.: The ultimate gemologist: A tribute to Richard T. Liddicoat, Sp02:2-13
- Dirlam D.M., see also Goebel M., Kane R.E., Misiorowski E.B., and Shigley J.E.
- Dissanayake C.B., Rupasinghe M.S.: A prospectors' guide map to the gem deposits of Sri Lanka, F93:173-181
- Dorogovin B.A., see Balitsky V.S.
- Douthit T.R., see Emmett J.L., Wang W.
- Downs R.T.: Report on the progress of the RRUFF project: An integrated database of Raman spectra, X-ray diffraction, and chemical data for minerals, F06:89-90
- Downs R.T., see also Fritz E.A.
- Dröschel R., Evers J., Ottomeyer H.: The Wittelsbach Blue, W08:348-363
- Drucker R.:
  - Gem enhancements and their effect on pricing, F99:165-166

- Social, political, economic, and gemological impacts on pricing trends, F06:95
- Software for gemstone grading and appraisal valuation, F06:130-131
- Du Toit G.: Demantoid from Iran, F06:131
- Du Toit G., Shen A.H., Breeding C.M.: The color durability of "Chocolate Pearls" by Ballerina Pearl Co., F08:234-241
- Du Toit G., see also Scarratt K., Schwarz D.
- E**
- Eaton-Magaña S.:  
Fluorescence of fancy-color natural diamonds, F06:131-132  
Luminescence of the Hope diamond and other blue diamonds, F06:95-96
- Eaton-Magaña S., Post J.E., Heaney P.J., Walters R.A., Breeding C.M., Butler J.E.: Fluorescence spectra of colored diamonds using a rapid, mobile spectrometer, W07:332-351
- Eaton-Magaña S., see also Smith C.P.
- Ebert J.M.: Art Deco: The period, the jewelry, Sp83:3-11
- Edelstein C.: The American designer jewelry movement: Where it came from and where it's going, F99:105-106
- Eickhorst M.: Better understanding of gems and daylight for enhanced work and business success, F99:166
- Eisen S.: Jewelry with a purpose, F99:170
- El Baz M.K., see Jennings R.H.
- Elen S.:  
Identification of yellow cultured pearls from the black-lipped oyster *Pinctada margaritifera*, Sp02:66-72  
Luminescence, reflected-infrared, and reflected-ultraviolet digital photography: Gemological applications, F06:123  
Spectral reflectance and fluorescence characteristics of natural-color and heat-treated "golden" South Sea cultured pearls, Su01:114-123  
Update on the identification of treated "golden" South Sea cultured pearls, Su02:156-159
- Elen S., Fritsch E.: The separation of natural from synthetic colorless sapphire, Sp99:30-41
- Elen S., see also Balitsky V.S., Johnson M.L., Kiefert L., Koivula J.I., Nassau K., and Shigley J.E.
- Elliott J.: Contemporary intarsia: The Medvedev approach to gem inlay, W86:229-234
- Ellison R.K., see Shigley J.E.
- Emel'chenko A.G., see Balitsky V.S.
- Emmett J.L.: Fluxes and the heat treatment of ruby and sapphire, F99:90-92
- Emmett J.L., Douthit T.R.: Heat treating the sapphires of Rock Creek, Montana, W93:250-272
- Emmett J.L., Scarratt K., McClure S.F., Moses T., Douthit T.R., Hughes R., Novak S., Shigley J.E., Wang W., Bordelon O., Kane R.E.: Beryllium diffusion of ruby and sapphire, Su03:84-135
- Emmett J.L., see also Wang W.
- Epstein D.S.:  
Amethyst from Brazil, W88:214-228  
The Capeirana emerald deposit near Nova Era, Minas Gerais, Brazil, F89:150-158
- Epstein D.S., Brennan W., Mendes J.C.: The Indaia sapphire deposits of Minas Gerais, Brazil, Sp94:24-32
- Erel E., see Schwarz D.
- Ertl A.: Elbaite from the Himalaya mine, Mesa Grande, California, F06:96
- Esmerian R.: In pursuit of elusive luxury, F06:53
- Evans D.J.F., Fisher D., Kelly C.J.: Coated pink diamond—A cautionary tale, Sp05:36-41
- Evans D.J.F., see also Martineau P.M.
- Evers J., see Dröschel R.
- F**
- Fallick A.E., see Schwarz D.
- Falster A.U., see Laurs B.M., Simmons W.B., and Zwaan J.C.
- Fant G.: The Internet as a complementary distribution channel, F06:55
- Farook A.: An Examination of the state of the gem trade in Sri Lanka, F99:143-144
- Faulkner M.J., Shigley J.E.: Zircon from the Harts Range, Northern Territory, Australia, W89:207-215
- Feather R.C.: The Smithsonian Institution's corundum conundrums, F99:144
- Fedortchouk Y.: What determines the morphology of a resorbed diamond? F06:146
- Filippi J., see Wyart J.
- Fisher D., Spits R.A.: Spectroscopic evidence of GE POL HPHT-treated natural type IIa diamonds, Sp00:42-49
- Fisher D., see also Evans D.J.F.
- Fiske D., Shepherd J.: Continuity and change in Chinese freshwater pearl culture, Su07:138-145
- Foord E.E., see Bowersox G.W. and Shigley J.E.
- Francis C.A., see Hurlbut C.S. Jr. and Kampf A.R.
- Fritsch E.:  
Classification of gem opals using Raman spectroscopy, F99:145  
Gem characterization: A forecast of important techniques in the coming decade, F06:90
- Fritsch E., Conner L., Koivula J.I.: A preliminary gemological study of synthetic diamond thin films, Su89:84-90
- Fritsch E., McClure S.F., Ostrooumov M., Andres Y., Moses T., Koivula J.I., Kammerling R.C.: The identification of Zachery-treated turquoise, Sp99:4-16
- Fritsch E., Misiorowski E.B.: The history and gemology of queen conch pearls, W87:208-221
- Fritsch E., Rossman G.R.:  
New technologies of the 1980s: Their impact in gemology, Sp90:64-75  
An update on color in gems. Part 1: Introduction and colors caused by dispersed metal ions, F87:126-139  
An update on color in gems. Part 2: Colors involving multiple atoms and color centers, Sp88:3-15  
An update on color in gems. Part 3: Colors caused by band gaps and physical phenomena, Su88:81-102
- Fritsch E., Scarratt K.: Natural-color nonconductive gray-to-blue diamonds, Sp92:35-42
- Fritsch E., Shigley J.E.: Contribution to the identification of treated colored diamonds: Diamonds with peculiar color-zoned pavilions, Su89:95-101
- Fritsch E., Shigley J.E., Rossman G.R., Mercer M.E., Muhlmeister S.M., Moon M.: Gem-quality cuprianelbaite tourmalines from São José da Batalha, Paraíba, Brazil, F90:189-205
- Fritsch E., Shigley J.E., Stockton C.M., Koivula J.I.: Detection of treatment in two unusual green diamonds, F88:165-168
- Fritsch E., Stockton C.M.: Infrared spectroscopy in gem identification, Sp87:18-26
- Fritsch E., Wu S.-T.T., Moses T., McClure S.F., Moon M.: Identification of bleached and polymer-

impregnated jadeite, F92:176-187  
 Fritsch E., see also Balitsky V.S., Elen S., Hainschwang T., Johnson M.L., Kammerling R.C., Kane R.E., Koivula J.I., McClure S.F., Moses T., Muhlmeister S., Robert D., Rondeau B., Rooney M.-L.T., Shigley J.E., and Woodruff R.E.  
 Fritz E.A., Laurs B.M., Downs R.T., Costin G.: Yellowish green diopside and tremolite from Merelani, Tanzania, Su07:146-148  
 Fritz E.A., see also Laurs B.M.  
 Fryer C.W., Koivula J.I.:  
 An examination of four important gems, Su86:99-102  
 The eyepiece pointer: A useful microscope accessory, Su85:105-107  
 Fryer C.W., see also Crowningshield R., Koivula J.I., and Shigley J.E.  
 Fuhrbach J.R.: Kilbourne Hole peridot, Sp92:16-27  
 Fukushima H., see Sunagawa I.  
 Furuya M.: Copper-bearing tourmalines from new deposits in Paraíba State, Brazil, F07:236-239  
 Furuya M., see also Abduriyim A.

## G

Gabasch H., Klausner F., Bertel E., Rauch T.: Coloring of topaz by coating and diffusion processes: An X-ray photoemission study of what happens beneath the surface, Su08:148-154  
 Gaillou E.: Geologic origin of opals deduced from geochemistry, F06:107  
 Gaillou E., Post J.E.: An examination of the Napoleon Diamond Necklace, W07:352-357  
 Galenon R.T.: Marketing of the Tahitian cultured pearl, F06:170  
 Galibert O., see Hughes R.W.  
 Galopim de Carvalho R.:  
 The Bragança "diamond" discovered? F06:132-133  
 Brazilian colored gemstones in Portuguese 18th-19th century jewelry, F06:167  
 Colored gemstone promotion in small scale markets: The Portuguese case, F06:167-168  
 Magnificent jewels in Portugal, F06:168-169  
 Garcia-Guillerminet H., see Zwaan J.C.  
 Garland M.I.: Characterization of inclusion suites in sapphire using Raman spectroscopy, F99:145-146  
 Garzon C.: Understanding emerald enhancements, F99:145  
 Gatta G.D., see Adamo I.  
 Gelb T.H., see King J.M.  
 Gemmi M., see Adamo I.  
 Geurts R.H., see King J.M., Moses T.M., Reinitz I.M.  
 Ghergari L.: Jasper occurrences in the Brad area, Apuseni Mountains (Romania), F99:139-140  
 Gicquel A., see Wang W.  
 Gilbertson A.:  
 The evolution of the American Round Brilliant Diamond (aka American Cut), 1860-1955, F06:133  
 The revolution in cut grading, F99:157  
 Gilbertson A., see also King J.M., Moses T.M., Reinitz I.M.  
 Giuliani G., see Schwarz D.  
 Goebel M., Dirlam D.M.: Polynesian black pearls, F89:130-148  
 Golecha C., see Choudhary G.  
 Gorskov A.I., see Titkov S.V.  
 Goyal M.: Pyrope-almandine garnets from various mining areas in Orissa, India, F99:147  
 Graeser S., see Smith C.P.  
 Gray F.L.: Engraved gems: A historical perspective, W83:191-201  
 Gray M.: Faceting large gemstones, Sp88:33-42  
 Gray M., see also Laurs B.M.  
 Graziani G., Gübelin E.J., Martini M.: The Lennix synthetic emerald, F87:140-147  
 Graziani G., see also Gübelin E.J.  
 Green B., see Moses T.M., Reinitz I.M.  
 Greig D.: Software management systems for jewelers, F99:166-167  
 Groat L.A.: Funding for gemological research: Ideas and case studies, F06:133-134  
 Groat L., see also Rondeau B.  
 Grobéty B., see Laurs B.M.  
 Grozman Y.: A close look at gemstone color grading: Definition of the key color, F06:96-97  
 Grussing T.: Carving gem-quality opal, Su82:95-99  
 Guastoni A., Pezzotta F., Superchi M., Demartin F.: Pyrope from the Dora Maira massif, Italy, F01:198-204  
 Gübelin E.J.:  
 Gemstones of Pakistan: Emerald, ruby, and spinel, F82:123-139  
 New synthetic rubies made by Professor P. O. Knischka, F82:165-168  
 Zabargad: The ancient peridot island in the Red Sea, Sp81:2-8  
 Gübelin E.J., Graziani G., Kazmi A.H.: Pink topaz from Pakistan, F86:140-151  
 Gübelin E.J., Schmetzer K.:

Gemstones with alexandrite effect, W82:197-203  
 Gübelin E.J., Weibel M., Woensdregt C.R.: Some unusual sillimanite cat's-eyes, Su86:96-98  
 Gübelin E.J., see also Graziani G., Meyer H.O.A., Schmetzer K., and Smith C.P.  
 Guhin S.S., see King J.M.  
 Gumpesberger S.M.:  
 Magnetic separation of gemstones, F06:124  
 A variation on the crossed filters approach using pocket LED light sources, F06:124  
 Gunawardene M.:  
 Colombage-Ara scheelite, F86:166-169  
 Inclusions in taaffeites from Sri Lanka, F84:159-163  
 Gunawardene M., Rupasinghe M.S.: The Elahera gem field in central Sri Lanka, Su86:80-95  
 Gunter M.E., see Johnston C.L.  
 Günther D.: Laser ablation-inductively coupled plasma-mass spectrometry: A new way of analyzing gemstones, F99:160-161  
 Günther D., see also Laurs B.M., Smith C.P.  
 Guo J., Wang F., Yakoumelos G.: Sapphires from Changle in Shandong Province, China, W92:255-260  
 Guo J., see also Wang Fuquan  
 Gurney J.J.: Changes and new developments in Africa, F99:34-36  
 Gurney J.J., Levinson A.A., Smith H.S.: Marine mining of diamonds off the west coast of southern Africa, W91:206-219  
 Gurney J.J., see also Kirkley M.B. and Levinson A.A.

## H

Haas E.: The diamond distribution system, F99:52  
 Häberli S.: Shedding a new light on Medieval darkness, F99:161-162  
 Häberli S., see also Hänni H.A.  
 Hainschwang T.: Natural "CO<sub>2</sub>-rich" colored diamonds, F06:97  
 Hainschwang T., Leggio L.: The characterization of tortoise shell and its imitations, Sp06:36-52  
 Hainschwang T., Notari F.: The cause of iridescence in Rainbow andradite from Nara, Japan, W06:248-258  
 Hainschwang T., Notari F., Anckar B.: Trapiche tourmaline from Zambia, Sp07:36-46  
 Hainschwang T., Simic D., Fritsch E.,

- Deljanin B., Woodring S., DelRe N.: A gemological study of a collection of chameleon diamonds, Sp05:20-35
- Hainschwang T., see also Schmetzer K.
- Hall M., see King J.M., McClure S.F., Shen A.H., Wang W.
- Hall R.L., see Mychaluk K.A.
- Hametner K., see Smith C.P.
- Hammer V.M.F., see Smith C.P.
- Hanano J., Wildman M., Yurkiewicz P.G.: Majorica imitation pearls, F90:178-188
- Hanneman W.W.: A new classification for red-to-violet garnets, Sp83:37-40
- Hänni H.A.:  
Fissure-filled emeralds and their detection, F99:93-94  
Fissure fillings in emeralds: A comparison of different identification methods, F99:146-147
- Hänni H.A., Schmetzer K.: New rubies from the Morogoro area, Tanzania, F91:156-167
- Hänni H.A., Schmetzer K., Bernhardt H.-J.: Synthetic rubies by Douros: A new challenge for gemologists, Su94:72-87
- Hänni H.A., Schubiger B., Kiefert L., Häberli S.: Raman investigations on two historical objects from Basel Cathedral: The Reliquary cross and Dorothy monstrance, Su98:102-113
- Hänni H.A., see also Kiefert L., Krzemnicki M.S., Schmetzer K., and Smith C.P.
- Hansawek R.: Kanchanaburi sapphires and their reaction to heat treatment, F99:147-148
- Hanson A.E., see Nassau K.
- Hargett D.R.: Jadeite of Guatemala: A contemporary view, Su90:134-141
- Hargett D.R., see also Koivula J.I. and Shigley J.E.
- Harlow G.E.:  
Jadeite jade from Guatemala: Distinctions among multiple deposits, F06:146  
Mineral assemblages and the origin of ruby in the Mogok Stone Tract, Myanmar, F06:147
- Harlow G.E., see also Hughes R.W.
- Harris J.: Diamond occurrence and evolution in the mantle, F06:107-108
- Hasenfeld H.:  
The diamond dealer's perspective, F06:48  
The New York diamond market, F99:44-45
- Haske M.: Detection of irradiated diamonds, F99:157-158
- Hatleberg J.N.: An exact replica of the original Mogul cut Koh-i-noor diamond, F06:158-159
- Hauzenberger C., see Schwarz D.
- Hawthorne F.C., see Laurs B.M.
- Hays N.K., see Misiorowski E.B.
- He M.: Relationship between texture and crystallization degree in nephrite jade from Hetian, Xinjiang, China, F06:134
- Heaney P.J., see Eaton-Magaña S.
- Hemphill T.S.: Exploring cut and diamond appearance with the virtual diamond, F99:158-159
- Hemphill T.S., Reinitz I.M., Johnson M.L., Shigley J.E.: Modeling the appearance of the round brilliant cut diamond: An analysis of brilliance, F98:158-183
- Hemphill T.S., see also Moses T.M., Reinitz I.M.
- Hendry Jr., D.W.: Gemological needs in insurance documentation, F06:169
- Henn U., see Schmetzer K.
- Hernes N., see Diehl R.
- Hoal K.O.: Integrating the diamond project development process, F06:134-135
- Hobbs J.M.:  
The jade enigma, Sp82:3-19  
A simple approach to detecting diamond simulants, Sp81:20-33
- Hofer S.C.:  
Describing diamond colors with common names, F99:159  
Pink diamonds from Australia, F85:147-155
- Hofer S.C., Manson D.V.: Cryogenics, an aid to gemstone testing, F81:143-149
- Hoffman M.: Branding cultured pearls: From a retail perspective, F06:41
- Holloway G.: Diamond grading laboratory peer review, F06:159
- Hoover D.B.: The GEM DiamondMaster and the thermal properties of gems, Su83:77-86
- Hozjan D.J., see Murphy A.R.
- Htun H.:  
Identifying sources of Burmese rubies, F99:148-149  
Melo "pearls" from Myanmar, F06:135-136
- Hughes R.W., Galibert O., Bosshart G., Ward F., Oo T., Smith M., Sun T.T., Harlow G.E.: Burmese jade: The inscrutable gem, Sp00:2-26
- Hughes R.W., see also Emmett J.L.
- Huizenga J.M., see Cairncross B.
- Hunter J.: Educating the jewelry industry about lab-created moissanite, F99:174
- Hurlbut C.S. Jr.: A cubic zirconia refractometer, Su81:93-95
- Hurlbut C.S. Jr., Francis C.A.: An extraordinary calcite gemstone, W84:222-225
- Hurlbut C.S. Jr., see also Crowningshield R. and Kopf R.W.
- Hyatt A., see Wang W.
- Hyrs J.: Genetic classification of mineral inclusions in quartz, F06:97-98
- Hyrs J., see also Seifert A.V.
- I**
- Ionescu C.: Gem vesuvianite and grossular from the Vata area, Apuseni Mountains, Romania, F99:139
- Irving M.: The Canadian diamond industry: Where to now? F06:24
- Isik I., see Sariiz K.
- J**
- Janowski B.: The U.S. diamond industry, F99:56-57
- Janse A.J.A.(Bram):  
Diamonds from Australia, F99:37-39  
Global rough diamond production from 1870 to 2005, F06:136  
Global rough diamond production since 1870, Su07:98-119  
A history of diamond sources in Africa: Part I, W95:228-255  
A history of diamond sources in Africa: Part II, Sp96:2-30  
Major diamond mines of the world: Tectonic location, production, and value, F06:148-149
- Jara G., see Keller P.C.
- Jegge E.P., see Schmetzer K.
- Jennings R.H., Kammerling R.C., Kovalchouk A., Calderon G.P., El Baz M.K., Koivula J.I.: Emeralds and green beryls of upper Egypt, Su93:100-115
- Jensen A., Petersen O.V.: Tugtupite: A gemstone from Greenland, Su82:90-94
- Jensen A., see also Appel P.W.U.
- Jobbins E.A., see Shigley J.E.
- Johnson M.L.:  
Characterization of some emerald filling substances, F99:149-151  
Durability testing of filled emeralds, Su07:120-137  
Technological developments in the 1990s: Their impact on gemology, W00:380-396
- Johnson M.L., Boehm E., Krupp H., Zang J.W., Kammerling R.C.: Gem-quality grossular-andradite: A new garnet from Mali, F95:152-166
- Johnson M.L., Elen S., Muhlmeister S.:

- On the identification of various emerald filling substances, Su99:82-107
- Johnson M.L., Kammerling R.C., DeGhionno D.G., Koivula J.I.: Opal from Shewa Province, Ethiopia, Su96:112-120
- Johnson M.L., McClure S.F., DeGhionno D.G.: Some gemological challenges in identifying black opaque gem materials, W96:252-261
- Johnson M.L., Mercer M.E., Fritsch E., Maddison P., Shigley J.E.: "Tisapphire": Czochralski-pulled synthetic pink sapphire from Union Carbide, F95:188-195
- Johnson M.L., Wentzell C.Y., Elen S.: Multicolored bismuth-bearing tourmaline from Lundazi, Zambia, F97:204-211
- Johnson, M.L., see also Hemphill T.S., Kammerling R.C., Koivula J.I., Moses T.M., and Reinitz I.M.
- Johnson P., see Moe K.S.
- Johnston C.L., Gunter M.E., Knowles C.R.: Sunstone labradorite from the Ponderosa mine, Oregon, W91:220-233
- K**
- Kammerling R.C., Kane R.E., Koivula J.I., McClure S.F.: An investigation of a suite of black diamond jewelry, W90:282-287
- Kammerling R.C., Keller A.S., Scarratt K.V., Repetto S.: Update on mining rubies and fancy sapphires in northern Vietnam, Su94:109-114
- Kammerling R.C., Koivula J.I.: Thermal alteration of inclusions in rutilated topaz, F89:165-167
- Kammerling R.C., Koivula J.I., Kane R.E.: Gemstone enhancement and its detection in the 1980s, Sp90:32-49
- Kammerling R.C., Koivula J.I., Kane R.E., Fritsch E., Muhlmeister S., McClure S.F.: An examination of nontransparent "CZ" from Russia, W91:240-246
- Kammerling R.C., Koivula J.I., Kane R.E., Maddison P., Shigley J.E., Fritsch E.: Fracture filling of emeralds: Opticon and traditional "oils," Su91:70-85
- Kammerling R.C., McClure S.F., Johnson M.L., Koivula J.I., Moses T.M., Fritsch E., Shigley J.E.: An update on filled diamonds: Identification and durability, F94:142-177
- Kammerling R.C., see also Fritsch E., Jennings R.H., Johnson M.L., Kane R.E., Koivula J.I., McClure S.F., Muhlmeister S., and Smith C.P.
- Kampf A.R.: The Gem & Mineral Council of the Natural History Museum of Los Angeles County, F06:161-162
- Kampf A.R., Francis C.A.: Beryl gem nodules from the Bananal mine, Minas Gerais, Brazil, Sp89:25-29
- Kampf A.R., see also Kane R.E. and Shigley J.E.
- Kanda H.: Cathodoluminescence spectroscopy to identify types of natural diamond, F06:125
- Colors of high-pressure synthetic diamonds, F99:174-175
- Kane R.E.: The creation of a magnificent suite of peridot jewelry: From the Himalayas to Fifth Avenue, W04:288-302
- The gemological properties of Chatham flux-grown synthetic orange sapphire and synthetic blue sapphire, F82:140-153
- The Hkamti jadeite mines area, Sagaing Division, Myanmar (Burma), F06:98-99
- Hornbill ivory, Su81:96-97
- Identifying treated and synthetic gems: The dealer's perspective, F06:36-37
- Inamori synthetic cat's-eye alexandrite, F87:158-162
- Natural rubies with glass-filled cavities, W84:187-199
- A preliminary report on the new Lechleitner synthetic ruby and synthetic blue sapphire, Sp85:35-39
- The Ramaura synthetic ruby, F83:130-148
- Ruby and sapphire occurrences around the world, F99:60-61
- Three notable fancy-color diamonds: Purplish red, purple-pink, and reddish purple, Su87:90-95
- Kane R.E., Boehm E.W., Overlin S., Dirlam D.M., Koivula J.I., Smith C.P.: A gemological pioneer: Dr. Edward J. Gübelin, W05:298-327
- Kane R.E., Kammerling R.C.: Status of ruby and sapphire mining in the Mogok Stone Tract, F92:152-174
- Kane R.E., Kammerling R.C., Koivula J.I., Shigley J.E., Fritsch E.: The identification of blue diffusion-treated sapphires, Su90:115-133
- Kane R.E., Kammerling R.C., Moldes R., Koivula J.I., McClure S.F., Smith C.P.: Emerald and gold treasures of the Spanish galleon *Nuestra Señora de Atocha*, W89:196-206
- Kane R.E., Kampf A.R., Krupp H.: Well-formed tsavorite gem crystals from Tanzania, Su90:142-148
- Kane R.E., Liddicoat R.T. Jr.: The Biron hydrothermal synthetic emerald, F85:156-170
- Kane R.E., McClure S.F., Kammerling R.C., Khoa N.D., Mora C., Repetto S., Khai N.D., Koivula J.I.: Rubies and fancy sapphires from Vietnam, F91:136-155
- Kane R.E., McClure S.F., Menzhausen J.: The legendary Dresden Green diamond, W90:248-266
- Kane R.E., see also Emmett J.L., Kammerling R.C., Koivula J.I., Shigley J.E., Spencer L.K., and Stockton C.M.
- Kanis J., see Schwarz D. and Zwaan J.C.
- Karampelas S.: Identification of pigments in freshwater cultured pearls with Raman scattering, F06:99-100
- A refined infrared-based criterion for successfully separating natural from synthetic amethyst, F06:155
- Kato H.: Today and tomorrow in the Japanese jewelry market, F99:58
- Katz M.: Building a luxury clientele, F06:51
- Kazmi A.H., see Gübelin E.J. and Zwaan J.C.
- Keenan C.: Quantifiable cut grade system within an educational setting, F06:100
- Keith J.D., see Shigley J.E.
- Keller A.S.: Buyer beware! W91:205
- Carlsbad: A new home for GIA and *Gems & Gemology*, Su97:79
- "Challenges, Changes, and New Directions," W08:295
- The Dr. Edward J. Gübelin Most Valuable Article Award, Sp97:1, Sp98:1-2, Sp99:2-3, Sp00:79-80, Sp01:1-2, Sp02:107-108, Sp03:65-66, Sp04:87-88, Sp05:2-3
- The experts behind *Gems & Gemology*: Our editorial review board, Su05:87
- First GIA Gemological Research Conference, W04:283
- The *G&G Twenty Year Index*: Two decades of evolution, Su01:95
- GIA celebrates 75 years..., Su06:95-96
- Gems & Gemology* celebrates its 70th anniversary with recognition by ISI, Sp04:1

- The *Gems & Gemology* Most Valuable Article Award, Sp84:2; Sp85:1; Sp86:2; Sp87:1; Sp88:1; Sp89:1; Sp90:111-112; Sp91:57-58; Sp92:1-2; Sp93:1-2; Sp94:1-2; Sp95:74-75; Sp96:64-65.
- In honor of Dr. Edward J. Gübelin, Sp03:1-2
- In memory of Dr. Edward J. Gübelin, Sp05:1
- The Liddicoat legacy, F02:205
- May we take a bow? W01:259
- A new gemological challenge: Synthetic diamond melee, F08:201
- New sources bring new opportunities, F91:135
- 1992 "perfect" challengers, F92:151
- Not invented here, Su00:95
- Nothing is as simple as it seems, Su99:79
- One hundred issues and counting . . . , W05:295
- The quintessential gemologist: Robert C. Kammerling, 1947-1996, Sp96:1
- Remembering G. Robert Crowningshield, W06:205
- Remembering gemology's Renaissance man: John Sinkankas (1915-2002), Su02:123
- The results of our first reader survey, Su04:103
- Retrospective 1987, Sp88:1
- Save the date for the 2009 Gemological Research Conference, F07:197
- Support your local researcher, Su98:79
- Symposium '99—You can't afford to miss it! Sp99:1
- Symposium 2006: Join us as we navigate the challenges ahead, Sp06:1
- Ten reasons why *you* should attend the 2009 GRC, Su08:107
- Thank you! Sp90:3
- Thank you, donors, Su92:79
- Why you need to know, W85:191
- Keller A.S., Keller P.C.: The sapphires of Mingxi, Fujian Province, China, Sp86:41-45
- Keller A.S., Kimmel K.: The 1999 International Gemological Symposium: What a ride! F99:1
- Keller A.S., Liddicoat R.T.: Stability disclosure: Are we going far enough? Su93:79
- Keller A.S., see also Kammerling R.C., Kimmel K., Liddicoat R.T., Sauer D.A., and Smith C.P.
- Keller P.C.:  
The Capão topaz deposit, Ouro Preto, Minas Gerais, Brazil, Sp83:12-20
- The Chanthaburi-Trat gem field, Thailand, W82:186-196
- Emeralds of Colombia, Su81:80-92
- The newly expanded Deutsches Edelsteinmuseum of Idar-Oberstein, Germany, Su83:97-102
- The rubies of Burma: A review of the Mogok stone tract, W83:209-219
- Keller P.C., Koivula J.I., Jara G.: Sapphire from the Mercaderes-Río Mayo area, Cauca, Colombia, Sp85:20-25
- Keller P.C., Wan G.-D.: The Changma diamond district, Mengyin, Shandong Province, China, Sp86:14-23
- Keller P.C., Wang F.: A survey of the gemstone resources of China, Sp86:3-13
- Keller P.C., see also Keller A.S., Koivula J.I., and Spencer L.K.
- Kelly C.J., see Evans D.J.F.
- Kennedy H.F.: Publicity and profits vs. advertisements and expenses, F99:167
- Kerr W.C.: A report on the new Watermeyer split-facet diamond cuts, F82:154-159
- Khai N.D., see Kane R.E.
- Khamrayeva D.: Autoradiographic investigations of impurity distributions in diamond, F06:90
- Khoa N.D., see Kane R.E. and Smith C.P.
- Kiefert L.:  
Red taaffeite, F99:151
- Sapphires from New Zealand, F06:113-114
- Kiefert L., Hänni H.A.: Gem-quality haiüyne from the Eifel District, Germany, F00:246-253
- Kiefert L., Moreno D.M., Arizmendi E., Hänni H.A., Elen S.: Cultured pearls from the Gulf of California, Mexico, Sp04:26-38
- Kiefert L., Schmidt S.T.: Some tanzanite imitations, W96:270-276
- Kiefert L., see also Hänni H.A. and Schmetzer K.
- Kimmel K., Keller A.S.: Business and science converge at the 2006 Symposium and Gemological Research Conference, F06:1
- Kimmel K., see also Keller A.S.
- King J.M., Geurts R.H., Gilbertson A.M., Shigley J.E.: Color grading "D-To-Z" diamonds at the GIA Laboratory, W08:296-321
- King J.M., Moses T.M., Shigley J.E., Liu Y.: Color grading of colored diamonds in the GIA Gem Trade Laboratory, W94:220-242
- King J.M., Moses T.M., Shigley J.E., Welbourn C.M., Lawson S.C., Cooper M.: Characterizing natural-color type IIb blue diamonds, W98:246-268
- King J.M., Moses T.M., Wang W.: The impact of internal whitish and reflective graining on the clarity grading of D-to-Z color diamonds at the GIA Laboratory, W06:206-220
- King J.M., Shigley J.E.: An important exhibition of seven rare gem diamonds, Su03:136-143
- King J.M., Shigley J.E., Gelb T.H., Guhin S.S., Hall M., Wang W.: Characterization and grading of natural-color yellow diamonds, Su05:88-115
- King J.M., Shigley J.E., Guhin S.S., Gelb T.H., Hall M.: Characterization and grading of natural-color pink diamonds, Su02:128-147
- King J.M., see also McClure S.F. and Moses T.M.
- Kinnunen K.A., see Lahti S.I.
- Kirkley M.B., Gurney J.J., Levinson A.A.: Age, origin, and emplacement of diamonds: Scientific advances in the last decade, Sp91:2-25
- Kirkley M.B., see also Levinson A.A.
- Kirschvink J.L., see Rossman G.
- Kissin A.J.: Ruby and sapphire from the southern Ural Mountains, Russia, W94:243-252
- Kitawaki H.: Identification of heat-treated corundum, F06:84
- Kitawaki H., Abduriyim A., Okano M.: Identification of melee-size synthetic yellow diamonds in jewelry, F08:202-213
- Kitawaki H., see also Abduriyim A.
- Kjarsgaard B.A., Levinson A.A.: Diamonds in Canada, F02:208-238
- Klapper H., see Smith C.P.
- Klauser F., see Gabasch H.
- Kleišmantas A.: Identification of beryl varieties: "Beryl Color Circle," "Color Memory," and a proposed new variety—chromaquamarine, F06:137
- Klemm L., see Schwarz D.
- Kniewald G.: Gemological properties of colorless hyalophane from Busovaca, Bosnia-Herzegovina, F06:137-138
- Knight S.: Building a profitable appraisal business, F99:167-168
- Knowles C.R., see Johnston C.L.
- Knox K., Lees B.K.: Gem rhodochrosite from the Sweet Home mine, Colorado, Su97:122-133

- Knox K., see also Laurs B.M.
- Koethe S.: Natural abalone pearls:  
Rare organic gems, F99:171-172
- Koivula J.I.:  
Carbon dioxide fluid inclusions as proof of natural-colored corundum, F86:152-155  
The first-order red compensator: An effective gemological tool, Su84:101-105  
The hidden beauty of amber: New light on an old subject, Sp81:34-36  
Induced fingerprints, W83:220-227  
Photographing inclusions, F81:132-142  
Photomicrography for gemologists, Sp03:4-23  
Pinpoint illumination: A controllable system of lighting for gem microscopy, Su82:83-86  
The rutilated topaz misnomer, Su87:100-103  
San Carlos peridot, W81:205-214  
Shadowing: A new method of image enhancement for gemological microscopy, F82:160-164  
Some observations on the treatment of lavender jadeite, Sp82:32-35  
Tourmaline as an inclusion in Zambian emeralds, W82:225-227
- Koivula J.I., Boehm E., Kammerling R.C.: Diamond grit-impregnated tweezers: A potentially destructive gemological tool, Su90:149-151
- Koivula J.I., Elen S.: Barite inclusions in fluorite, W98:281-283
- Koivula J.I., Fritsch E.: The growth of Brazil-twinned synthetic quartz and the potential for synthetic amethyst twinned on the Brazil law, F89:159-164
- Koivula J.I., Fryer C.W.:  
The gemological characteristics of Chinese peridot, Sp86:38-40  
Green opal from East Africa, W84:226-227  
Identifying gem-quality synthetic diamonds: An update, F84:146-158  
Interesting red tourmaline from Zambia, Sp85:40-42  
Lepidolite with simulated matrix, Sp84:42-44
- Koivula J.I., Fryer C.W., Keller P.C.:  
Opal from Querétaro, Mexico: Occurrence and inclusions, Su83:87-96
- Koivula J.I., Kammerling R.C.:  
A gemological look at Kyocera's synthetic star ruby, W88:237-240  
"Opalite": Plastic imitation opal with true play-of-color, Sp89:30-34
- Koivula J.I., Kammerling R.C., DeGhionno D.G., Reinitz I., Fritsch E., Johnson M.L.:  
Gemological investigation of a new type of Russian hydrothermal synthetic emerald, Sp96:32-39
- Koivula J.I., Kammerling R.C., Fritsch E., Fryer C.W., Hargett D., Kane R.E.: The characteristics and identification of filled diamonds, Su89:68-83
- Koivula J.I., Keller P.C.: Russian flux-grown synthetic emeralds, Su85:79-85
- Koivula J.I., Tannous M., Schmetzer K.: Synthetic gem materials and simulants in the 1990s, W00:360-379
- Koivula J.I., see also Balitsky V.S., Fritsch E., Fryer C.W., Jennings R.H., Johnson M.L., Kammerling R.C., Kane R.E., Keller P.C., Kopf R.W., Laurs B.M., Lowell J., McClure S.F., Moses T.M., Muhlmeister S., Robert D., Shigley J.E., Simmons W.B., Sinkankas J., Spencer R.J., and Zwaan J.C.
- Kondo D.M., see Smith C.P.
- Kopf R.W., Hurlbut C.S., Koivula J.I.: Recent discoveries of large diamonds in Trinity County, California, F90:212-219
- Kornylak L., see Moses T.M.
- Kothavala R.Z., see Atkinson D.
- Kouznetsov N.B.: The past, present, and future of demantoid green garnet from Russia, F06:157
- Kovaltchouk A., see Jennings R.H.
- Krashes L.S.: Harry Winston: A story told in diamonds, Sp83:21-29
- Krupp H., see Johnson M.L. and Kane R.E.
- Krzemnicki M.S.:  
Bluish green, light green, and pink synthetic chrysoberyl, F99:175  
Diopside needles as inclusions in demantoid garnet from Russia: A Raman microspectrometric study, W99:192-195
- Krzemnicki M.S., Hänni H.A., Walters R.A.: A new method for detecting Be diffusion-treated sapphires: Laser-induced breakdown spectroscopy (LIBS), Su04:314-322
- L**
- Lahti S.I., Kinnunen K.A.: A new gem beryl locality: Luumäki, Finland, Sp93:30-37
- Larson W.F.: Review of gem localities in North America, Russia, and Southeast Asia, F99:64-65
- Larson W.F., see also Shigley J.E.
- Laskovenkov A.F., Zhermakov V.I.: An update on the Ural emerald mines, Su95:106-113
- Latendresse G.: "A pearl circus": Origin, variety, and enhancement of pearls, F99:172
- Latendresse J.R., see Sweaney J.L.
- Laurs B.M., Knox K.: Spessartine garnet from Ramona, San Diego County, California, W01:278-295
- Laurs B.M., Pezzotta F., Simmons W.B., Falster A.U., Muhlmeister S.: Rhodizite-londonite from the Antsongombato pegmatite, central Madagascar, W02:326-339
- Laurs B.M., Rohtert W.R., Gray M.: Benitoite from the New Idria District, San Benito County, California, F97:166-187
- Laurs B.M., Simmons W.B., Rossman G.R., Fritz E.A., Koivula J.I., Anckar B., Falster A.U.: Yellow Mn-rich tourmaline from the Canary mining area, Zambia, W07:314-331
- Laurs B.M., Simmons W.B., Rossman G.R., Quinn E.P., McClure S.F., Peretti A., Armbruster T., Hawthorne F.C., Falster A.U., Günther D., Cooper M.A., Grobéty B.: Pezzottaite from Ambatovita, Madagascar: A new gem mineral, W03:284-301
- Laurs B.M., Zwaan J.C., Breeding C.M., Simmons W.B., Beaton D., Rijdsdijk K.F., Befi R., Falster A.U.: Copper-bearing (Paraíba-type) tourmaline from Mozambique, Sp08:4-30
- Laurs B.M., see also Bowersox G.W., Dirlam D.M., Fritz E.A., Muhlmeister S., Schwarz D., Shigley J.E., Simmons W.B., and Zwaan J.C.
- Lawson S.C., see King J.M., Martineau P.M.
- Lee H.W., see Thomas S.A.
- Lees B.K., see Knox K.
- Leggio L., see Hainschwang T.
- Lehrer G.: The techniques and art of cutting "the world's largest gemstone pendant," Bahia: A natural, transparent, rutile quartz sculpture, F06:158
- Lepage L.: Ultraviolet mineral prospecting for sapphire on Baffin Island, Nunavut, Canada, F06:155-156
- Levinson A.A., Cook F.A.: Gem corundum in alkali basalt: Origin and occurrence, W94:253-263
- Levinson A.A., Gurney J.J., Kirkley

- M.B.: Diamond sources and production: Past, present, and future, W92:234-254
- Levinson A.A., see also Gurney J.J., Kirkley M.B., Kjarsgaard B.A., Murphy A.R., Mychaluk K.A., Sevdermish M., and Spencer R.J.
- Lewand E.A., see Nassau K.
- Liddicoat R.T.:  
 Basil W. Anderson, 1901–1984, Sp84:1  
 Carroll Chatham, 1914–1983, F83:129  
 China, Sp86:1  
 Congratulations! F89:129; F90:177  
 The country of origin question, W90:247  
 Diamond prospecting and market prospects, W95:227  
 Gemology today, F88:133  
 The *Gems & Gemology* most valuable article award, Sp82:1; Sp83:1  
*Gems & Gemology*: Sixty years of history and history-making, W94:219  
 Information and communication: Keys to the future, Su91:69  
 An introduction to the new *Gems & Gemology*, Sp81:1  
 Madagascar: Making its mark, Su96:79  
 The magic of pegmatites, Su84:63  
 The new Australia, F85:129  
 New challenges for the diamond industry, Su89:67  
 The new *Gems & Gemology* is one year old, W81:183  
 Opening Pandora's black box, F96:153  
 The radioactivity issue, W88:195  
 Reflections on the 1980s, W89:195  
 Russia reemerges as a gemstone giant, Su95:87  
 Synthetics manufacturers: Some help, some hinder, Su83:63  
 In tribute to Lewis Kuhn, Su81:59  
 In tribute to Robert M. Shipley, Jr., W82:185  
 Tucson '87: Don't miss it! F86:129  
 The ultimate synthetic: A jewelry-quality diamond, W86:191  
 What did you say the name was? W92:219  
 What is a synthetic? F87:125
- Liddicoat R.T., Boyajian W.E.: The 1980s in review: New realities of the gem and jewelry industry, Sp90:1-2
- Liddicoat R.T., Keller A.S.: *Gems & Gemology* turns 65, W99:173
- Liddicoat R.T., see also Kane R.E. and Keller A.S.
- Linares R.C., see Wang W.
- Lind Th., Schmetzer K., Bank H.: The identification of turquoise by infrared spectroscopy and X-ray powder diffraction, F83:164-168
- Linnen R.L.: A fluid inclusion study of the syenite-hosted "True Blue" aquamarine occurrence, Yukon Territory, Canada, 114 (Fall)
- Liu S.: Monochromatic X-ray topographic characterization of pezzot-taite with synchrotron radiation, F06:100-101
- Liu Y.: Universal color grading system, F06:101
- Liu Y., see also King J.M. and Wang Fuquan
- London D.:  
 Geochemical cycles of gem-forming elements: What it takes to make tourmaline, beryl, topaz, spodumene, and other pegmatitic gems, F06:108-109  
 The miarolitic stage in granitic pegmatites: How Mother Nature makes big, clear crystals, F06:109
- Lowell J., Koivula J.I.: Amethyst from Four Peaks, Arizona, F04:230-238
- Lowry S.: Automating the infrared and Raman spectral analysis of gemstones, F06:91
- Lu T.: Some dissolution features observed in natural diamonds, F06:138
- Lu T., see also Balitsky V.S. and Shigley J.E.
- Lucas A.: The emerald business in South America, F06:158
- Lule-Whipp C.: Chromium chalc-edony from Turkey and its possible archeological connections, F06:115
- Lustenhower W.J., see Zwaan J.C.
- M**
- Ma L.: Developments and challenges of the China diamond market, F06:25
- Maddison P., see Johnson M.L. and Kammerling R.C.
- Magazina L.O., see Titkov S.V.
- Magner S.: Perspective of a high-end jeweler, F99:107-108
- Maini L.: The identification of gemstones by photoluminescence: Synthetic and natural Mg-Al spinels, F06:125
- Makhina I.B., see Balitsky V.S.
- Malinovsky I.Y., see Shigley J.E.
- Malsy A.-K., see Schwarz D.
- Maltsev V.S., see Thomas V.G.
- Manandhar M.N., see Smith C.P.
- Manning G.: Snake oil or cedar oil: Have your colored stones been enhanced, and are you telling the tale? F99:70
- Manson D.V., Stockton C.M.:  
 Gem garnets in the red-to-violet color range, W81:191-204  
 Gem-quality grossular garnets, W82:204-213  
 Pyrope-spessartine garnets with unusual color behavior, W84:200-207  
 A response to "A new classification for red-to-violet garnets," Sp83:41-42
- Manson D.V., see also Hofer S.C. and Stockton C.M.
- Mar'in A.A., see Balitsky V.S.
- Martin D.D.: Gemstone durability: Design to display, Su87:63-77
- Martin F., Mérioux H., Zecchini P.: Reflectance infrared spectroscopy in gemology, W89:226-231
- Martineau P.M., Lawson S.C., Taylor A.J., Quinn S.J., Evans D.J.F., Crowder M.J.: Identification of synthetic diamond grown using chemical vapor deposition (CVD), Sp04:2-25
- Martini M., see Graziani G.
- Márza I.: The Techereu gemological field, F99:151
- Mashkovtsev R.I., see Thomas V.G.
- Massi L.: Chameleon diamonds: A proposed model to explain thermochromic and photochromic behaviors, F06:101-102
- Mattice G.: Demantoid garnet from the Ural Mountains, Russia, F99:151-152
- McClure S.F.:  
 Identification challenges of the new millennium, F99:86-87  
 New colored stone treatments, F06:29-30  
 Source type classification of gem corundum, F06:102
- McClure S.F., Kammerling R.C.: A visual guide to the identification of filled diamonds, Su95:114-119
- McClure S.F., Kammerling R.C., Fritsch E.: Update on diffusion-treated corundum: Red and other colors, Sp93:16-28
- McClure S.F., King J.M., Koivula J.I., Moses T.M.: A new laser technique for diamond, Su00:138-146
- McClure S.F., Koivula J.I.: A new method for imitating asterism, Su01:124-128
- McClure S.F., Moses T.M., Tannous M., Koivula J.I.: Classifying emerald clarity enhancement at the GIA Gem Trade Laboratory,

- W99:176-185
- McClure S.F., Shen A.H.: Coated tanzanite, Su08:142-147
- McClure S.F., Smith C.P.: Gemstone enhancement and detection in the 1990s, W00:336-359
- McClure S.F., Smith C.P., Wang W., Hall M.: Identification and durability of lead glass-filled rubies, Sp06:22-34
- McClure S.F., see also Balitsky V.S., Emmett J.L., Fritsch E., Johnson M.L., Kammerling R.C., Kane R.E., Laurs B.M., Moses T.M., Nassau K., Reinitz I.M., Sauer D.A., Shen A.H., Shigley J.E., and Smith C.P.
- McKenzie L.: Cultured abalone mabé pearls from New Zealand, F99:172
- McMillan N.J.: Fingerprinting gem beryl samples using laser-induced breakdown spectroscopy (LIBS) and portable X-ray fluorescence (PXRF), F06:126
- Medenbach O., see Schmetzer K.
- Mehta R.: India: The jewel in the crown, F06:62
- Mendes J.C., see Epstein D.S.
- Menzhausen J., see Kane R.E.
- Menzie J.: The impact of treatments on selling colored stones, F06:30-31
- Mercer M.E.: Methods for determining the gold content of jewelry metals, W92:222-233
- Mercer M.E., see also Fritsch E. and Johnson M.L.
- Mérigoux H., see Martin F.
- Merlini M., see Adamo I.
- Mernagh T.P., see Millstead P.W.
- Meyer H.O.A., Gübelin E.J.: Ruby in diamond, F81:153-156
- Michailidis N.: Challenger gemological spectrometer, F06:164-165
- Miciak A.R., see Sevdermish M.
- de Mille C.N., see Murphy A.R.
- Miller A.: Jewelry appraising: Professionalism in the new millennium, F99:168
- Millstead P.: Faceting transparent rhodonite from Broken Hill, New South Wales, Australia, Su06:151-158
- Millstead P.W., Mernagh T.P., Otieno-Alego V., Creagh D.C.: Inclusions in transparent gem rhodonite from Broken Hill, New South Wales, Australia, F05:246-254
- Mineeva R.M., see Titkov S.V.
- Misiorowski E.B.: Early 20th century jewelry, F99:99-100
- Jewelry of the 1980s: A retrospective, Sp90:76-93
- Jewelry of the 1990s, W00:398-417
- Misiorowski E.B., Dirlam D.M.: Art Nouveau: Jewels and jewelers, W86:209-228
- Misiorowski E.B., Hays N.K.: Jewels of the Edwardians, F93:152-171
- Misiorowski E.B., see also Dirlam D.M. and Fritsch E.
- Mitchell M.A.: The Indian perspective: Challenges and new developments, F99:47-48
- Moe K.S., Moses T.M., Johnson P.: Polymer-impregnated turquoise, Su07:149-151
- Moe K.S., see also Wang W.
- Mohideen H.M. Sultan: India—Old sources and new finds, F06:115-116
- Moldes R., see Kane R.E.
- Monteforte M., see Cariño M.
- Moon M., see Fritsch E. and Shigley J.E.
- Mora C., see Kane R.E.
- Moreno D.M., see Kiefert L.
- Morris R.L.: Adapting classic designs to modern markets, F99:103
- Moses T.M., Johnson M.L., Green B., Blodgett T., Cino K., Geurts R.H., Gilbertson A.M., Hemphill T.S., King J.M., Kornylak L., Reinitz I.M., Shigley J.E.: A foundation for grading the overall cut quality of round brilliant cut diamonds, F04:202-228
- Moses T.M., Reinitz I., Fritsch E., Shigley J.E.: Two treated-color synthetic red diamonds seen in the trade, F93:182-190
- Moses T.M., Reinitz I.M., Johnson M.L., King J.M., Shigley J.E.: A contribution to understanding the effect of blue fluorescence on the appearance of diamonds, W97:244-259
- Moses T.M., Shigley J.E.: G. Robert Crowningshield: A legendary gemologist, F03:184-199
- Moses T.M., Shigley J.E., McClure S.F., Koivula J.I., Van Daele M.: Observations on GE-processed diamonds: A photographic record, F99:14-22
- Moses T.M., see also Akamatsu S., Emmett J.L., Fritsch E., Kammerling R.C., King J.M., McClure S.F., Moe K.S., Reinitz I.M., Scarratt K., Shen A.H., Shigley J.E., and Wang W.
- Mouawad F., see Peretti A.
- Muhlmeister S., Fritsch E., Shigley J.E., Devouard B., Laurs B.M.: Separating natural and synthetic rubies on the basis of trace-element chemistry, Su98:80-101
- Muhlmeister S., Koivula J.I., Kammerling R.C., Smith C.P., Fritsch E., Shigley J.E.: Flux-grown synthetic red and blue spinels from Russia, Su93:81-98
- Muhlmeister S., see also Fritsch E., Johnson M.L., Kammerling R.C., Laurs B.M., Shigley J.E., and Zwaan J.C.
- Muller A.: Cultured South Sea pearls, F99:77-79
- Murphy A.R., Hozjan D.J., de Mille C.N., Levinson A.A.: Pre-Columbian gems and ornamental materials from Antigua, West Indies, F00:234-245
- Mychaluk K.A.: The Yogo sapphire deposit, Sp95:28-41
- Mychaluk K.A., Levinson A.A., Hall R.L.: Ammolite: Iridescent fossilized ammonite from southern Alberta, Canada, Sp01:4-25

## N

- Nassau K.: Altering the color of topaz, Sp85:26-34
- Artificially induced color in amethyst-citrine quartz, Sp81:37-39
- Cubic zirconia: An update, Sp81:9-19
- The early history of gemstone treatments, Sp84:22-33
- Green glass made of Mount Saint Helens ash? Su86:103-104
- Heat treating ruby and sapphire: Technical aspects, F81:121-131
- An overview of gemstone treatments, F99:95-96
- Synthetic forsterite and synthetic peridot, Su94:102-108
- Synthetic gem materials in the 1980s, Sp90:50-63
- Nassau K., Hanson A.E.: The pearl in the chicken: Pearl recipes in *Papyrus Holmiensis*, W85:224-231
- Nassau K., Lewand E.A.: Mildly radioactive rhinestones and synthetic spinel-and-glass triplets, W89:232-235
- Nassau K., McClure S.F., Elen S., Shigley J.E.: Synthetic moissanite: A new diamond substitute, W97:260-275
- Nassau K., Prescott B.E.: Nonfading Maxixe-type beryl? W81:217-219
- Nassau K., Rossman G.R., Wood D.L.: Unstable radiation-induced yellow-green color in grossular garnet, F92:188-191
- Nassau K., Shigley J.E.: A study of the General Electric synthetic jadeite, Sp87:27-35

Nassau K., Valente G.K.: The seven types of yellow sapphire and their stability to light, W87:222-231  
Nelen J.E., see Dietrich R.V.  
Newton M.: Treated diamond: A physicist's perspective, F06:84-85  
Niedermayr G., see Brandstätter F.  
Niklewicz D.: The Gem & Mineral Council, F99:161  
Nordrum F.S., see Rondeau B.  
Notari F., see Hainschwang T.  
Novak S., see Emmett J.L., Shen A.H.

## O

Ohnenstetter D., see Schwarz D.  
Okano M., see Kitawaki H.  
Oo T., see Hughes R.W.  
Ostrooumov M., see Fritsch E.  
Otieno-Alego V., see Millsteed P.W.  
Ottaway T.: Dynamic Earth: Inco Ltd. Gallery of Earth Sciences, F99:162  
Ottomeyer H., see Dröschel R.  
Overlin S., see Dirlam D.M. and Kane R.E.  
Overton T.W.:  
Gem treatment disclosure and U.S. law, Su04:106-127  
Legal protection for proprietary diamond cuts, W02:310-325  
Silicosis risks for lapidary workers in developing countries, F06:165  
Overton T.W., Shigley J.E.: A history of diamond treatments, Sp08:32-55  
Owens P.A.: Infrared spectroscopy as a discriminant between natural and manufactured glasses, F99:152

## P

Paget D.: Canadian diamond production: A government perspective, F99:40-42  
Pal'yanov Y.N., see Shigley J.E.  
Paradise T.R.: The natural formation and occurrence of green quartz, Sp82:39-42  
Pardieu V., see Schwarz D.  
Paspaley N.: The challenges and opportunities of growing and marketing South Sea cultured pearls, F06:38  
Pavese A., see Adamo I.  
Pay D.: Course development at the Gemological Institute of America, F06:162  
Payne T.: The andradites of San Benito County, California, F81:157-160  
Peach J.L. Sr.: Freshwater pearls: New millennium—new pearl order, F99:75  
Pearson C.: The effect of internation-

al economic developments on the diamond market, F99:50  
Peretti A., Schmetzer K., Bernhardt H.-J., Mouawad F.: Rubies from Mong Hsu, Sp95:2-25  
Peretti A., see also Laurs B.M., Schmetzer K., and Smith C.P.  
Perret E.:  
Color treatment of diamonds and their potential in designer jewelry, F06:159-160  
Designing colored diamond jewelry, F99:170-171  
Perrin E.: Defeating the bling, F06:49-50  
Petersen O.V., see Jensen A.  
Petsch E.J., see Schwarz D. and Zwaan J.C.  
Peucat J.-J., see Rondeau B.  
Pezzotta F.: New gem localities in Madagascar, F06:116  
Pezzotta F., see also Dirlam D.M., Guastoni A., and Laurs B.M.  
Phillips W.R., Talantsev A.S.: Russian demantoid, czar of the garnet family, Su96:100-111  
Pienaar H.S.: Gem-quality friedelite from the Kalahari manganese field near Kuruman, South Africa, W82:221-224  
Pisutha-Armond V.: Role of beryllium in the coloration of Fe- and Cr-doped synthetic corundum, F06:85  
Poli L.: The Italian and European goldsmith industry: Current status and possible future scenarios, F06:59-60  
Ponahlo J., see Smith C.P.  
Pope S.: High-pressure, high-temperature (HPHT) diamond processing: What is this technology and how does it affect color? F06:120  
Post J.E.: X-ray diffraction using area detectors for mineral and gem characterization, F06:91-92  
Post J.E., see also Eaton-Magaña S., Gaillou E.  
Prescott B.E., see Nassau K.  
Proctor K.:  
Chrysoberyl and alexandrite from the pegmatite districts of Minas Gerais, Brazil, Sp88:16-32  
Gem pegmatites of Minas Gerais, Brazil: Exploration, occurrence, and aquamarine deposits, Su84:78-100  
Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Araçuaí districts, Sp85:3-19  
Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Governador Valadares district, Su85:86-104  
Prosperi L., see Adamo I.

Prudden J.M.: Geology of placer gem deposits, F06:149  
Pruwer M.: The Antwerp diamond sector, F99:46  
Prygov V.I., see Balitsky V.S.

## Q

Qiu Y., see Rossman G.R.  
Quinn E.P., see Laurs B.M.  
Quinn S.J., see Martineau P.M.

## R

Raff B.: The multichannel approach, F06:55-56  
Ramsey J.L.: The cutting properties of kunzite, W81:220-225  
Rapaport M.:  
Diamond economics: A dynamic analysis, F99:51  
Diamond industry of the future, F06:27  
Rauch T., see Gabasch H.  
Read P.G.: A computer program for gem identification, F83:157-163  
Reinitz I.M.:  
Identifying diamond treatments, F99:88-89  
The role of brillianteering variations in the GIA Cut Grading System, F06:138-139  
Reinitz I.M., Buerki P.R., Shigley J.E., McClure S.F., Moses T.M.: Identification of HPHT-treated yellow to green diamonds, Su00:128-137  
Reinitz I.M., Johnson M.L., Hemphill T.S., Gilbertson A.M., Geurts R.H., Green B.D., Shigley J.E.: Modeling the appearance of the round brilliant cut diamond: An analysis of fire, and more about brilliance, F01:174-197  
Reinitz I.M., see also Hemphill T.S., Koivula J.I., Moses T.M., Rooney M.-L.T., and Shigley J.E.  
Repetto S., see Kammerling R.C., Kane R.E., and Smith C.P.  
Richardson P.: Preliminary observations of a new polishing process for colored gems, F06:139-140  
Rijsdijk K.F., see Laurs B.M.  
Ringsrud R.:  
The Coscuez mine: A major source of Colombian emeralds, Su86:67-79  
*Gota de aceite*: Nomenclature for the finest Colombian emeralds, F08:242-245  
The oil treatment of emeralds in Bogotá, Colombia, F83:149-156  
Subjectivity in gemology, F06:165-166  
Robbins S.: Reinventing = Transfor-

- mation, F06:47-48
- Robert D., Fritsch E., Koivula J.I.: "Emeraldolite": A new synthetic emerald overgrowth on natural beryl, W90:288-293
- Rockman H.B.: Obtaining U.S. copyright registration for the Elara square cut-cornered brilliant diamond, F03:210-213
- Rohtert W.: Three parageneses of ruby and pink sapphire discovered at Fiskenæsset, Greenland, F06:149-150
- Rohtert W., see also Laurs B.M.
- Rondeau B.: Some open questions on diamond morphology, F06:109-110
- Rondeau B., Fritsch E., Peucat J.-J., Nordrum F.S., Groat L.: Characterization of emeralds from a historical deposit: Byrud (Eidsvoll), Norway, Su08:108-122
- Rooney M.-L.T., Welbourn C.M., Shigley J.E., Fritsch E., Reinitz I.: De Beers near colorless-to-blue experimental gem-quality synthetic diamonds, Sp93:38-45
- Rossmann G.R.: Characterization of nanofeatures in gem materials, F06:92
- Color in gems: The new technologies, Su81:60-71
- New technologies used to identify colored stone treatments, F06:32
- Rossmann G.R., Kirschvink J.L.: Magnetic properties of gem-quality synthetic diamonds, F84:163-166
- Rossmann G.R., Qiu Y.: Radioactive irradiated spodumene, Su82:87-89
- Rossmann G.R., see also Balitsky V.S., Fritsch E., Laurs B.M., Nassau K., and Vasconcelos P.M.
- Rothman G.: Battle of the minds, F06:26
- Rothschild G.L.S.: The developing market in China, F99:59
- Rupasinghe M.S., see Dissanayake C.B. and Gunawardene M.
- S**
- Samuel J.H. Jr.: The marketing of period jewelry during the 20th century and into the next millennium, F99:101-102
- Sariiz K., Isik I.: Meerscham from Eskisehir Province, Turkey, Sp95:42
- Sauer D.A.: South America: The birth of a new jewelry-consuming market, F99:71-72
- Sauer D.A., Keller A.S., McClure S.F.: An update on Imperial topaz from the Capão mine, Minas Gerais, Brazil, W96:232-241
- Sauer D.A., see also Cassedanne J.P.
- Saul J.M., see Schwarz D.
- Scarlsbrick D.: Chaumet—A very Parisian jeweler, F99:97
- Scarratt K.: Focusing on cultured pearl treatments, F06:40-41
- The identification of artificial coloration in diamond, Su82:72-78
- The identification of ruby and sapphire, F99:82-83
- The treatment of ruby and sapphire, with implications for gem identification and the integrity of the product, F06:85-86
- Scarratt K., Beaton D., DuToit G.: Jeremejevite: A gemological update, F01:206-211
- Scarratt K., Moses T.M., Akamatsu S.: Characteristics of nuclei in Chinese freshwater cultured pearls, Su00:98-109
- Scarratt K., Shor R.: The Cullinan diamond centennial: A history and gemological analysis of Cullinans I and II, Su06:120-132
- Scarratt K., see also Akamatsu S., Emmett J.L., Fritsch E., Kammerling R.C., Smith C.P., and Wang W.
- Schechter J.: Chinese freshwater cultured pearl ~~revolution~~ evolution, F06:40
- Scheepers R.: Controls on mineralization in Block D' of the Merelani tanzanite deposit, Tanzania, F06:150
- Schlüter J., Weitschat W.: Bohemian garnet—Today, F91:168-173
- Schmetzer K.: Clues to the process used by General Electric to enhance the GE POL diamonds, W99:186-190
- Distinguishing natural from synthetic emeralds, F99:84-85
- Growth method and growth-related properties of a new type of Russian hydrothermal synthetic emerald, Sp96:40-43
- Hydrothermally grown synthetic aquamarine manufactured in Novosibirsk, USSR, F90:206-211
- Schmetzer K., Bank H.: Investigation of a cat's-eye scapolite from Sri Lanka, Su83:108-110
- Schmetzer K., Bank H., Stähle V.: The chromium content of Lechleitner synthetic emerald overgrowth, Su81:98-100
- Schmetzer K., Bernhardt H.-J.: Garnets from Madagascar with a color change of blue-green to purple, W99:196-201
- Schmetzer K., Bernhardt H.-J., Biehler R.: Emeralds from the Ural mountains, USSR, Su91:86-99
- Schmetzer K., Bosshart G., Bernhardt H.-J., Gübelin E.J., Smith C.P.: Serendibite from Sri Lanka, Sp02:73-79
- Schmetzer K., Burford M., Kiefert L., Bernhardt H.-J.: The first transparent faceted grandidierite, from Sri Lanka, Sp03:32-37
- Schmetzer K., Hainschwang T., Bernhardt H.-J., Kiefert L.: New chromium- and vanadium-bearing garnets from Tranoroa, Madagascar, Su02:148-155
- Schmetzer K., Hainschwang T., Kiefert L., Bernhardt H.-J.: Pink to pinkish orange Malaya garnets from Bekily, Madagascar, W01:296-308
- Schmetzer K., Hänni H.A., Bernhardt H.-J., Schwarz D.: Trapiche rubies, W96:242-250
- Schmetzer K., Hänni H.A., Jegge E.P., Schupp F.-J.: Dyed natural corundum as a ruby imitation, Su92:112-115
- Schmetzer K., Henn U.: Synthetic or imitation? An investigation of the products of Kyocera Corporation that show play-of-color, F87:148-151
- Schmetzer K., Kiefert L., Bernhardt H.-J.: Purple to purplish red chromium-bearing taaffeites, Sp00:50-59
- Schmetzer K., Kiefert L., Bernhardt H.-J., Beili Z.: Characterization of Chinese hydrothermal synthetic emerald, W97:276-289
- Schmetzer K., Medenbach O.: Examination of three-phase inclusions in colorless, yellow, and blue sapphires from Sri Lanka, Su88:107-111
- Schmetzer K., Peretti A.: Some diagnostic features of Russian hydrothermal synthetic rubies and sapphires, Sp99:17-28
- Schmetzer K., Peretti A., Medenbach O., Bernhardt H.-J.: Russian flux-grown synthetic alexandrite, F96:186-202
- Schmetzer K., Schupp F.-J.: Flux-induced fingerprint patterns in synthetic ruby: An update, Sp94:33-38
- Schmetzer K., see also Gübelin E.J., Hänni H.A., Koivula J.I., Lind Th., Peretti A., Schwarz D., Shigley J.E., and Smith C.P.
- Schmidt S.T., see Kiefert L.
- Schnitzer S.: Diamond manufacturing and distribution: The Israeli per-

- spective, F99:49
- Schoeckert K.P.: Is ideal really ideal? How the cut affects the beauty of diamonds, F99:159-160
- Schubiger B., see Hänni H.A.
- Schupp F.-J., see Schmetzer K.
- Schwarz D.:  
Emeralds from the Mananjary Region, Madagascar: Internal features, Su94:88-101  
Emeralds—Recent developments and projected changes in supply, F99:62-63
- Schwarz D., Kanis J., Schmetzer K.: Sapphires from Antsiranana Province, northern Madagascar, F00:216-233
- Schwarz D., Pardieu V., Saul J.M., Schmetzer K., Laurs B.M., Giuliani G., Klemm L., Malsy A.-K., Erel E., Hauzenberger C., Du Toit G., Fallick A.E., Ohnstedter D.: Rubies and sapphires from Winza, central Tanzania, W08:322-347
- Schwarz D., Petsch E.J., Kanis J.: Sapphires from the Andranondambo Region, Madagascar, Su96:80-99
- Schwarz D., see also Abduriyim A., Schmetzer K.
- Schwieger R.: Diagnostic features and heat treatment of Kashmir sapphires, W90:267-280
- Seal II R.R., see Bowersox G.W.
- Seifert A.V., Hyrs J.: Sapphire and garnet from Kalalani, Tanga Province, Tanzania, Su99:108-120
- Seifert A.V., see also Zwaan J.C.
- Sergeev A.M., see Titkov S.V.
- Sevdermish M.: Color communication: The analysis of color in gem materials, F06:102-103
- Sevdermish M., Miciak A.R., Levinson A.A.: The rise to prominence of the modern diamond cutting industry in India, Sp98:4-23
- Shank S.C.: Gem artists of North America: The renaissance of modern lapidary art, F99:171
- Shen A.H.: Identification of dyed chrysocholla chalcedony, F06:140
- Shen A.H., Wang W., Hall M.S., Novak S., McClure S.F., Shigley J.E., Moses T.M.: Serenity coated colored diamonds: Detection and durability, Sp07:16-34
- Shen A.H., see also Du Toit G., McClure S.F., Shigley J.E., Wang W.
- Shepherd J., see Fiske D.
- Shigley J.E.:  
California benitoite: A proven mineable reserve and new gemological data, F99:152-153  
The ongoing challenge of diamond identification, F99:80-81
- Shigley J.E., Abbaschian R., Clarke C.: Gemesis laboratory-created diamonds, W02:301-309
- Shigley J.E., Breeding C.M., Shen A.H.: An updated chart on the characteristics of HPHT-grown synthetic diamonds, W04:303-313
- Shigley J.E., Chapman J., Ellison R.K.: Discovery and mining of the Argyle diamond deposit, Australia, Sp01:26-41
- Shigley J.E., Cook B.C., Laurs B.M., Bernardes de Oliveira M.: An update on "Paraíba" tourmaline from Brazil, W01:260-276
- Shigley J.E., Dirlam D.M., Laurs B.M., Boehm E.W., Bosshart G., Larson W.F.: Gem localities of the 1990s, W00:292-335
- Shigley J.E., Dirlam D.M., Schmetzer K., Jobbins E.A.: Gem localities of the 1980s, Sp90:4-31
- Shigley J.E., Foord E.E.: Gem-quality red beryl from the Wah Wah Mountains, Utah, W84:208-221
- Shigley J.E., Fritsch E., Koivula J.I., Sobolev N.V., Malinovsky I.Y., Pal'yanov Y.N.: The gemological properties of Russian gem-quality synthetic yellow diamonds, W93:228-248
- Shigley J.E., Fritsch E., Reinitz I.: Two near-colorless General Electric type-IIa synthetic diamond crystals, F93:191-197
- Shigley J.E., Fritsch E., Reinitz I., Moon M.: An update on Sumitomo gem-quality synthetic diamonds, Su92:116-122
- Shigley J.E., Fritsch E., Reinitz I., Moses T.M.: A chart for the separation of natural and synthetic diamonds, W95:256-264
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E.: The gemological properties of the Sumitomo gem-quality synthetic yellow diamonds, W86:192-208
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E., Hargett D.R., Welch C.W.: The gemological properties of the De Beers gem-quality synthetic diamonds, W87:187-206
- Shigley J.E., Kampf A.R.: Gem-bearing pegmatites: A review, Su84:64-77
- Shigley J.E., Koivula J.I.: Amethystine chalcedony, W85:219-223
- Shigley J.E., Koivula J.I., Fryer C.W.: The occurrence and gemological properties of Wessels mine sugilite, Su87:78-89
- Shigley J.E., McClure S.F., Breeding C.M., Shen A.H., Muhlmeister S.M.: Lab-grown colored diamonds from Chatham Created Gems, Su04:128-145
- Shigley J.E., McClure S.F., Cole J.E., Koivula J.I., Lu T., Elen S., Demianets L.N.: Hydrothermal synthetic red beryl from the Institute of Crystallography, Moscow, Sp01:42-55
- Shigley J.E., McClure S.F., Koivula J.I., Moses T.M.: New filling material for diamonds from Oved Diamond Company: A preliminary study, Su00:147-153
- Shigley J.E., Moses T.M., Reinitz I., Elen S., McClure S.F., Fritsch E.: Gemological properties of near-colorless synthetic diamonds, Sp97:42-53
- Shigley J.E., Stockton C.M.: "Cobalt-blue" gem spinels, Sp84:34-41
- Shigley J.E., Thompson T.J., Keith J.D.: Red beryl from Utah: A review and update, W03:302-313
- Shigley J.E., see also Ashbaugh III C.E., Balitsky V.S., Bowersox G.W., Dirlam D.M., Emmett J.L., Faulkner M.J., Fritsch E., Hemphill T.S., Johnson M.L., Kammerling R.C., Kane R.E., King J.M., Moses T.M., Muhlmeister S., Nassau K., Overton T.W., Reinitz I.M., Rooney M.-L.T., Shen A.H., Titkov S.V., and Wang W.
- Shi G.-H.: Texture and composition of kosmochlor and chromian jadeite aggregates from Myanmar: Implications for the formation of green jadeite, F06:150-151
- Shor R.:  
From single source to global free market: The transformation of the cultured pearl industry, F07:200-226  
Retail markets and the growing global significance of branding, F99:53-54  
A review of the political and economic forces shaping today's diamond industry, F05:202-233
- Shor R., see also Scarratt K.
- Shteinberg A.S., see Balitsky V.S.
- Simic D., see Hainschwang T.
- Simmons W.B., Laurs B.M., Falster A.U., Koivula J.I., Webber K.L.: Mt. Mica: A renaissance in Maine's gem tourmaline production, Su05:150-163
- Simmons W.B., see also Dirlam D.M., Laurs B.M., and Zwaan J.C.
- Singbamroong S.: Sapphires from Ban Huai Sai, Laos, F06:103

- Singer D.: The mark of excellence in jewelry, F06:43
- Sinkankas J.:  
 Artistry in rock crystal: The Van Pelt collection, W82:214-220  
 Contributions to a history of gemology: Specific gravity origins and development of the hydrostatic method, F86:156-165
- Sinkankas J., Koivula J.I., Becker G.: Peridot as an interplanetary gemstone, Sp92:43-51
- Siripant S.: A color communication system for gemstones, F99:162-163
- Sivovolenko S.:  
 Fancy-color diamonds: Better color appearance by optimizing cut, F06:104-105  
 Study of interdependence: Fancy-color diamond appearance, cut, and lighting conditions, F06:140
- Sivtsov A.V., see Titkov S.V.
- Smirnov S.:  
 Color grading of color-enhanced natural diamonds: A case study of Imperial Red diamonds, F06:126-127  
 New hydrothermal synthetic gemstones from Taurus, Novosibirsk, Russia, F99:175-176
- Smirnov S., see also Thomas V.G.
- Smith C.P.:  
 "Diffusion ruby" proves to be synthetic ruby overgrowth on natural corundum, F02:240-248  
 Infrared spectra of gem corundum, F06:92-93  
 Introduction to analyzing internal growth structures: Identification of the negative *d* plane in natural ruby, F96:170-184
- Smith C.P., Bosshart G.: Star of the South: A historic 128 ct diamond, Sp02:54-64
- Smith C.P., Bosshart G., Graeser S., Hänni H., Günther D., Hametner K., Gübelin E.J.: Poudretteite: A rare gem species from the Mogok Valley, Sp03:24-31
- Smith C.P., Bosshart G., Ponahlo J., Hammer V.M.F., Klapper H., Schmetzer K.: GE POL diamonds: Before and after, F00:192-215
- Smith C.P., Gübelin E.J., Bassett A.M., Manandhar M.N.: Rubies and fancy-color sapphires from Nepal, Sp97:24-31
- Smith C.P., Kammerling R.C., Keller A.S., Peretti A., Scarratt K.V., Khoa N.D., Repetto S.: Sapphires from southern Vietnam, F95:168-186
- Smith C.P., McClure S.F.: Chart of commercially available gem treatments, W02:294-300
- Smith C.P., McClure S.F., Eaton-Magaña S., Kondo D.M.: Pink-to-red coral: A guide to determining origin of color, Sp07:4-15
- Smith C.P., see also Adamo I., Bowersox G.W., Kane R.E., McClure S.F., Muhlmeister S., Schmetzer K., and Wang W.
- Smith H.S., see Gurney J.J.
- Smith K.L.: Opal from Opal Butte, Oregon, W88:229-236
- Smith M., see Hughes R.W.
- Snee L.W.:  
 Afghanistan gem deposits: Studying newly reopened classics and looking for new deposits, F06:116-117  
 Pegmatite genesis—Complex or simple emplacement? Revisiting southern California pegmatites, F06:151-152
- Snee L.W., see also Bowersox G.W.
- Sobolev N.V.:  
 The new Komsomolskaya mine in Yakutia, Russia: Unique features of its diamonds, F06:117  
 Russian diamond sources, F99:43
- Sobolev N.V., see also Shigley J.E.
- Solodova Y.: Comparative investigation of diamonds from various pipes in the Malaya-Botuobiya and Daldyn-Alakit areas (Siberia), F06:141-142
- Sorokina S.L., see Balitsky V.S.
- Spear P.M., see Welbourn C.M.
- Spencer L.K., Dikinis S.D., Keller P.C., Kane R.E.: The diamond deposits of Kalimantan, Borneo, Su88:67-80
- Spencer R.J., Levinson A.A., Koivula J.I.: Opal from Querétaro, Mexico: Fluid inclusion study, Sp92:28-34
- Spits R.A., see Fisher D.
- Stähle V., see Schmetzer K.
- Stark K.B., see Dirlam D.M.
- Stockton C.M.:  
 The chemical distinction of natural from synthetic emeralds, F84:141-145  
 Pastel pyropes, Su88:104-106  
 The separation of natural from synthetic emeralds by infrared spectroscopy, Su87:96-99  
 Two notable color-change garnets, Su82:100-101
- Stockton C.M., Kane R.E.: The distinction of natural from synthetic alexandrite by infrared spectroscopy, Sp88:44-46
- Stockton C.M., Manson D.V.: Gem andradite garnets, W83:202-208
- Peridot from Tanzania, Su83:103-107
- A proposed new classification for gem-quality garnets, W85:205-218
- Scanning electron microscopy in gemology, Su81:72-79
- Stockton C.M., see also Fritsch E., Manson D.V., and Shigley J.E.
- Strack E.: European freshwater pearls: Origin, distribution, and characteristics, F06:105
- Stuller M.: Meeting customer needs, F99:111
- Sturman D.B.: Study of the biaxial gemstones on the refractometer, F06:127
- Sturman N.: The "keshi" pearl issue, F06:142
- Sucher S.D., Carriere D.P.: The use of laser and X-ray scanning to create a model of the historic Koh-i-Noor diamond, Su08:124-141
- Suleman A.K.: Colored stone sources in Africa and Madagascar, F99:66-67
- Sun T.T., see Hughes R.W.
- Sunagawa I.: Growth, morphology, and perfection of single crystals: Concepts in discriminating natural from synthetic gemstones, F06:112
- Sunagawa I., Yasuda T., Fukushima H.: Fingerprinting of two diamonds cut from the same rough, W98:270-280
- Superchi M.: Gemological investigation of multicolored tourmalines from new localities in Madagascar, F06:156
- Superchi M., see also Guastoni A.
- Sussmann R.S., see Wang W.
- Sutthirat C.: Indications of heating in corundum from experimental results, F06:86
- Suwa Y.:  
 The jewelry market in Japan in 2020, F06:58-59  
 Will there be another chance for business in the Asian colored stone jewelry market? F99:68-69
- Swarovski N.: Reinventing Swarovski, F06:46
- Sweaney J.L., Latendresse J.R.: Freshwater pearls of North America, F84:125-140

## T

- Taijing L., see Balitsky V.S.
- Talantsev A.S., see Phillips W.R.
- Tallaire A., see Wang W.
- Tannenbaum E.: Magellan's guide to the diamond universe, F06:23
- Tannous M., see Koivula J.I. and McClure S.F.
- Tashey T.E.:

- Gem Quality Index (GQI), F99:163-164  
 A system to describe the face-up color appearance of white and off-white polished diamonds, F06:142-143
- Taylor A.J., see Martineau P.M.  
 Taylor M.C.:  
 The first California gem tourmaline locality, F99:153-154  
 The gel model for the formation of gem-bearing pockets within granitic pegmatites, and implications for gem synthesis, F06:110-111
- Tempelsman M.:  
 Globalization and technology: Dynamic forces for the 21st century, F99:2-7  
 Transitions and traditions, F06:7-12
- Tennakoon S.: In-situ corundum localities in Sri Lanka: New occurrences, F06:117-118
- Thomas S.A.: "Modern" jewelry: Retro to Abstract, Sp87:3-17
- Thomas S.A., Lee H.W.: Gemstone carving in China: Winds of change, Sp86:24-34
- Thomas S.A., see also Dirlam D.M.  
 Thomas V.G., Mashkovtsev R.I., Smirnov S.Z., Maltsev V.S.: Tairus hydrothermal synthetic sapphires doped with nickel and chromium, F97:188-202
- Thompson S.E. "Voices of the Earth": Transcending the traditional in lapidary arts, W01:310-317
- Thompson T.J., see Shigley J.E.
- Tian L.: Sapphires from Shandong, China, F99:154
- Titkov S.V.: Inclusions in white-gray diamonds of cubic habit from Siberia, F06:127-128
- Titkov S.V., Shigley J.E., Breeding C.M., Mineeva R.M., Zudin N.G., Sergeev A.M.: Natural-color purple diamonds from Siberia, Sp08:56-64
- Titkov S.V., Zudin N.G., Gorshkov A.I., Sivtsov A.V., Magazina L.O.: An investigation into the cause of color in natural black diamonds from Siberia, F03:200-209
- Tivol T.: Can a family business compete in the 21st century jewelry market? F99:112
- Tower J., see Wang W.  
 Tozer R., see Dirlam D.M.  
 Tretyakova L.I.: Reflection and scattering spectroscopy for nondestructive gem identification, F99:163
- Tucker E.: Jade forms from ancient China, Sp82:20-31
- U**  
 Underwood T.:  
 Digital color communication for gemstones, with an exploration of applications within our industry, F06:143  
 Surface-enhanced topaz, F99:154-155
- V**  
 Vagner K.: Gemological Institute of America's public outreach programs, F06:162-163
- Valente G.K., see Nassau K.  
 Van Daele M., see Moses T.M.  
 Van Royen J.: HPHT treatment of type IaB brown diamonds, F06:86-87
- Vasconcelos P.M., Wenk H.-R., Rossman G.R.: The Anahí ametrine mine, Bolivia, Sp94:4-23
- Vins V.: Natural diamond enhancement: The transformation of intrinsic and impurity defects in the diamond lattice, F06:120-121
- Vrána S., see Zwaan J.C.
- W**  
 Wagner R.M.: What does that emerald look like? How to communicate color and appearance across continents, F99:168-169
- Walters R.A., see Eaton-Magaña S., Krzemnicki M.S.  
 Wan G.-D., see Keller P.C.  
 Wan R.:  
 The Tahitian cultured pearl, F06:39  
 The Tahitian cultured pearl: Past, present, and future, F99:76
- Wang Fuquan: A gemological study of turquoise in China, Sp86:35-37
- Wang Fuquan, Guo J.: Chicken-blood stone from China, F89:168-170
- Wang Fuquan, Liu Y.: Garnets from Altay, China, W93:273-277
- Wang Fuquan, see also Guo J. and Keller P.C.
- Wang Furui: The sapphires of Penglai, Hainan Island, China, F88:155-160
- Wang W.: Developing corundum standards for LA-ICP-MS trace-element analysis, F06:105-106
- Wang W., Hall M., Breeding C.M.: Natural type Ia diamond with green-yellow color due to Ni-related defects, W07:240-243
- Wang W., Hall M.S., Moe K.S., Tower J., Moses T.M.: Latest-generation CVD-grown synthetic diamonds from Apollo Diamond Inc., W07:294-312
- Wang W., Moses T., Linares R.C., Shigley J.E., Hall M., Butler J.E.: Gem-quality synthetic diamonds grown by a chemical vapor deposition (CVD) method, W03:268-283
- Wang W., Scarratt K., Emmett J.L., Breeding C.M., Douthit T.R.: The effects of heat treatment on zircon inclusions in Madagascar sapphires, Su06:134-150
- Wang W., Scarratt K., Hyatt A., Shen A.H., Hall M.: Identification of "chocolate pearls" treated by Ballerina Pearl Co., W06:222-235
- Wang W., Smith C.P., Hall M., Breeding C.M., Moses T.M.: Treated-color pink-to-red diamonds from Lucent Diamonds Inc., Sp05:6-19
- Wang W., Tallaire A., Hall M., Moses T.M., Achard J., Sussmann R.S., Gicquel A.: Experimental CVD synthetic diamonds from LIMHP-CNRS, France, F05:234-244
- Wang W., see also Emmett J.L., King J.M., McClure S.F.
- Ward F., see Hughes R.W.  
 Wathanakul P.: Beryllium-assisted heat treatment experiments on blue sapphires, F06:87
- Webber K.L., see Simmons W.B.  
 Weibel M., see Gübelin E.J.  
 Weitschat W., see Schlüter J.  
 Welborn P.: Marketing in the 21st century, F06:166
- Welbourn C.: Identification of synthetic diamonds: Present status and future developments, F06:34-35
- Welbourn C.M., Cooper M., Spear P.M.: De Beers natural versus synthetic diamond verification instruments, F96:156-169
- Welbourn C.M., see also King J.M. and Rooney M.-L.T.
- Welch C.W., see Shigley J.E.  
 Weldon R.: Photographing phenomenal gemstones, F06:144
- Weldon R., see also Dirlam D.M.  
 Wenk H.-R., see Vasconcelos P.M.  
 Wentzell C.Y.: Cultured abalone blister pearls from New Zealand, F98:184-200
- Wentzell C.Y., see also Johnson M.L.  
 White J.S., see Dietrich R.V.  
 Wickstrom D.: The auction house as a purveyor of high-end jewelry, F06:52
- Wildman M., see Hanano J.  
 Wise M.A.: Geology of "true" hiddenite deposits, F06:152  
 Wise R.W.: Queensland boulder opal, Sp93:4-15

---

Woensdregt C.F., see Gübelin E.J.  
Wood D.L., see Nassau K.  
Woodring S., see Hainschwang T.  
Woodruff R.E., Fritsch E.: Blue pectolite from the Dominican Republic, W89:216-225  
Wu S.-T.T., see Fritsch E.  
Wyart J., Bariand P., Filippi J. (trans. by C. Stockton): Lapis-lazuli from Sar-e-Sang, Badakhshan, Afghanistan, W81:184-190

## Y

Yager T.R.: Recent trends in world gem production, F06:144-145  
Yakoumelos G., see Guo J.  
Yantzer P.: The AGS performance cut grading system, F06:160  
Yasuda T., see Sunagawa I.  
Yuan J.C.C.: Investigation by syn-

chrotron X-ray diffraction topography of the crystal structure defects in colored diamonds (natural, synthetic, and treated), F06:93  
Yurkiewicz P.G., see Hanano J.  
Yurman D.:  
Creating a luxury brand, F99:104  
Jewelry design and brand creation: Designing over the years, F06:44

## Z

Zang J.W., see Johnson M.L.  
Zansheng L.T., see Akamatsu S.  
Zecchini P., see Martin F.  
Zenil A.R., see Coenraads R.R.  
Zhernakov V.I., see Laskovenkov A.F.  
Zucker B.: From Alexander the Great to Elihu Yale: A study of India and the diamond trade, F06:160-161  
Zudin N.G., see Titkov S.V.

Zwaan J.C.: The Sandawana model of emerald formation, F06:111  
Zwaan J.C., Kanis J., Petsch E.J.: Update on emeralds from the Sandawana mines, Zimbabwe, Su97:80-100  
Zwaan J.C., Seifert A.V., Vrána S., Laurs B.M., Anckar B., Simmons W.B., Falster A.U., Lustenhouwer W.J., Muhlmeister S., Koivula J.I., Garcia-Guillerminet H.: Emeralds from the Kafubu area, Zambia, Su05:116-148  
Zwaan J.C., see also Laurs B.M.  
Zwaan P.C.:  
Enstatite, cordierite, kornepine, and scapolite with unusual properties from Embilipitiya, Sri Lanka, W96:262-269  
Sri Lanka: The gem island, Su82:62-71